



Project FORTH REPLACEMENT CROSSING

Document title

# CONSTRUCTION NOISE MONITORING REPORT: OCTOBER 2014

Rev	Rev. Date	Purpose of revision	Made	Checked	Approved
00	19/11/14	First Revision	ELS	DKE	LSN
01	04/12/14	Comments addressed	ESL	DKE	LSN

Document status

# FOR REVIEW

Made by: Euan Lucas	Checked By: Liam Soden
Initials: ELS	Initials: LSN
Document number	Rev

REP-00203 01

This document is intellectual property of FCBC Construction JV. Copying, distribution, usage, and information on contents of this are forbidden unless explicitly authorized.



#### **Contents**

- 1. Introduction
- 2. Noise Monitoring Locations
- 3. Noise Monitoring Results



#### 1 Introduction

- 1.1 Monitoring of construction noise is being undertaken by FCBC during the construction of the new Forth Crossing and the associated road network. This report covers the month of October 2014. The objective of this report is to detail the monitoring that has been undertaken across the site during this period and to present the construction noise monitoring results acquired for October 2014.
- **1.2** Monitoring of construction noise has been undertaken in accordance with the Code of Construction Practice (CoCP) and the Noise and Vibration Management Plan (NVMP).



## 2 Noise Monitoring Locations

- 2.1 During October 2014, construction noise was monitored using permanent, continuous noise monitoring devices at the locations listed in Table 1. The majority of the monitors were installed throughout November and December 2011, with additional monitors installed at Scotstoun Park (Arup's Office) and Newton during March 2012 and a further sound level meter installed at Whinny Hill during March 2012.
- 2.2 At some monitoring locations, the noise monitoring devices are accompanied by associated weather stations. Weather stations are present at Echline Field, Tigh-Na-Grian, Clufflat Brae, Dundas Home Farm, Butlaw Fisheries, Linn Mill and Whinny Hill.
- 2.3 Various construction works were undertaken across the site during October 2014. The main construction activities undertaken in the locality of each of the noise meters during the period have been listed in Table 1.



**Table 1: Monitoring Locations** 

Ref.	Monitoring Location	Crossing or Network	Main Construction Activities During October 2014
M1	Whinny Hill	Network	Verge filling     Rock excavation     CMC works
М3	Tigh-Na-Grian	Crossing	<ul> <li>Central Tower rebar, formwork, concreting works deck table installation works</li> <li>North Tower rebar, formwork, concreting works deck table installation works</li> <li>Pier N1 rebar formwork &amp; concrete works</li> </ul>
M4	North Leg	Crossing	<ul> <li>Central Tower rebar, formwork, concreting works deck table installation works</li> <li>North Tower rebar, formwork, concreting works deck table installation works</li> <li>Pier N1 rebar formwork &amp; concrete works</li> </ul>
M6	Port Edgar	Crossing	<ul> <li>Central Tower rebar, formwork, concreting works deck table installation works</li> <li>South Tower rebar, formwork, concreting works deck table installation works</li> <li>Pier S1 de-stressing wells work</li> <li>Pier S2 excavation</li> <li>Pier S3 foundation works, rebar, formwork &amp; concreting works</li> <li>Pier S4 rebar, formwork &amp; concreting works</li> <li>Bearing fitting at Piers S4</li> </ul>
M7	Butlaw Fisheries	Crossing	<ul> <li>Central Tower rebar, formwork, concreting works deck table installation works</li> <li>South Tower rebar, formwork, concreting works deck table installation works</li> <li>Pier S1 de-stressing wells work</li> <li>Pier S2 excavation</li> <li>Pier S3 foundation works, rebar, formwork &amp; concreting works</li> <li>Pier S4 rebar, formwork &amp; concreting works</li> <li>Bearing fitting at Piers S4</li> </ul>
M10	Inchgarvie Lodge	Crossing	<ul> <li>Central Tower rebar, formwork, concreting works deck table installation works</li> <li>South Tower rebar, formwork, concreting works deck table installation works</li> <li>Pier S1 foundation works</li> <li>Pier S2 excavation</li> <li>Pier S3 foundation works, rebar, formwork &amp; concreting works</li> <li>Pier S4 rebar, formwork &amp; concreting works</li> <li>Bearing fitting at Piers S4</li> <li>Launch – install plates to props, king post works and structural steel works</li> </ul>



M11	Linn Mill	Network (close proximity to Crossing)	Launch – install plates to props, king post works and structural steel works     Bearing fitting at Piers S4      N.B. No night time or Sunday daytime construction in vicinity.
M13	Clufflat Brae	Crossing	<ul> <li>Launch – install plates to props, king post works and structural steel works</li> <li>N.B. No night time or Sunday daytime construction in vicinity.</li> </ul>
M14	Springfield	Network	<ul> <li>Launch – install plates to props, king post works and structural steel works</li> <li>N.B. No night time or Sunday daytime construction in vicinity.</li> </ul>
M15	Echline Field	Network	<ul> <li>Launch – install plates to props, king post works and structural steel works</li> <li>A904 tie in road works, including verge fill, kerbing and placing/trimming of type 1 sub-base for footpath</li> <li>N.B. No night time or Sunday daytime construction in vicinity.</li> </ul>
M16	Scotstoun	Network	<ul> <li>Utilities works</li> <li>Structure works</li> <li>Gantry installation</li> <li>Safety Barrier installation</li> <li>ESQ04 Construction</li> </ul>
M17	Dundas Home Farm	Network	<ul> <li>Utility works</li> <li>Fill south bund/landscape</li> <li>BP Speciality works</li> <li>ESQ04 Construction</li> <li>N.B. No night time or Sunday daytime construction in vicinity.</li> </ul>
M18	Newton	Network	No works



### 3 Noise Monitoring Results

- 3.1 All noise monitoring results for construction days have been presented in charts using the template provided in the Construction Noise Monitoring Information Note, as available on the project website <a href="http://www.transportscotland.gov.uk/files/documents/projects/forth-replacement/FRC\_Construction\_Noise\_Monitoring\_Information\_Note\_2.pdf">http://www.transportscotland.gov.uk/files/documents/projects/forth-replacement/FRC\_Construction\_Noise\_Monitoring\_Information\_Note\_2.pdf</a>). All charts can be found in the appendices of this report.
- **3.2** With regard to the noise monitoring results charts, the following should be noted:
  - All locations are considered as either 'Main Crossing' or 'Network Connections', as set out in Table 1. Main Crossing works are undertaken during the day, evening and night time periods. Network connection works, however, are undertaken during the daytime only. The inclusion of data in the graphs reflects this. Although Linn Mill is considered as a network location, the potential for marine works near the south shore to be heard has been recognised. As a result, evening and night time data has been included for this location although no network connection construction activities have been undertaken during these periods.
  - Noise data for days, evening and nights on which no construction works were conducted have been excluded from the monthly average results presented in the graph. Additionally, no investigations into the L<sub>AFmax</sub> exceedances during these periods have been made as they would have been caused by non-construction related factors. However, noise results (L<sub>Aeq</sub> and L<sub>AFmax</sub>) for any days, evenings and nights on which no construction works have been conducted have been presented in the graphs in greyed out areas.
  - An average for Sunday construction noise data has been included on the graphs where applicable; in locations where no Sunday works have been undertaken no average is shown.
  - As set out in the CoCP, the assessment time for evening, nights and Sunday daytime is 1 hour periods. To present the construction noise results for these periods, therefore, the maximum L<sub>AFmax</sub> (fast time response) and maximum L<sub>Aeq</sub> within the overall evening/night time period has been taken. It should be noted, therefore, that the average shown for these periods is an average of only the highest L<sub>Aeq</sub> results.



- Where noise data is missing for days, evening or nights during which construction works were conducted, this has been indicated. Results for Northleg are unavailable due to inaccessibility of the location. Due to device error results are missing from Clufflat Brae on the 22/10/14 and Port Edgar 23/10/14 – 27/10/14.
- 3.3 Results demonstrate that the monthly average total construction noise results for daytime were within the threshold levels for all monitoring locations for October 2014, with the exception of Scotstoun, Clufflat Brae and Tigh-Na-Grian. For the evening period, all monitoring locations were within the threshold levels. For the night time periods, there were exceedances at location; Butlaw Fisheries and Clufflat Brae. Any exceedances at Clufflat Brae are highly unlikely to be attributed to FCBC activity as no night works are carried out within this vicinity. With regard to the Sunday averages (for applicable monitoring locations), there were exceedances of Sunday averages at Butlaw Fisheries and Tigh-Na-Grian.
- 3.4 The exceedances noted are not thought to have been caused by increased noise levels due to construction. Each of the exceedances of the averages and Sunday averages, with the exception of the daytime averages at Scotstoun, were found to be affected by increased noise levels due to traffic. Audio demonstrates that the increased levels were caused by waves and birds at Butlaw Fisheries and raindrops at Linn Mill have also contributing to increased levels at these locations. Inchgarvie Lodge had a number of exceedances due to residential activity. With regard to the averages reported for evening, night time and Sunday periods, it should be noted that these averages are based only on the highest L<sub>Aeq</sub> levels for 1 hour periods which can affect the averages.
- 3.5 The exceedance of the daytime average at Scotstoun is due to increased background noise levels due to the location of the meter directly adjacent to the road. The average for October is consistent with levels for previous months.
- 3.6 During October 2014, some exceedances of the maximum noise thresholds also occurred. Each exceedance of the threshold was investigated using triggered audio recordings, records of construction works (i.e. site programmes and diaries and daily marine reports) and analysis of weather station data, where required. A Noise and Vibration Investigative Report (NVIR) spread sheet has been produced detailing the results of the investigation for each exceedance. Where the exceedances are due to construction works, a detailed NVIR has been completed which details the results of the investigation in addition to any additional mitigation measures required.



- 3.7 The majority of exceedances at all locations were caused by factors including periods localised noises at nearby properties and bird calls. At some locations, notably Scotstoun and Echline, existing traffic noise had an effect on maximum noise levels during the period covered in this report. Butlaw Fisheries also records a high number of waves against the shore during times of high tide.
- **3.8** A summary of the findings for exceedances occurring at each of the locations can be found in Table 2.





**Table 2: Summary of Exceedances at Monitoring Locations** 


Monitoring Location	Summary of Exceedance Details
Butlaw Fisheries	During October the maximum noise threshold was exceeded on 42 occasions (daytime, 5; evening, 6; night time, 31) The majority of exceedances were attributed to non-construction factors, including waves, planes, cars and birds. There we a number of isolated occurrences of banging most likely attributed to night works on the approach piers. Previous attended monitoring has shown a 5dB drop between Butlaw Fisheries and the nearest sensitive. The likelihood of exceedances caused by the above is highly unlikely.
Clufflat Brae	During October the maximum noise threshold was exceeded on 49 occasions (daytime, 15; evening, 3; night time, 31). No exceedances were found to be due to construction works. Exceedances were found to be largely due to birds and residential activity.
Inchgarvie Lodge	During October the maximum noise threshold was exceeded on 58 occasions (daytime, 23; evening, 16; night time, 19). No exceedances were attributed to construction works. Investigations found residential activities and birds to be the main contributing factors to the exceedances at this location.
Linn Mill	During October the maximum noise threshold was exceeded on 50 occasions (daytime, 10; evening, 11; night time, 29). 3 construction related exceedance was recorded at this location during the day time due to movement of material opposite the monitor. However, the exceedances at this location were largely due to birds.
Tigh-Na- Grian	During October the maximum noise threshold was exceeded on 37 occasions (daytime, 17; evening, 1; night time, 19). Exceedances were due to non-construction factors, mainly birds.
Dundas Home Farm	During October the maximum noise threshold was exceeded on 5 occasions. These exceedances were not caused by the works. The exceedances were due to lawnmowers, helicopters, airplanes, and residents.
Echline	During October the maximum noise threshold was exceeded on 17 occasions. Exceedances were largely attributed to vehicles passing by on the adjacent roads and local residents.
Scotstoun	During October the maximum noise threshold was exceeded on 27 occasions. No exceedances were due to construction. Exceedances were largely attributed to vehicles passing by on the adjacent road.
Whinny Hill	During October the maximum noise threshold was exceeded on 19 occasions. Exceedances were not due to construction activities. Exceedances were due to a range of factors such as different vehicles of transportation and birds.





**APPENDIX A** 























**Note:** The grey areas of the chart represent days on which no construction works have been conducted. The monthly average construction noise for Sunday has not been included as no Sunday works have been conducted at this location.





**Note:** The grey areas of the chart represent days on which no construction works have been conducted. A sunday average has not been included on the graph as no Sunday works have been undertaken at this location.


























**Note:** The grey areas of the chart represent days on which no construction works have been conducted. The monthly average construction noise for Sunday has not been included as no Sunday works have been conducted at this location .

