

Environmental Impact Assessment Record of Determination

M80 DBFO Various Surfacing 2023

Contents

Project Details	3
Description	3
Location	4
Description of local environment	4
Air quality	4
Cultural heritage	5
Landscape and visual effects	5
Biodiversity	6
Geology and soils	6
Material assets and waste	7
Noise and vibration	8
Population and human health	8
Road drainage and the water environment	9
Climate	9
Policies and plans	. 10
Description of main environmental impacts and proposed mitigation	. 11
Air quality	. 11
Cultural heritage	. 12
Landscape and visual effects	. 13
Biodiversity	. 13
Material assets and waste	. 15
Noise and vibration	. 17
Population and human health	. 18
Road drainage and the water environment	. 19
Climate	. 20
Vulnerability of the project to Major Accidents and Disasters	. 21
Assessment of cumulative effects	. 21
Assessments of the environmental effects	. 22
Statement of case in support of a Determination that a statutory EIA is not	
required	
Annex A	. 24

Project Details

Description

BEAR Scotland has been commissioned by Highway Management (Scotland) Limited to carry out the design for resurfacing works and expansion joint replacement on the M80 carriageway. The works will consist of carriageway resurfacing and reinstatement of road markings across thirteen sections of the M80, ranging from approx. 40 m in length to over 1 km. Expansion joint replacement will also be undertaken at two structures (M80 4-5 20 Luggie Water bridge and M90 5-6 85 Dullatur bridge). The total area of the works is > 1 ha. Works will predominantly be undertaken progressively across the thirteen sections, however depending on traffic management arrangements for each section, some sections may be undertaken concurrently.

The construction works are as follows:

- set up traffic management (TM) and mark out site;
- milling of existing bituminous material by road planer;
- jackhammer and compressor for breaking up surfaces not accessible by planer (e.g., around gullies);
- loader/excavator used to collect and move excess material;
- sweeper to collect loose material and provide clean laying surface;
- milled out/excavated materials all taken off site;
- expansion joints replaced;
- tack/bond coat laid;
- binder material laid and compressed by paver (where required);
- material compacted using a heavy roller;
- new bituminous surface course material laid by paver;
- material compacted using a heavy roller;
- mechanical sweeper to collect loose material;
- HGV for removal and replacement of material;
- road markings and studs applied where necessary (in accordance with Chapter 5);
- traffic loops reinstated (in accordance with Chapter 6);
- remove TM and open road.

The works are currently programmed to be completed within the 2023/2024 financial year (July 2023 – March 2024). Works are expected to be completed over twenty-six nights. Traffic management (TM) is currently anticipated to comprise of night-time mainline and slip road closures with local diversions in place. The diversions will add a maximum of 6 km onto existing journeys. There are no pedestrian routes, or other community assets, with connectivity to the scheme extents.

Location

The scheme lies on the M80 between Moodiesburn and Banknock, with agricultural land, woodland and urban development surrounding the scheme (Figure 1).



Figure 1: Extent of works. Source: Asset Management Performance System (AMPS). © Europa Technologies Ltd. Contains Ordnance Survey data © Crown copyright and database right 2018.

Description of local environment

Air quality

The scheme lies within the boundaries of North Lanarkshire Council and Falkirk Council, which both have three <u>Air Quality Management Areas</u> (AQMAs) within their administrative boundaries. The nearest AQMA, 'Croy', lies approx. 2.5 km north of the scheme and has been declared for particulate matter < 10 μ m (PM₁₀).

Five sites are registered on the Scottish Pollutant Release Inventory (SPRI) for air pollutant releases within 1 km of the scheme. Details are as follows:

- Dunnswood STW (waste and waste-water management) (0.2 km south)
- SRCL Ltd (waste and waste-water management) (0.25 km south)

- Deerdykes Composting & Organics Recycling Facility (waste and waste-water management) (0.3 km north)
- Energen Biogas Ltd (waste and waste-water management) (0.35 km south)
- AG Barr, Mollins Road (Animal and vegetable products from the food and beverage sector) (0.9 km north)

Baseline air quality is mainly influenced by vehicles travelling along the M80. Secondary sources are likely derived from the waste and waste-water management facilities in proximity to the scheme, vehicles travelling along the local road network, and day-to-day agricultural land management and urban activities.

Cultural heritage

The <u>PastMap</u> and <u>Historic Environment Scotland</u> (HES) online mapping tools records numerous features of cultural heritage significance within 300 m of the scheme, including World Heritage Sites, scheduled monuments, listed buildings, conservation areas and undesignated cultural heritage assets (UCHAs).

The following cultural heritage features share connectivity with the scheme extents:

- An approx. 30 m stretch of the motorway, within the scheme extents, lies within the 'Antonine Wall' World Heritage Site (WHS).
- An approx. 50 m stretch of the motorway, within the scheme extents, lies within the 'Forth and Clyde Canal: Castlecary – M9 Motorway' scheduled monument (SM6768).

Landscape and visual effects

The scheme is not situated within a <u>National Park</u> (NP) or <u>National Scenic Area</u> (NSA).

The Landscape Character Type (LCT) in the study area is 'Lowland River Valleys – Central' (no. 152) and 'Rolling Farmland – Glasgow & Clyde Valley' (no. 200) (Scottish Landscape Character Types). The Lowland River Valley LCT is characterized by rolling landform, with pastoral farmland dominant and settlement scattered. The Rolling Farmland LCT is characterized by well-defined corridors with flat valley floors and prominent hills.

Land use within 300 m of the scheme is categorised into the following:

- Motorways and major roads
- Rectilinear fields and farms
- Urban area
- Managed woodland

- Industrial or commercial area
- Recreation area
- Rough grazing
- Plantation

The <u>national scale land capability for agriculture</u> classifies land surrounding the scheme as being:

- 'Class 3.2' land capable of producing consistently high yields of a narrow range of crops and/or moderate yields of a wider range (short grass leys are common),
- 'Class 4.1' land capable of producing a narrow range of crops, primarily grassland with short arable breaks of forage crops and cereal,
- 'Class 4.2' land capable of producing a narrow range of crops, primarily on grassland with short arable breaks of forage crops,
- 'Class 888' urban (land qualifying as urban has no agricultural value).

There are no areas of ancient woodland registered on the <u>Ancient Woodland</u> <u>Inventory Scotland</u> or native woodland registered on the <u>Native Woodland Survey of Scotland</u> that border the carriageway at the scheme location.

Biodiversity

The <u>NatureScot Sitelink</u> online mapping tools identifies that the scheme is not situated within, and does not share connectivity with, a 'sensitive area' designated for biodiversity features e.g., Special Area of Conservation (SAC), Special Protection Area (SPA), Ramsar, Site of Special Scientific Interest (SSSI), etc.

The scheme is not situated within a Local Nature Conservation Site (LNCS) or Local Nature Reserve (LNR) designated for biodiversity features.

A search of the NBN online mapping tool records Giant Hogweed (*Heracleum mantegazzianum*), an invasive non-native species (INNS), within 2 km of the scheme extents (1 km north, 2018). There are no invasive native perennials, or injurious weeds (as listed under the Weeds Act 1959) recorded within 2 km of the scheme extents.

Geology and soils

The M80, within the scheme extents, is not located within a <u>Geological Conservation</u> <u>Review Site</u> (GCRS) and there are no <u>Local Geodiversity Sites</u> (LGS) with connectivity to the scheme extents.

The <u>National Soil Map of Scotland</u> online mapping tool records that the Generalised Soil Types and Major Soil Groups within the study area are Brown Soils and Gleys.

The <u>British Geological Survey</u> online mapping tool records that the superficial geology underlying the scheme extents is comprised of:

- Alluvium (clay, silt, sand and gravel)
- Till, Devensian (diamicton)
- Peat
- Glaciofluvial Sheet Deposits (gravel, sand and silt)
- Glaciofluvial Ice Contact Deposits (gravel, sand and silt)

The bedrock geology underlying the scheme extents is comprised of:

- Scottish Lower Coal Measures Formation (sedimentary rock cycles, coal measure type)
- Passage Formation (sedimentary rock cycles, Clackmannan group type)
- Castlecary Limestone
- Upper Limestone Formation (sedimentary rock cycles, Clackmannan Group type)
- Central Scotland Late Carboniferous Tholeitic Dyke Swarm (quartz-microgabbro)
- Orchard Limestone
- Midland Valley sill complex (quartz-microgabbro)
- Calmy Limestone

There is no evidence of historical industrial processes or the storage of hazardous materials that could have given rise to significant land contamination.

Material assets and waste

The proposed works are required to resurface the worn carriageway and reinstate road markings. Materials used will consist of:

- Asphaltic material
- Road-marking paint
- Bituminous emulsion bond coat
- Milled-in/surface-mounted road studs
- Traffic loop cabling
- Asphaltic plug joints
- Nosing mortar
- Mat Joint
- Metal plate

Caulking

The scheme involves removal of the surface course and localised areas of base and binder course. In total, 780 tonnes of bituminous material (European Waste Catalogue Code: 17 03 02) will be removed from site, none of which is classified as hazardous material containing coal tar. Approx. 1 tonne of asphaltic plug joint material will also be removed from site.

Noise and vibration

Works are not located within a <u>Candidate Quiet Area</u> (CQA). One works section (intermittent resurfacing over approx. 1 km) is located within a <u>Candidate Noise Management Area</u> (CNMA), 'M80 at Southerness Drive, Cumbernauld, Glasgow' (CNMA ID: 82), located between NS 76013 75753 and NS 76462 76247 within the North Lanarkshire Council administrative boundary.

Night-time modelled noise levels (Lnight) for the scheme extents ranges between 70 and 75 decibels, with levels dropping to between 60 and 65 decibels at the nearest NSR (residential property) (Scotland's Noise Scotland's Environment).

Baseline noise levels are mainly influenced by vehicles travelling along the motorway. Secondary sources are likely derived from vehicles travelling along the local road network, and day-to-day agricultural land management and urban activities.

Population and human health

Numerous properties (including business premises, a church and a primary school) lie within 300 m of the scheme. Properties are generally screened from the scheme extents, due to the presence of raised roadside embankments, wooden fencing and tree and shrub shelterbelt. The church and primary school lie approx. 150 m and 280 m south of the scheme, respectively, and are screened by intervening properties.

There are no non-motorised user (NMU) or community facilities with connectivity to the scheme extents. Street lighting is absent across the scheme extents.

The M80, within the scheme extents, is a two-lane motorway with a continual hard-shoulder and the national speed limit applying throughout. The Annual Average Daily Traffic (AADT) flow is moderate/high, ranging between 36,271 (12.8% HGVs) (Site Number 82051, 2021 data) and 57,326 (13.6% HGVs) (Site Number 20706, 2021 data) (Road traffic statistics),

There are no congestion issues noted on the M80 within the scheme extents during the proposed working hours.

Road drainage and the water environment

The <u>Scottish Environment Protection Agency</u> (SEPA) River Basin Management Plan online mapping tool records three classified surface waterbodies spanned by the motorway within the scheme extents: Luggie Water (u/s Mollins Burn) (ID: 10751), in the River Kelvin catchment; Bonny Water/Red Burn (ID: 4205), in the River Carron (Falkirk) catchment; and Forth and Clyde Canal (Wyndford to Rough Castle) (ID: 3), in the River Carron (Falkirk) catchment of the Scotland river basin district.

There are no unclassified surface waterbodies spanned by, culverted beneath or which share direct connectivity with the scheme extents.

The works lie on the 'Kirkintilloch' and 'Denny' <u>groundwaters</u> which have been classified as 'Poor', and the 'Castle Cary' and 'Carron Sand and Gravel' groundwaters which have been classified as 'Good'. These areas have also been classified as <u>Drinking Water Protected Areas</u>.

The works do not lie within a Nitrate Vulnerable Zone.

The SEPA indicative surface water online <u>flood mapping</u> tool records an approx. 300 m stretch of the motorway, within the scheme extents, is at a medium risk of surface water flooding (i.e., each year this area has a 0.5% chance of flooding).

Road drainage is provided by roadside gullies and filter drain.

Climate

The Climate Change (Scotland) Act 2009 sets out the target and vision set by the Scottish Government for tackling and responding to climate change (<u>The Climate Change (Scotland) Act 2009</u>). The Act includes a target of reducing CO₂ emissions by 80% before 2050 (from the baseline year 1990). The Climate Change (Emissions Reduction Targets) (Scotland) Act 2019 amended the Climate Change (Scotland) Act 2009 to bring the target of reaching net-zero emissions in Scotland forward to 2045 (<u>Climate Change (Emissions Reduction Targets</u>) (Scotland) Act 2019).

The Scottish Government has since published its indicative Nationally Determined Contribution (iNDC) to set out how it will reach net-zero emissions by 2045, working to reduce emissions of all major greenhouse gases by at least 75% by 2030 (Scotland's contribution to the Paris Agreement: indicative Nationally Determined Contribution - gov.scot (www.gov.scot)). By 2040, the Scottish Government is

committed to reducing emissions by 90%, with the aim of reaching net-zero by 2045 at the latest.

Transport Scotland is committed to reducing carbon across Scotland's transport network and this commitment is being enacted through the Mission Zero for Transport (Mission Zero for transport | Transport Scotland). Transport is the largest contributor to harmful climate emissions in Scotland. In response to the climate emergency, Transport Scotland are committed to reducing their emissions by 75% by 2030 and to a legally binding target of net-zero by 2045.

Policies and plans

This Record of Determination has been undertaken in accordance with all relevant regulations, guidance, policies and plans, notably including the Environment and Sustainability Discipline of the Design Manual for Roads and Bridges (Design Manual for Roads and Bridges (DMRB)) and Transport Scotland's Environmental Impact Assessment Guidance (Guidance - Environmental Impact Assessments for road projects (transport.gov.scot)).

Description of main environmental impacts and proposed mitigation

Air quality

During the construction phase, activities undertaken on site could potentially have some minor localised and short-term air quality impacts in proximity to the works. The construction phase will, for example, require a range of ancillary plant, vehicles, and non-road mobile machinery (NRMM) which will contribute to local dust and air pollutants. The main sources are likely to be dust generated by cold milling in preparation of carriageway resurfacing and breaking out the expansion joints, as well as exhaust emissions from ancillary plant and vehicles. As a result, there is potential for dust, particular matter, and exhaust emissions (DPMEE) to be emitted to the atmosphere.

However, considering the nature, duration, size, and scale of the scheme, and with implementation of mitigation detailed below, the proposed works impacts on local air quality levels during the construction period are assessed to be temporary negligible adverse in magnitude.

Upon completion of the works, no residual air quality impacts are anticipated.

Proposed air quality mitigation measures:

- A water-assisted dust sweeper will sweep the carriageway after dust-generating activities, and waste will be contained and removed from site as soon as is practicable.
- Materials that have a potential to produce dust will be removed from site as soon as possible, and vehicles that remove cold-milled material from site will have sheeted covers.
- Ancillary plant, vehicles and NRMM will have been regularly maintained, paying attention to the integrity of exhaust systems.
- Ancillary plant, vehicles and NRMM will be switched off when stationary to prevent exhaust emissions (e.g., there will be no idling vehicles).
- Where practicable, if powered generators are required, the use of mains
 electricity or battery powered ancillary plant will be considered in place of diesel
 or petrol alternatives.
- Cutting, grinding, and sawing equipment (if required) will be fitted or used in conjunction with suitable dust suppression techniques e.g., local exhaust ventilation system that fits directly onto tools.
- Regular monitoring (e.g., by engineer or Clerk of Works) will take place when DPMEE generating activities are occurring. In the unlikely event that unacceptable DPMEE are emanating from the site, the operation will, where

practicable, be modified and re-checked to verify that the corrective action has been effective. Actions to be considered include: (a) minimizing cutting and grinding on-site, (b) reducing the operating hours, (c) changing the method of working, etc.

Cultural heritage

Construction of the M80 road corridor is likely to have removed any archaeological remains that may have been present within the motorway boundary. The potential for the presence of unknown archaeological remains in the study area has therefore been assessed to be low. Moreover, the works do not entail any earthworks or vegetation clearance, and people, ancillary plant, vehicles, NRMM and materials are restricted to areas of made/engineered ground within the M80 road boundary. As such, there is negligible risk of disturbing or damaging previously undiscovered or unrecorded items of cultural interest.

Consultation was undertaken with Historic Environment Scotland (HES) regarding the impact of the works. Given that the works undertaken at the WHS and scheduled monument are limited to like-for-like carriageway resurfacing, HES were in agreement that works would not impact the 'Antonine Wall' WHS or the 'Forth and Clyde Canal: Castlecary – M9 Motorway' scheduled monument (SM6768).

Given the nature of the scheme, and with implementation of mitigation detailed below, the proposed works impacts on cultural heritage during the construction period are assessed to be negligible in magnitude.

Upon completion of the works, no residual impacts on cultural heritage are anticipated.

Proposed cultural heritage mitigation measures:

- Site personnel will be informed that they are working in proximity to the WHS and scheduled monument. A location plan will be available on-site detailing the footprint of the WHS and scheduled monument in relation to the works.
- All site personnel will be briefed on the importance of archaeological finds and will be instructed to inform the site supervisor where potential finds are made. If there are any unexpected archaeological finds, all works will temporarily stop, the area will be cordoned off and advice will be sought from HES/local authority accordingly.
- People, ancillary plant, vehicles, NRMM and materials will also be restricted to the made/engineered ground within the boundary of the carriageway. Where access outwith made/engineered ground is required for the safe and effective completion of the scheme, the area will be reduced as much as is reasonably practicable, and ideally will be accessed on foot.

 If a change to the construction programme onsite is required that necessitates earthworks or vegetation clearance, BEAR Scotland's Environmental Team will be contacted.

Landscape and visual effects

There will be a short-term impact on the landscape character and visual amenity of the site as a result of the presence of construction plant, vehicles, and TM.

However, people, ancillary plant, vehicles, NRMM and materials are restricted to areas of made/engineered ground within the boundary of the M80, and construction works are programmed to be undertaken at night (26-nights) on a rolling programme. As such, the visual impact of the works will be somewhat reduced.

Considering the nature, duration, size, and scale of the scheme, and with implementation of mitigation detailed below, impacts on landscape are assessed as temporary negligible adverse in magnitude.

Upon completion of the works, no residual impacts are anticipated e.g., when complete the visual appearance will remain largely unaffected, with a renewed road surface being the only discernible change.

Proposed landscape and visual effects mitigation measures:

- Where possible, construction vehicles will not be left in places where soil or vegetation can be damaged. If damage to road verge occurs this will be lightly cultivated or graded (upon completion of the works) to allow natural recolonization by local species and promote integration with existing landscape character.
- The site will be monitored regularly for signs of litter and other potential contaminants and litter will be removed before and after works take place.
- The site will be left clean and tidy following construction.

Biodiversity

The scheme is not situated within, and does not share connectivity with, a 'sensitive area' designated for biodiversity features e.g., SAC, SPA, Ramsar, SSSI, etc, and there are no LNCSs or LNRs designated for biodiversity features with connectivity to the scheme extents.

A temporary short-term increase in noise levels may cause disturbance to local wildlife. The works will, for example, require a range of ancillary plant, vehicles and NRMM which will emit noise and create potential disturbance. The works will also require delivery of materials and the presence of personnel to facilitate the improvements to the carriageway surface. However, the number of construction vehicles and construction operatives required onsite is low given the scale and

scope of works. In addition, any species in the area are likely to be accustomed to noise and visual disturbance pertaining to vehicle movements on the M80, and the scheme will be undertaken on a rolling programme. The potential for significant species disturbance within the area of likely construction disturbance is therefore somewhat diminished.

Preliminary Roost Assessments (PRAs) were undertaken at the two structures requiring expansion joint replacement. No further surveys for bats are required to facilitate works.

There are no INNS, injurious weeds or invasive native perennials recorded within the grassed verge adjacent to the scheme extents.

There are no earthworks or vegetation clearance associated with the scheme, the scheme does not require permanent (or temporary) land-take, accommodation works, site clearance or locally gained resources, and there is no requirement to import topsoil. As such, the works will not involve any physical altering or removal of habitat or result in habitat fragmentation, and there is limited potential to spread or introduce INNS, invasive native perennials, or injurious flowering plant species.

Considering the nature, duration, size, and scale of the scheme, and with implementation of mitigation detailed below, the proposed work impacts on biodiversity throughout the construction period are therefore assessed to be temporary minor adverse in magnitude.

Upon completion of the works, no residual impacts are anticipated in relation to biodiversity.

Proposed biodiversity mitigation measures:

- Toolbox Talk TTN-007 Working with Protected Species will be briefed prior to works commencing.
- Site personnel will remain vigilant for protected species and will not approach or touch any animals seen on site. Any sightings of protected species will be reported to BEAR's Environmental Team. Should a protected species be encountered or move within 50 m of the active works (including compounds), works will be temporarily halted until the animal(s) move at least 50 m away from the construction site, or until BEAR's Environmental Team can provide advice.
- The Contractor will employ 'soft-start' techniques for all noisy activity to avoid sudden and unexpected disturbance during works. Each time the activity is started up after a period of inactivity, the noise levels must be gradually increased over a period of 30 minutes to permit animals (including birds) to move away from the disturbance.
- Where possible, artificial lighting used during night works will be sufficiently screened and aligned so as to ensure that there is no direct illumination of

- neighbouring habitat (e.g., locations adjacent to tree shelterbelt, woodland, surface waterbodies etc.) to ensure minimal impact on nocturnal species.
- All equipment stored onsite will be checked at the start of each workday to
 ensure mammal species are not present. Any storage containers/plant within the
 compound will also be secured overnight to prevent exploration by mammal
 species. Any areas where an animal could become trapped (e.g., storage
 containers) will also be covered at the end of each working day, to avoid
 mammals falling in and becoming trapped.
- People, ancillary plant, vehicles, NRMM and materials will be restricted to areas
 of made/engineered ground (as much as is reasonably practicable). If during
 works unforeseen access to the surrounding environment is required, works will
 cease in this area and BEAR Scotland's Environmental Team will be contacted to
 allow consideration of potential environmental effects.
- BEAR Scotland's Environmental Team will be contacted to allow consideration of potential environmental effects if:
 - unforeseen site clearance is required,
 - unplanned works must be undertaken outwith the carriageway boundary,
 - there is any deviation from the agreed plan, programme and/or method of working,
 - nesting birds are found onsite.
- BEAR Scotland's Control Room will be contacted if there is a pollution incident.

Material assets and waste

Minimising impacts arising from construction materials are focussed upon making the most efficient use of materials onsite to reduce the need for imported primary materials and minimise the creation and disposal of waste through (i) reduction, (ii) re-use, and (iii) recycling. Potential impacts have been assessed for both the construction and operational phases of this scheme. It is anticipated that most material impacts are likely to arise during construction, though long-term residual impacts could occur post construction during the operational phase e.g., during the disposal of materials arising from routine maintenance operations.

However, the detailed design will reduce the requirements for primary materials e.g., the carriageway surfacing and subbase will be carefully considered to minimise the requirements for importing primary material. Materials will also be derived from recycled, secondary, or re-used origin as far as practicable within the design specifications to reduce natural resource depletion. Specifying TS2010 surface course also allows a wider array of aggregate sources to be considered when compared to typical stone mastic asphalt (SMA). As a result, the use of TS2010 should reduce the usage of imported aggregates and increase the use of a wider range of sustainable aggregate sources. The design life for the TS2010 surfacing is also estimated to be 20 years. The enhanced durability of TS2010 therefore reduces

reoccurring routine maintenance and associated levels of traffic disruption to this section of road over the period.

Considering the nature, duration, size and scale of the scheme, and with implementation of the mitigation detailed below, the proposed works impacts on material assets and waste throughout the construction period are therefore assessed to be temporary negligible adverse in magnitude.

Upon completion of the works, no residual impacts are anticipated on materials or waste.

Proposed material and waste mitigation measures:

- Following best practice and where feasible, creation of a Site Waste Management Plan (SWMP) will be recommended.
- Good materials management methods (e.g., 'just-in-time' delivery) will be implemented wherever possible.
- The Contractor will comply with all 'Duty of Care' requirements, ensuring that any surplus materials or waste are stored, transported, treated, used, and disposed of safely without endangering human health or harming the environment. Material transfer notes and/or waste exemption certificates (if required) will also be completed and retained.
- The Contractor is responsible for the reuse / disposal of non-hazardous road planings and this has been registered in accordance with a Paragraph 13(a) waste exemption issued by SEPA, as described in Schedule 3 of the Waste Management Licensing Regulations 2011 (exemption number: WML/XS/2006116), the rules of which will be complied with.
- Designated areas will be identified, within which all materials and personnel (including construction compounds) will be contained to limit environmental disturbance during construction works. This will include a designated area (if required) for segregation and reuse of waste materials.
- The selection of areas for materials stockpiling will avoid sensitive locations such as road drainage and surface waterbodies. Stockpiled materials with leachate potential, for example, will be stored away from road drainage to prevent crosscontamination with other materials, wastes, or groundwater.
- Materials will be stored with the appropriate security to prevent loss, theft, or vandalism.
- All temporary road signs and traffic cones will be removed from site on completion of works.
- Wastewater from welfare facilities (if required) will be subject to effluent treatment followed by tanker removal.
- If hazardous substances are used onsite, each substance will be subject to assessment under the Control of Substances Hazardous to Health (COSHH) Regulations 2002. Hazardous substances will also be clearly labelled, and disposed of, in line with COSHH safety data sheets and the Special Waste

Regulations 1996. Special waste will also not be mixed with general waste and/or other recyclables.

Noise and vibration

Activities undertaken on site could potentially have some localised and short-term noise impacts in proximity to the works. The road works will, for example, require a range of ancillary plant, vehicles and NRMM for cold milling in preparation for carriageway resurfacing and expansion joint replacement. Noise will also be generated by breaking out the existing joints and using breakers (jackhammers), chipping hammers, use of rollers, etc. As a result, there is potential for noise and vibration effects.

However, works will be completed over 26 nights on a rolling programme, with the aim being to complete the noisiest works by 23:00. In addition, considering the likely sources of noise and vibration, the distance from the point of generation to NSRs, the nature, duration, size and scale of the scheme, and with implementation of the mitigation detailed below, it is unlikely that noise and vibration associated with the works will lead to significant impacts, disruption and/or complaints. Moreover, upon completion of the works, there will be no operational impacts on the CNMA. The proposed scheme is therefore anticipated to result in temporary minor adverse noise impacts.

The road surface is in a poor condition, with a series of defects. Replacing the life-expired surface course with TS2010 road surfacing affords the benefits of a reduction in mid-to-high frequency traffic noise and a reduction in ground vibrations. As a result, upon completion of the work noise associated with the movement of vehicles on the trunk road should decrease post construction.

Proposed noise mitigation measures:

- Where possible, the noisiest work operations (e.g., cold milling, using breakers (jackhammers), chipping hammers, use of rollers, etc.) will be completed before 23:00.
- If unacceptable noise is emanating from the site the operation will, where possible, be modified and re-checked to verify that the corrective action has been effective. Actions to be considered include (a) minimizing cutting and grinding onsite, (b) reducing the operating hours, (c) repositioning equipment, (d) changing the method of working etc. Corrective actions will be actioned through the non-conformance reporting procedure, which ensures a root-cause analysis is carried out on each incident. The non-conformance procedure also ensures that appropriate corrective and preventative action measures are agreed and implemented in a timely fashion with all parties, and are recorded and actioned through to closeout, and fully auditable and traceable.
- Ancillary plant, vehicles and NRMM with directional noise characteristic will (where practical) be shut down in intervening periods between site operations.

- The use of paving breakers (jackhammers), chipping hammers, etc. will be avoided (except where there is an overriding justification), and if used will be fitted with mufflers or silencers of the type recommended by the manufacturer.
- Drop heights from vehicles and NRMM will be kept to a minimum to minimise noise when unloading.
- All ancillary plant, vehicles and NRMM used onsite will have been regularly maintained, paying attention to the integrity of silencers and acoustic enclosures.
- All compressors will be 'sound-reduced' models fitted with properly lined and sealed acoustic covers which will be kept closed when in use.
- HGV, site vehicles and NRMM will be switched to the minimum setting required by HSE and, where possible, will utilise 'broadband non-tonal' or 'directional sound reversing' alarms. Speed limits will also be reduced through the works.

Population and human health

During construction, activities undertaken on site have the potential to have temporary adverse impacts on local residents, vehicle travellers, and NMUs.

However, no congestion issues are noted, and TM will only be in place at night (when traffic flows will be at a minimum) on a rolling programme. Pedestrians and NMUs will also not be impacted. In addition, the proximity of road space suggests that residents will have a degree of tolerance to noise and disturbance.

Considering the nature, duration, size and scale of the scheme, and with implementation of the mitigation described below, impacts on population and human health are assessed as temporary minor adverse in magnitude.

Upon completion of the works, no residual impacts are anticipated in relation to population and human health:

Proposed population and human health mitigation measures:

- Where appropriate, a communication strategy (e.g., social media, consultation
 with local authority and other stakeholders, letter drop (for night-time works), etc.)
 will be initiated to keep local residents and/or businesses informed of the
 proposed working schedule, particularly the times and durations of noisy
 construction activities. The communication strategy will also provide a 24-hour
 contact number for the BEAR Scotland Control Room.
- Given the proximity of urban development to the scheme extents, Toolbox Talk TTN-042 Being a Good Neighbour will be briefed prior to works commencing.
- Construction lighting will consider the need to avoid illuminating surrounding properties to avoid a nuisance at night, and non-essential lighting will be switched off at night.

- Advanced signage will be strategically placed on the trunk road to notify stakeholders of the road closure and diversion. Signage will be installed at least 7 days in advance of the road closure.
- A Traffic Management Plan (TMP), which includes measures to avoid or reduce disruption to road traffic, will be produced in accordance with the Traffic Signs Manual (Department of Transport 2009). The TMP will ensure that there is no severance of community assets, access routes or residential development.

Road drainage and the water environment

During resurfacing and expansion joint replacement works, there is potential for temporary adverse impacts on the water environment. Potential changes in water quality e.g., from pollution events (either by accidental spillage of sediments, particulate matter, chemicals, fuels or by mobilisation of these in surface water caused by rain) during works have the potential to have a direct or indirect effect on Luggie burn, Bonny Water/Red Burn and Forth and Clyde Canal, and surrounding waterbodies.

However, no 'in-water' works are required, therefore there will be no change in the hydrological regime or water quality within Luggie burn, Bonny Water/Red Burn or Forth and Clyde Canal. All land outwith the motorway boundary is also considered out-of-bounds to all construction staff during the works and there is no requirement for land take, site clearance or resources from within a waterbody. There is also no requirement for the abstraction or transfers of water from, or discharges to a waterbody. The potential for a direct pollution incident within a waterbody is also unlikely e.g., experience gained from BEAR maintenance schemes elsewhere on the network has shown that where standard best working practice is adopted (e.g., adherence to SEPA GPPs or PPGs, etc.), water quality is protected.

Considering the nature, duration, size and scale of the scheme, and with implementation of the mitigation detailed below, the proposed works impacts on the road drainage and water environment are assessed as temporary negligible adverse in magnitude.

Upon completion of the works, no residual impacts are anticipated in relation to the road drainage and water environment.

Proposed road drainage and water environment mitigation measures:

- No work has been identified that would require entering any surface waterbodies.
 If such a need were identified onsite, BEAR Scotland's Environmental Team will
 be contacted (before works commence) to allow consideration of potential
 environmental effects.
- The abstraction or transfers of water from, discharges to, or the washing of tools in surface waterbodies is not permitted.

- All site personnel will be made aware of site spillage response procedures and in the event of a spill, all works associated with the spill will stop, and the incident reported to the Site Supervisor. Small spills that did not leave the site boundary and are cleaned up without material environmental harm or residual environmental impact would most likely not be required to be notified to SEPA or other authorities. However, all such incidents will be recorded and reported to BEAR Scotland's Environmental Team. In the event of a 'serious incident', SEPA will be notified without delay. Such notification will include: (i) the time and duration of the incident, (ii) a description of the cause of the incident, (iii) any effect on the environment as a result of the incident, and (iv) any measures taken to minimise or mitigate the effect and prevent a recurrence.
- All waste, vehicles, ancillary plant, NRMM and fuels will be stored in the compound(s) or laydown area and will be secured and located, if space is available, at least 10 m from drainage entry points, and Luggie burn, Bonny Water/Red Burn or Forth and Clyde Canal, in order to comply with GPP 5 'works and maintenance in or near water'. Refuelling will only be undertaken at designated refuelling areas (e.g., on hardstanding, with spill kits available, and >10 m from drainage entry points, and Luggie burn, Bonny Water/Red Burn and Forth and Clyde Canal, where practicable). Spill kits will also be available within all site vehicles and spill kits will be replenished onsite when required. Only designated trained and competent operatives will be authorised to refuel plant. Generators, and other ancillary plant and NRMM, where there is a risk of leakage of oil or fuel, will have internal bunding or must have a secondary containment system placed beneath them that meets 110% capacity requirements. Containment systems will also be emptied regularly. All waste, vehicles, ancillary plant, NRMM and fuels will also be stored in a manner that ensures they are protected from damage by collision or extremes of weather.
- Regular visual pollution inspections of the designated laydown area and work site (particularly near road drainage entry points, Luggie burn, Bonny Water/Red Burn and Forth and Clyde Canal) will be conducted (e.g., site walkover by engineer or Site Supervisor), especially during periods of heavy rain.
- All vehicles and NRMM onsite will have been regularly maintained, paying attention to the integrity of oil tanks, coolant systems, gaskets etc. A checklist must be present to make sure that the checks have been carried out.

Climate

During works there is potential for impacts as a result of the emission of greenhouse gases through the use of equipment, vehicles, and NRMM, material use and production, and transportation of material/waste. However, considering the nature, duration, size and scale of the scheme, and the mitigation detailed below, the risk of significant impacts to climate are considered to be negligible adverse in magnitude.

Upon completion of the proposed scheme no residual impacts are anticipated on the climate.

Proposed climate mitigation measures:

- Local contractors and suppliers will be used as far as practicable to reduce fuel use and greenhouse gas emitted as part of the works.
- Where possible, waste will be removed to local waste management facilities.

Vulnerability of the project to Major Accidents and Disasters

There will be no change to the likelihood of flooding on the M80 within the scheme extents upon completion of the works.

Works are restricted to areas of made ground on the M80 carriageway surface, with access to the scheme gained via the M80. TM will employ road closure with signed diversion. There are no NMU facilities, or other community assets, with connectivity to the scheme extents. As such, the proposed works impacts on road traffic accidents is assessed to be of negligible magnitude.

A Site Environmental Management Plan (SEMP) will be produced by BEAR Scotland which sets out a framework to reduce the risk of adverse impacts from construction activities on sensitive environmental receptors. The Contractor will comply with all conditions of the SEMP during works and may be subject to audit throughout the contract.

Considering the above, the vulnerability of the project to risks of major accidents and disasters is considered to be low.

Assessment of cumulative effects

The proposed works are not anticipated to result in significant environmental effects. In addition, given the nature, size and scale of the scheme (resurfacing and localised joint replacement works confined to the M80 road corridor, undertaken on a rolling programme), works will not be in proximity to any of the waste and waste-water management sites identified for a prolonged period. No cumulative impacts are therefore anticipated from the five SPRI sites which lie at least 0.2 km from the scheme.

Due to the nature of the proposed works, no cumulative effects are anticipated with any other developments in the vicinity. Any future BEAR Scotland schemes will be programmed to take into account already-programmed works and as such, any cumulative effect will be limited.

A search using North Lanarkshire Council 'Simple Search' and Falkirk Council 'Simple Search' identified fifteen planning applications within 300 m of the scheme.

Eight of the planning applications have been decided, and these applications are either related to minor alterations to a dwelling house, or minor commercial developments. As such, the works related to these applications are unlikely to have a cumulative impact in combination with the like-for-like carriageway resurfacing works. Works will also be undertaken on a rolling programme, and therefore unlikely to be in proximity to any proposed development for a prolonged period of time. The remaining applications have not been decided, therefore works are unlikely to run concurrently and no cumulative impacts are anticipated.

Assessments of the environmental effects

As detailed in the Description of Main Environmental Impacts and Proposed Mitigation section, there are no significant effects anticipated on any environmental receptors as a result of the proposed works.

Statement of case in support of a Determination that a statutory EIA is not required

This is a relevant project in terms of section 55A(16) of the Roads (Scotland) Act 1984 as it is a project for the improvement of a road and the works (together with any area occupied by apparatus, equipment, machinery, materials, plant, spoil heaps, or other such facilities or stores required during the period of construction) exceed 1 ha and lie partially within the boundary of the 'Forth and Clyde Canal: Castlecary – M9 Motorway' scheduled monument and the 'Antonine Wall' World Heritage Site (WHS).

The project has been subject to screening using the Annex III criteria to determine whether a formal Environmental Impact Assessment (EIA) is required under the Roads (Scotland) Act 1984 (as amended by The Roads (Scotland) Act 1984 (Environmental Impact Assessment) Regulations 2017). Screening using Annex III criteria, reference to consultations undertaken and review of available information has not identified the need for a statutory EIA.

The project will not have significant effects on the environment by virtue of factors such as:

Characteristics of the scheme:

 Works are restricted to like-for-like replacement of worn road surface and expansion joint replacement, with all works restricted to made ground on the M80 carriageway surface and two associated bridges.

- Works are programmed to take approx. 26-nights to complete on a rolling programme, with the aim being to complete the noisiest works by 23:00.
- No works are required within Luggie burn, Bonny Water/Red Burn and Forth and Clyde Canal, which are spanned by the M80 within the scheme extents, therefore there will be no change in the hydrological regime or water quality within Luggie burn, Bonny Water/Red Burn and Forth and Clyde Canal.
- PRAs will be undertaken prior to works commencing, to assess whether any additional surveys or licensing from NatureScot will be required.
- No in-combination effects have been identified.
- The risk of major accidents or disasters is considered to be low.
- By removing the carriageway defects this will provide this part of the M80 carriageway with another life cycle, and significantly improve the ride quality, which will result in safer conditions for road users.

Location of the scheme:

- The scheme is not situated within, and does not share connectivity with, a 'sensitive area' designated for biodiversity features e.g., SAC, SPA, Ramsar, SSSI, etc.
- Works are restricted to like-for-like carriageway resurfacing and expansion joint replacement, therefore there will be no impact upon the WHS or scheduled monument.
- The scheme is not located within any areas designated for landscape interests.
- Land use will not change as a result of the works.
- The works do not require any private land acquisition.
- The scheme does not lie within any sites designated for geology or soils.
- The scheme is not located within a densely populated area.

Characteristics of potential impacts of the scheme:

- Any potential impacts of the works are expected to be temporary, short-term, not significant, and limited to the construction phase.
- With good practice pollution prevention measures implemented onsite, there is a negligible risk of a pollution event e.g., compliance with the SEMP.
- As the works are restricted to the like-for-like replacement of worn road surface and expansion joints, there is no change to the vulnerability of the road to the risk or severity of major accidents/disasters that would impact on the environment.
- No impacts on the environment are expected during the operational phase as a result of the works.

Annex A

"sensitive area" means any of the following:

- land notified under sections 3(1) or 5(1) (sites of special scientific interest) of the Nature Conservation (Scotland) Act 2004
- land in respect of which an order has been made under section 23 (nature conservation orders) of the Nature Conservation (Scotland) Act 2004
- a European site within the meaning of regulation 10 of the Conservation (Natural Habitats, &c.) Regulations 1994
- a property appearing in the World Heritage List kept under article 11(2) of the 1972 UNESCO Convention for the Protection of the World Cultural and Natural Heritage
- a scheduled monument within the meaning of the Ancient Monuments and Archaeological Areas Act 1979
- a National Scenic Area as designated by a direction made by the Scottish Ministers under section 263A of the Town and Country Planning (Scotland) Act 1997
- an area designated as a National Park by a designation order made by the Scottish Ministers under section 6(1) of the National Parks (Scotland) Act 2000.



© Crown copyright 2023

You may re-use this information (excluding logos and images) free of charge in any format or medium, under the terms of the Open Government Licence. To view this licence, visit http://www.nationalarchives.gov.uk/doc/open-government-licence or e-mail: psi@nationalarchives.gsi.gov.uk

Where we have identified any third-party copyright information you will need to obtain permission from the copyright holders concerned.

Further copies of this document are available, on request, in audio and visual formats and in community languages. Any enquiries regarding this document / publication should be sent to us at info@transport.gov.scot

This document is also available on the Transport Scotland website: www.transport.gov.scot

Published by Transport Scotland, August 2023

Follow us:





