LABEL NOTES

- FIG. 1 TO BE FITTED TO BOTH DOORS AS BS 5378 PART 1 (ie FIBRE OPTIC EQUIPMENT) THEN THE LASER SYMBOL LABEL AS WHERE THE CABINET CONTAINS LASER OPERATED EQUIPMENT
- Ņ THE ELECTRICAL SYMBOL LABEL AS FIG. 2 TO BE FITTED TO BOTH BS 5378 PART 1. DOORS ON ALL ELECTRICALLY ENERGISED CABINETS AS
- ယ္ THE CABINET ID LABELS SHALL BE PRINTED ON SELF ADHESIVE FIXED AS FOLLOWS: MATERIAL BLACK PRINTING ON A WHITE BACKGROUND AND BE
- a/ BEFORE ATTACHING THE LABEL TO THE CABINET SURFACE CLEAN THE AREA WITH ISOPROPANOL OR EQUIVALENT CLEANING FLUID TO REMOVE OIL, GREASE AND DIRT.
- b/ ENSURE THE SURFACE TO WHICH THE LABEL IS TO BE ATTACHED IS SMOOTH AND WITHOUT CORROSION OR DAMAGE.
- c/ TO FIX, REMOVE THE BACKING FROM THE PRINTED LABEL AND POSITION BEFORE PRESSING FIRMLY AND EVENLY OVER THE WHOLE LABEL
- 4 TO CREATE THE CORRECT CHAINAGE VALUE FOR USE ON THE IDENTIFICATION LABEL, DIVIDE THE DISTANCE IN METRES, BETWEEN FOUR DIGIT NUMBER. THE SITE AND THE AGREED ZERO POINT, BY 10, TO PRODUCE A
- 5 EQUIPMENT IDENTIFIERS FOR USE ON THE LABEL SHALL BE AGREED WITH THE OVERSEEING ORGANISATION PRIOR TO MANUFACTURE
- <u>0</u> ALL LABELLING SHALL BE IN ACCORDANCE WITH THE SHW SERIES 1500 (SCOTLAND) AND CONFORM TO ALL SPECIFIC REQUIREMENTS OF THE CONTRACT.
- BEING INSTALLED. CHARACTER SIZE AND FINAL POSITION ON THE CABINETS SHALL BE AGREED WITH THE OVERSEEING ORGANISATION PRIOR TO LABELS

7

equipment and site layouts.	non site specific installations of standard	The NDX series of drawings represents	Note:
	TVDIO 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1	TITLE	This drawing was ge

enerated on computer and must not be manually updated

2 of 2	NUX IUUZ-Ubno	NUX		THIRD ANGLE PROJECTION DO NOT SCALE
ON THS	000 000		DRG NO	TOLERANCE +- 1 UNLESS OTHERWISE STATED
NTS	DATE . 0.09	DATE 0.10.09	DATE	ALL DIMENSIONS ARE IN MM
SCALE	CHKD B.D.	C.S.G.	DRN C.S.G.	ORIGINAL DRAWING SIZE: 297 x 420
APPD/DATE	AMENDMENTS		ISSUE	
BD 13/10/09		FIRST ISSUE	A	
BD 30/11/09	E REV. SHT.	UPDATED SEE REV. SHT	В	