



Project FORTH REPLACEMENT CROSSING

Document title

AIR QUALITY MONITORING REPORT FEBRUARY 2012

01	02/05/12	Response to EDT Comments	ESE	NAM	NAM
00	29/02/12	First Revision	ESE	NAM	NAM
Rev	Rev. Date	Purpose of revision	Made	Checked	Reviewed
Docume	ent number		<u> </u>		Rev



Contents

- 1. Introduction
- 2. Monitoring Equipment and Locations
- 3. Air Quality Monitoring Results
 - 3.1. Automatic Light Scatter Meter Particulate Matter Monitoring Results
 - 3.2. Frisbee Dust Deposition Results
 - 3.3. Weekly Environmental Inspections

Appendices:

Appendix A: Particulate Matter Results

Appendix B Frisbee Dust Deposition Results

Appendix C: Daily Dust Log Summary



1. INTRODUCTION

- 1.1. Air quality monitoring is being undertaken by FCBC during the construction of the Forth Replacement Crossing and the associated network. This report details the air quality monitoring that is currently being undertaken across the site and presents the monitoring results for February 2012.
- 1.2. Air quality monitoring during this period has been undertaken in accordance with the Code of Construction Practice (CoCP) and the Dust and Air Pollution Management Plan (DAPMP) contained within the Environmental Management Plan (EMP).



2. MONITORING EQUIPMENT AND LOCATIONS

- 2.1. Air quality is being monitored on site using both automatic light scatter dust meters and Frisbee gauge dust deposition monitoring. Twelve Frisbee gauges are set up at sensitive locations across the site to measure dust deposition rates (Figure 1). Seven automatic light scatter meters have also been installed at various sensitive locations to measure real time particulate matter (PM₁₀) concentrations (Figure 2). Table 1 lists the air quality monitoring equipment present at each monitoring location.
- 2.2. The installation of the air quality monitoring equipment has not been simultaneous across the site, thus installation dates are given in Table 1. During February, three automatic light scatter meters were set up; Scotstoun, Dundas Home Farm and Whinny Hill each now have these monitors installed. The Frisbee gauge at Whinny Hill has yet to be installed.
- 2.3. Furthermore, weather conditions (temperature and relative humidity) are also continually measured by the light scatter meters at Inchgarvie Lodge and Clufflat Brae. A weather station, located at the noise meter at Echline which is adjacent to the light scatter at this monitoring location, also continually records weather data, including temperature, relative humidity, wind speed and wind direction.
- **2.4.** In addition to the fixed monitoring equipment used at sensitive locations across the site, frequent environmental site inspections are also undertaken by members of the FCBC Environmental Department. These inspections include a dust and odour check to assess the following:
 - Visual or olfactory signs of dust or odour leaving site;
 - Any burning occurring on site;
 - Adequate suppression and monitoring to prevent the spread of dust; and
 - Materials damped down or covered in vehicles leaving/entering the site.





Figure 1: Example of an Installed Frisbee Gauge Meters





Figure 2: Example of an installed Automatic Light Scatter Dust Meter



Table 1: Air Quality Monitoring Locations

Ref:	Monitoring Location	Monitoring Equipment	Installation Date	Construction Activities in February	
M1	Whinny Hill	Frisbee	Awaiting installation	Site Clearance Excavation	
		Automatic light scatter meter	16/02/12		
M7	Butlaw Fisheries	Frisbee	05/10/11	Marine works only	
M8	Barracks West	Frisbee	31/08/11	Marine works only	
M9	Barracks East	Frisbee	31/08/11	Marine works only	
		Frisbee	22/08/11	Trial Grouting Access Track	
M10	Inchgarvie Lodge	Automatic light scatter meter	17/10/11	Utilities soil stripping and excavation	
		Frisbee	22/08/11	Trial Grouting Access Track	
M11	Linn Mill	Automatic light scatter meter	06/12/11	Utilities soil stripping and excavation	
M12	Clufflat	Frisbee	29/08/11	Trial Grouting	
Mao	Obstilet Dage	Frisbee	21/09/11	Access Track Utilities soil stripping	
M13	Clufflat Brae	Automatic light scatter meter	24/10/11	and excavation	
M14	Springfield	Frisbee	15/08/11	Trial Grouting Access Track Utilities soil stripping and excavation	
		Frisbee	16/08/11	Access Track Utilities soil stripping	
M15	Echline	Automatic light scatter meter	10/11/11	and excavation LMA fencing	
		Frisbee	07/09/11	Utility access tracks, containment pond and	
M16	Scotstoun	Automatic light scatter meter	14/02/12	bund LMA fencing Site Clearance	
M17		Frisbee		Utility access tracks, containment pond and	
	Dundas Home Farm	Automatic light scatter meter	23/02/12	bund LMA fencing Site Clearance	
M18	Newton	Frisbee	22/08/11	None	



3. AIR QUALITY MONITORING RESULTS

3.1. Automatic Light Scatter Dust Meter Monitoring Results

- 3.1.1. Light scatter results for February 2012 have been presented in a monthly chart. This can be found in Appendix A. Results show that, for the majority of the period, the PM₁₀ concentrations were below the threshold for each location. From the 13 February 2012 onwards all locations were within the threshold value of 50μg/m³. Additionally, the results were compared to the daily mean results from the TEOM air quality monitoring stations located in Rosyth, Broxburn and Queensferry Road, Edinburgh (Appendix A). This demonstrated that the results obtained using the light scatter meters follow the same pattern as those collected from the TEOMs; this indicates that the pattern observed throughout February was due to regional changes in air quality, rather than due to construction works.
- 3.1.2. Readings at Echline and Dundas both appeared to be low in comparison to the other meters on site. As meters across the site would be expected to read similarly, with the exception of during a localised air pollution incident, these low readings were investigated in consultation with the supplier. The supplier confirmed that the meters were reading low by a factor of approximately 10, thus the results have been updated to reflect this.
- **3.1.3.** Some exceedances of the PM₁₀ threshold did occur within the period. These exceedances generally occurred as single daily peaks rather than continued periods. Table 2 lists the dates and locations of all February exceedances of the PM₁₀ threshold. Echline experienced the greatest number of exceedances (9 exceedances in total). However, no exceedances during the period were found to be attributable to construction; real time triggers were received to inform of any exceedances, initiating investigations into the causes during working



periods. There were no instances where mitigating measures were necessary.

Table 2: February exceedances of the PM₁₀ Threshold

Date	Location		
	Inchgarvie Lodge		
01/02/12	Clufflat brae		
01/02/12	Linn Mill		
	Echline		
02/02/12	Clufflat Brae		
02/02/12	Echline		
04/02/12	Clufflat Brae		
04/02/12	Echline		
	Inchgarvie Lodge		
07/02/12	Clufflat Brae		
	Echline		
	Inchgarvie Lodge		
08/02/12	Clufflat Brae		
	Echline		
09/02/12	Clufflat Brae		
03/02/12	Echline		
10/02/12	Clufflat Brae		
10/02/12	Clufflat Brae Echline		
11/02/12	Echline		
12/02/12	Echline		

3.1.4. In general, weather conditions experienced during February have not been such that construction works are likely to have been responsible for PM₁₀ exceedances during the first 13 days of February (see Appendix C). Frozen and wet ground surfaces were noted on the days on which there were exceedances of the PM₁₀ threshold; such conditions do not give rise to high PM₁₀ values as particulates are largely kept in situ.



3.1.5. An important consideration is that light scattering is often very high at relative humidities exceeding 80%; small particles grow to sizes that scatter light more efficiently as the acquire liquid water. As a result, ambient temperature nephelometers (the type of light scatter meter in use) overestimate mass concentrations at high humidities when particles have a large soluble component. During winter the humidity is generally over 80%; humidity of over 90% has also been recorded in the area during this period (see Appendix C). High humidity was recorded on five days on which there were exceedances; 7, 8 and 10 – 12 February.

3.2. Frisbee Dust Deposition Results

- **3.2.1.** The Frisbee dust deposition results for February 2012 have been presented in charts and can be found in Appendix B. To present results, all the monitoring locations have been grouped, based on locality, into the following:
 - Group 1: M7 Butlaw Fisheries, M8 Barracks West, M9 Barracks
 East, M10 Inchgarvie Lodge and M11 Linn Mill;
 - Group 2: M12 Clufflat, M13 Clufflat Brae, M14 Springfield and M15 Echline;
 - *Group 3:* M16 Scotstoun Park and M17 Dundas Home Farm;
 - Group 4: M18 Newton
- 3.2.2. Frisbee dust data deposition results have been collected fortnightly, and the results averaged over this period to give a daily dust deposition rate. Two collection dates fell during February; 8 February 2012 and 22 February 2012. The next collection date is due on the 7 March 2012, thus the dust data covering the final week of February will be presented in a subsequent report covering March 2012.




3.2.3. The action level for the dust deposition rate has been set at 250 mg/m²/day. Results show that the action level was not exceeded at any location during February. Dust deposition rates were below 50 mg/m²/day throughout February at Newton (Group 4). For Groups 2, 3 and 4, low deposition rates were also found. The maximum dust deposition rate during February was at Clufflat (110 mg/m²/day) for the fortnight ending on 22/02/12. The results obtained from Frisbee dust deposition monitoring show that there have been no instances of dust from construction works causing a nuisance to nearby residential and other sensitive areas.


3.3. Environmental Inspections

3.3.1. During this period environmental inspections have been undertaken at Castlandhill (two at this location), Dophington Woodland and Echline Woodland to reflect areas where works were being undertaken. A dust and odour check was not applicable at Echline Woodland, Dolphington Woodland or at Castlandhill on the initial visit as no significant earthworks were being undertaken. Whilst there was potential for dust at Castlandhill on 28 February 2012, due to on-going earthworks, soil was suitably compacted due to damp weather conditions.




APPENDIX A






Note: Monitoring began at the following locations during February; Scotstoun (14/02/12), Whinnyhill (16/02/12) and Dundas (23/02/12). Data is missing for Linn Mill: 24/02/12, 27/02/12, 28/02/12 and 29/02/12 and for Whinnyhill: 28/02/12 to 29/02/12 due to device error. The results for Echline and Dundas have been multiplied by 10.





Note: Monitoring began at the following locations during February; Scotstoun (14/02/12), Whinnyhill (16/02/12) and Dundas (23/02/12). Data is missing for Linn Mill: 24/02/12, 27/02/12, 28/02/12 and 29/02/12 and for Whinnyhill: 28/02/12 to 29/02/12 due to device error. The results for Echline and Dundas have been multiplied by 10 following consultation with the supplier.




APPENDIX B











APPENDIX C

Daily Dust Log - North - February 2012

Date	Check By	Exceedance?	Dust from Construction (Y/N)	Additional Measures required (Y/N)	Comments	Action (where applicable)
01/02/2012	ESE		N	N		
02/02/2012	LSN		N	N		
03/02/2012	NAM		N	N	frozen ground	
					high humidity on Sunday	
06/02/2012	ESE		N	N	high humidity and damp ground	
07/02/2012	LSN		N	N	high humidity	
08/02/2012	ESE		N	N	high humidity and damp ground	
09/02/2012	ESE		N	N	damp ground	
10/02/2012	LSN		N	N	damp ground and high humidity	
					high humidity over weekend	
13/02/2012	ESE		N	N	windy and high humidity	
14/02/2012	LSN		N	N	windy	
15/02/2012	NAM		N	N	windy	
16/02/2012	LSN		N	N	windy	
17/02/2012	ESE		N	N	windy, high humidity and wet ground	
					high humidity on Saturday 18	
20/02/2012	LSN		N	N	high humidity and damp ground	
21/02/2012	LSN		N	N	windy, damp ground and high humidity	
22/02/2012	ESE		N	N	windy, high humidity and wet ground	
23/02/2012	ESE		N	N	windy, damp ground and high humidity	
24/02/2012	SSD		N	N	windy and high humidity	
					high humidity on Sunday	
27/02/2012	SSD		N	N	windy, damp ground and high humidity	
28/02/2012	ESE		N	N	windy, damp ground and high humidity	
29/02/2012	ESE		N	N	windy, damp ground and high humidity	

Daily Dust Log - South - February 2012

Date	Check By	Exceedance?	Dust from Construction (Y/N)	Additional Measures required (Y/N)	Comments	Action (where applicable)
01/02/2012	ESE	Inchgarvie Clufflat Linn Mill Echline	N	N		
02/02/2012	LSN	Clufflat Echline	N	N		
03/02/2012	NAM		N	N	frozen ground	
					high humidity on Sunday	
06/02/2012	ESE		N	N	high humidity and damp ground	
07/02/2012	LSN	Inchgarvie Clufflat Echline	N	N	high humidity	
08/02/2012	ESE	Inchgarvie Clufflat Echline	N	N	high humidity and damp ground	
09/02/2012	ESE	Clufflat Echline	N	N	damp ground	
10/02/2012	LSN	Clufflat Echline	N	N	damp ground and high humidity	
					high humidity over weekend	
13/02/2012	ESE		N	N	windy and high humidity	
14/02/2012	LSN		N	N	windy	
15/02/2012	NAM		N	N	windy	
16/02/2012	LSN		N	N	windy	
17/02/2012	ESE		N	N	windy, high humidity and wet ground	
					high humidity on Saturday 18	
20/02/2012	LSN		N	N	high humidity and damp ground	
21/02/2012	LSN		N	N	windy, damp ground and high humidity	
22/02/2012	ESE		N	N	windy, high humidity and wet ground	
23/02/2012	ESE		N	N	windy, damp ground and high humidity	
24/02/2012	SSD		N	N	windy and high humidity	
					high humidity on Sunday	
27/02/2012	SSD		N	N	windy, damp ground and high humidity	
28/02/2012	ESE		N	N	windy, damp ground and high humidity	
29/02/2012	ESE		N	N	windy, damp ground and high humidity	