



Legend

- Proposed Scheme
- ▭ Study Area
- ▭ Calculation Area
- ▭ Proposed Noise Barrier

Do Minimum 2033 vs. Do Something 2033
DMRB Noise Change / Magnitude of Impact

- █ ≤ -5 Major Beneficial
- █ -4.9 to -3 Moderate Beneficial
- █ -2.9 to -1 Minor Beneficial
- █ -0.9 to 0 Negligible Beneficial
- █ 0 to 0.9 Negligible Adverse
- █ 1 to 2.9 Minor Adverse
- █ 3 to 4.9 Moderate Adverse
- █ 5 ≤ Major Adverse

| Rev. | Rev. Date | Purpose of revision | OrigDwn | Checked | Rev'd | Appr'd |
|------|------------|---------------------|---------|---------|-------|--------|
| 0 | 28/05/2015 | FINAL | | | | |

JACOBS
 65 Botwell Street, Glasgow, G2 7HX, UK
 Tel: +44(0)141 243 8000 Fax: +44(0)141 226 3109
 www.jacobs.com



A90/A96 HAUDAGAIN IMPROVEMENT STAGE 3 EIA

Drawing title
NOISE CHANGE CONTOUR PLAN WITH MITIGATION DO MINIMUM 2033 AGAINST DO SOMETHING 2033

| | | |
|----------------|---------------------|--------------|
| Drawing Status | FINAL | SHEET 3 of 4 |
| Scale | 1:12,000 @ A3 | DO NOT SCALE |
| Jacobs No. | B1557630 | |
| Client No. | | |
| Drawing number | Figure 14.2c | Rev 0 |

© Crown copyright and database right 2015. All rights reserved. Ordnance Survey Licence number 100046668.



This drawing is not to be used in whole or part other than for the intended purpose and project as defined on this drawing. Refer to the contract for full terms and conditions.