

Contractor



DRAGADOS | AMERICAN BRIDGE INTERNATIONAL HOCHTIEF | MORRISON CONSTRUCTION

Project

FORTH REPLACEMENT CROSSING

Document title

AIR QUALITY MONITORING REPORT JUNE 2017

		-								
00	11/07/2017	First revision	SWR	DCK	DCK					
Rev	Rev. Date	Purpose of revision	Made	Checked	Reviewed					
Docume	Document status									
FOR REVIEW										
Made by	Made by Steven Westwater Checked By: David Clark									
Initials:	Initials: SWR Initials: David Clark									
Document number										
REP-00333										
This document is intellectual property of FCBC Construction JV. Copying, distribution, usage, and information on contents of this are forbidden unless explicitly authorized.										



Distribution						
Name	Email Address	Copy Sent (Y/N)				
Michael Martin	Michael.martin@fcbcjv.co.uk					

Page 2 of 15



Contents

- 1. Introduction
- 2. Monitoring Equipment and Locations
- 3. Air Quality Monitoring Results
 - 3.1. Automatic Light Scatter Meter Particulate Matter Monitoring Results
 - 3.2. Total Suspended Particle Results
 - 3.3. Frisbee Dust Deposition Results
 - 3.4. Daily Dust Log and Weekly Environmental Inspections

Appendices:

Appendix A: Particulate Matter Results

Appendix B: Total Suspended Particle Results

Appendix C: Frisbee Dust Deposition Results

Appendix D: Daily Dust Log Summary



1. INTRODUCTION

- **1.1.** Air quality monitoring is being undertaken by FCBC during the construction of the Forth Replacement Crossing and the associated road network. This report details the air quality monitoring that is currently being undertaken across the site and presents the monitoring results for June 2017.
- **1.2.** Air quality monitoring during this period has been undertaken in accordance with the Code of Construction Practice (CoCP) and the Dust and Air Quality Management Plan (DAQMP) contained within the Environmental Management Plan (EMP).

Page 4 of 15



2. MONITORING EQUIPMENT AND LOCATIONS

- 2.1. Air quality is being monitored on site using both automatic light scatter dust meters and Frisbee gauge dust deposition monitoring. Twelve Frisbee gauges are currently set up at sensitive locations across the site to measure dust deposition rates (Figure 1). Seven automatic light scatter meters have also been installed at various sensitive locations to measure real time particulate matter (PM₁₀) concentrations and the Total Suspended Particle (TSP) concentrations (Figure 2). These meters are calibrated annually. Table 1 lists the air quality monitoring equipment present at each monitoring location, including the date it was installed.
- **2.2.** Light scatter type monitoring equipment have been selected as a site monitoring tool to create a live network which assesses the levels of fugitive particulate matter, principally airborne dust. These monitors require less space, maintenance and power than other real time monitors such as a Tapered Element Oscillating Microbalance (TEOM) which is used and designed to measure particulate levels to exceedingly high standards, including measuring long-term compliance to statutory limits. Light scatter meters are more practicable to deploy. However, the meters do generally record levels higher than those measured by the TEOM. The meters can also be affected by atmospheric moisture content which further increases reported levels. Accordingly, any elevations of statutory limits should be treated as precautionary exceedances. The monitors are reliable for on-site monitoring and the establishment of action thresholds to ensure unforeseen activities generating significant dust are identified and suitably controlled. Light scatter meters are becoming the construction and waste industries norm for particulate dust monitoring.



- **2.3.** In association with air quality monitoring across the site, temperature and relative humidity are also continually measured by the light scatter meters at Inchgarvie Lodge and Clufflat Brae. Weather stations, located at the sound level meters at Echline, Linn Mill and Whinnyhill (these are adjacent to the light scatter meters at these monitoring locations), record weather data including; temperature, relative humidity, wind speed and wind direction.
- 2.4. In addition to the fixed monitoring equipment used at sensitive locations across the site, a daily dust log for both the North and South sites has been kept by the FCBC Environmental Department. This daily dust inspection is used to identify any dust occurring as a result of construction works and to determine if any actions are required. This log also provides a visual record of the weather conditions at the time of the inspection, including conditions that can affect readings, such as fog.
- **2.5.** Frequent environmental site inspections are also undertaken by members of the FCBC Environmental Department. These inspections include a dust check to assess the following:
 - dust levels on site;
 - suppression/dampening down; and
 - transportation of materials.





Figure 1: Example of an Installed Frisbee Gauge Meter



Figure 2: Example of an installed Automatic Light Scatter Dust Meter

Page 7 of 15



Table 1: Air Quality Monitoring Locations

Ref:	Monitoring Location	Monitoring Equipment	Installation Date	Construction Activities in June
		Frisbee	21/03/12	Earthworks/Fill Placement
M1 Whinny Hill		Automatic light scatter meter	16/02/12	 Bridge works at Ferryton Main carriageway roadworks
M7	Butlaw Fisheries	Frisbee	05/10/11	 Waterproofing on deck Wind shield installation Scour protection Bridge deck works
M8	Barracks West	Frisbee	31/08/11	 Waterproofing on deck Wind shield installation Scour protection Bridge deck works
M10	Inchgarvie Lodge	Frisbee	22/08/11	 Minor main carriageway works SUDS detention basin works Waterproofing on deck
		Automatic light scatter meter	17/10/11	 Wind shield installation Scour protection Bridge deck works South abutment works Cycle Track
M11		Frisbee	22/08/11	 Minor main carriageway works SUDS detention basin works Waterproofing on deck
	Linn Mill	Automatic light scatter meter	06/12/11	 Wind shield installation Scour protection Surfacing access track at Linn Mill Bridge deck works South abutment works
M12	Clufflat	Frisbee	29/08/11	Minor main carriageway works
M13		Frisbee	21/09/11	 SOUS detention basin works Waterproofing on deck
	Clufflat Brae	Automatic light scatter meter	24/10/11	 Wind shield installation Scour protection Bridge deck works South abutment works Cycle Track



M14	Springfield	Frisbee	15/08/11	Cycle Track	
M15	Echline	Frisbee	16/08/11	Cycle Track	
		Automatic light scatter meter	10/11/11		
	Scotstoun	Frisbee	07/09/11	 Tidying / reinstatement works 	
M16		Automatic light scatter meter	14/02/12		
		Frisbee	29/08/11		
M17	Dundas Home Farm	Automatic light scatter meter	23/02/12	Tidying / reinstatement works	
M10	Newton	Frisbee	22/08/11	. News	
1118		TEOM	23/05/12	• None	

3. AIR QUALITY MONITORING RESULTS

3.1. Automatic Light Scatter Dust Meter Monitoring Results

- **3.1.1.** Light scatter results for June 2017 have been presented in a monthly chart; this can be found in Appendix A. Results show that the PM₁₀ levels generally follow a similar pattern throughout the month with the exception of Linn Mill where a higher result is recorded for 3rd, 20th and 21st June, Inchgarvie on the 1st, 2nd, 22nd and 23rd June and Scotstoun on the 22nd and 23rd June. However, there were no exceedances of the Action Level during the month.
- **3.1.2.** The PM₁₀ results have also been compared to the daily mean results obtained from the TEOM air quality monitoring stations located in Newton, Rosyth, and Broxburn, and from the TEOM FDMS station located at Queensferry Road and St Leonards, Edinburgh (an urban background site). The TEOM at Newton was installed by West Lothian Council, facilitated by FCBC, during January 2012. The comparison Page 9 of 15



between the light scatter and TEOM results demonstrates that both sets of results generally follow the same pattern throughout the month, with the exception of the elevated result at Linn Mill on the 3^{rd} June and the elevated levels at Scotstoun and Inchgarvie on the 22^{nd} and 23^{rd} June, noted in 3.1.1 where PM₁₀ levels were higher than the TEOM levels.

3.2. Total Suspended Particles

3.2.1. The TSP results for June 2017 have been presented in a monthly chart; this can be found in Appendix B. The TSP levels at monitoring locations during June were found to be generally low and all within the threshold. All locations across the site were found to follow a similar pattern to that observed for PM₁₀ levels, as described in 3.1.1.

3.3. Frisbee Dust Deposition Results

- **3.3.1.** The Frisbee dust deposition results for June 2017 have been presented in a chart and can be found in Appendix C. Two collections were made in June; these occurred on the 7th and 21st June 2017.
- **3.3.2.** The site action level for the dust deposition rate has been set at 250 mg/m²/day. Exceedances of this level are treated as a potential incident and a review of the works in the vicinity of the site is instigated. A lower site review level has been set at 140 mg/m²/day. Where concentrations exceed the lower review threshold the site works are reviewed to ensure good practice is implemented; it is essentially a warning that additional controls may be required.
- **3.3.3.** During June there were exceedances of the site review level and action level at Scotstoun Park for both monitoring periods. With regards to the exceedances at Scotstoun Park, the temporary Frisbee at Scotstoun Arups, which is located closer to the FCBC works, indicates a significantly lower result than for the permanent Frisbee during this period. In addition, there were limited project related activities being undertaken in this area during June which would give rise to dust. This Page 10 of 15



suggests that the higher results obtained at the permanent monitoring location are not due to FCBC activities.

3.4. Daily Dust Log and Environmental Inspections

- **3.4.1.** A summary of the daily dust log for June can be found in Appendix D.
- **3.4.2.** During this period, full environmental inspections were also undertaken across the site and covered areas where works were being carried out.



APPENDIX A: LIGHT SCATTER METER RESULTS







APPENDIX B: TOTAL SUSPENDED PARTICLES

Page 13 of 15





APPENDIX C: FRISBEE GAUGE RESULTS

Frisbee Dust Deposition Results: June 2017





APPENDIX D: DAILY DUST LOG

Forth Crossing Bridge Constructors - A Joint Venture of Hochtief Solutions AG, American Bridge International, Dragados, S.A. and Galliford Try Infrastructure Limited (Trading as Morrison Construction)

Page 15 of 15

Daily Dust Log - North - June 2017

DATE	LOCATION	WIND	WIND DIRECTION	GROUND SURFACE	VISIBLE DUST	DUST DUE TO WORKS (if applicable)	CAUSES OF DUST (if applicable)	COMMENTS AND ACTIONS
01/06/2017	N	LIGHT	SE	DRY	Ν			
02/06/2017	N	LIGHT	SE	DRY	N			
03/06/2017								
04/06/2017								
05/06/2017	N	LIGHT	S	WET	N			
06/06/2017	N	LIGHT	S	WET	N			
07/06/2017	N	LIGHT	S	DRY	N			
08/06/2017	N	LIGHT	SW	WET	N			
09/06/2017	N	LIGHT	SE	DAMP	N			
10/06/2017								
11/06/2017								
12/06/2017	N	LIGHT	SE	DRY	N			
13/06/2017	N	LIGHT	SE	DRY	N			
14/06/2017	N	LIGHT	E	DRY	N			
15/06/2017	N	LIGHT	NE	DAMP	N			
16/06/2017	N	LIGHT	SE	DRY	N			
17/06/2017								
18/06/2017								
19/06/2017	N	LIGHT	S	DRY	N			
20/06/2017	N	LIGHT	S	DRY	N			
21/06/2017	N	LIGHT	W	DAMP	N			
22/06/2017	N	LIGHT	SE	DRY	N			
23/06/2017	N	LIGHT	SE	DRY	N			
24/06/2017								
25/06/2017								
26/06/2017	N	LIGHT	SW	DRY	N			
27/06/2017	N	LIGHT	W	WET	N			
28/06/2017	N	LIGHT	SW	DAMP	N			
29/06/2017	N	LIGHT	SW	WET	N			
30/06/2017	N	LIGHT	SW	WET	N			

Daily Dust Log - South - June 2017

DATE	LOCATION	WIND	WIND DIRECTION	GROUND SURFACE	VISIBLE DUST	DUST DUE TO WORKS (if applicable)	CAUSES OF DUST (if applicable)	COMMENTS AND ACTIONS
01/06/2017	S	LIGHT	SE	DRY	Ν			
02/06/2017	S	LIGHT	SE	DRY	N			
03/06/2017								
04/06/2017								
05/06/2017	S	LIGHT	S	WET	N			
06/06/2017	S	LIGHT	S	WET	N			
07/06/2017	S	LIGHT	SW	DRY	N			
08/06/2017	S	LIGHT	W	WET	N			
09/06/2017	S	LIGHT	SE	DAMP	Ν			
10/06/2017								
11/06/2017								
12/06/2017	S	LIGHT	S	DRY	N			
13/06/2017	S	LIGHT	SE	DRY	Ν			
14/06/2017	S	LIGHT	E	DRY	Ν			
15/06/2017	S	LIGHT	E	DAMP	Ν			
16/06/2017	S	LIGHT	SE	DRY	N			
17/06/2017								
18/06/2017								
19/06/2017	S	LIGHT	SE	DRY	Ν			
20/06/2017	S	LIGHT	S	DRY	N			
21/06/2017	S	LIGHT	W	DAMP	N			
22/06/2017	S	LIGHT	SE	DRY	N			
23/06/2017	S	LIGHT	SE	DRY	N			
24/06/2017								
25/06/2017								
26/06/2017	S	LIGHT	SW	DRY	Ν			
27/06/2017	S	LIGHT	W	WET	N			
28/06/2017	S	LIGHT	SW	DAMP	N			
29/06/2017	S	LIGHT	SW	WET	Ν			
30/06/2017	S	LIGHT	SW	WET	Ν			