

**DMRB Stage 3 Environmental Statement**  
**Volume 1: Main Report**

*December 2017*





## Contents

### Volume 1: Main Report

Glossary

Abbreviations

<b>1</b>	<b>Introduction</b>	1-1
1.1	Background	1-1
1.2	Introduction to Project 7, Glen Garry to Dalwhinnie	1-2
1.3	Statutory Context for EIA	1-4
1.4	Content of the Environmental Statement	1-6
1.5	Review and Comment	1-7
1.6	References	1-7
<b>2</b>	<b>Need for the Scheme</b>	2-1
2.1	Introduction	2-1
2.2	The A9 Trunk Road	2-1
2.3	National Context for Dualling	2-1
2.4	Previous A9 Dualling DMRB Studies and Assessments	2-3
2.5	A9 Dualling Programme Objectives	2-6
2.6	Local Context for Dualling	2-6
2.7	References	2-8
<b>3</b>	<b>Alternatives Considered</b>	3-1
3.1	Introduction	3-1
3.2	DMRB Stage 1	3-1
3.3	DMRB Stage 2 - Mainline Options Assessment	3-2
3.4	DMRB Stage 2 - Preferred Options	3-7
3.5	References	3-7
<b>4</b>	<b>Design Development</b>	4-1
4.1	Introduction	4-1
4.2	Design Iterations	4-1
4.3	References	4-8
<b>5</b>	<b>The Proposed Scheme</b>	5-1
5.1	Introduction	5-1
5.2	Proposed Scheme Overview	5-1
5.3	Permanent Works – Mainline and Junction Infrastructure	5-2
5.4	Temporary Works (Construction Phase)	5-15
5.5	References	5-18
<b>6</b>	<b>Overview of Assessment Process</b>	6-1
6.1	Introduction	6-1
6.2	Topics for Assessment	6-1
6.3	Policy Compliance	6-5
6.4	Cumulative Effects – Chapter 20	6-5
6.5	Schedule of Environmental Commitments – Chapter 21	6-6
6.6	Schedule of Significant Residual Impacts – Chapter 22	6-6
6.7	References	6-6
<b>7</b>	<b>Consultation</b>	7-1
7.1	Introduction	7-1
7.2	Previous and Ongoing Consultation	7-2
7.3	References	7-7

<b>8</b>	<b>People and Communities, Community and Private Assets</b>	8-1
8.1	Introduction	8-1
8.2	Approach and Methods	8-2
8.3	Baseline Conditions	8-14
8.4	Potential Impacts	8-21
8.5	Mitigation	8-27
8.6	Residual Impacts	8-33
8.7	References	8-39
<b>9</b>	<b>People and Communities, Effects on all Travellers</b>	9-1
9.1	Introduction	9-1
9.2	Approach and Methods	9-3
9.3	Baseline Conditions	9-11
9.4	Potential Impacts	9-22
9.5	Mitigation	9-34
9.6	Residual Impacts	9-39
9.7	References	9-42
<b>10</b>	<b>Geology, Soils and Groundwater</b>	10-1
10.1	Introduction	10-1
10.2	Approach and Methods	10-1
10.3	Baseline Conditions	10-10
10.4	Potential Impacts	10-22
10.5	Mitigation	10-39
10.6	Residual Impacts	10-49
10.7	Summary of Combined Impacts	10-53
10.8	References	10-54
<b>11</b>	<b>Road Drainage and the Water Environment</b>	11-1
11.1	Introduction	11-1
11.2	Approach and Methods	11-2
11.3	Baseline Conditions	11-18
11.4	Potential Impacts	11-36
11.5	Mitigation	11-47
11.6	Residual Impacts	11-65
11.7	Summary of Combined Impacts	11-68
11.8	References	11-70
<b>12</b>	<b>Ecology and Nature Conservation</b>	12-1
12.1	Introduction	12-1
12.2	Approach and Methods	12-1
12.3	Baseline Conditions	12-9
12.4	Potential Impacts	12-27
12.5	Mitigation	12-53
12.6	Residual Impacts	12-64
12.7	Summary of Combined Impacts	12-69
12.8	References	12-70
<b>13</b>	<b>Landscape</b>	13-1
13.1	Introduction	13-1
13.2	Approach and Methods	13-1
13.3	Baseline Conditions	13-8
13.4	Potential Impacts	13-29
13.5	Mitigation	13-56
13.6	Residual Effects	13-74
13.7	References	13-78

<b>14</b>	<b>Visual</b>	14-1
14.1	Introduction	14-1
14.2	Approach and Methods	14-1
14.3	Baseline Conditions	14-7
14.4	Potential Impacts	14-22
14.5	Mitigation	14-47
14.6	Residual Impacts	14-63
14.7	References	14-69
<b>15</b>	<b>Cultural Heritage</b>	15-1
15.1	Introduction	15-1
15.2	Legislation	15-1
15.3	Approach and Methods	15-2
15.4	Baseline Conditions	15-6
15.5	Potential Impacts	15-12
15.6	Mitigation	15-16
15.7	Residual Impacts	15-20
15.8	References	15-22
<b>16</b>	<b>Air Quality</b>	16-1
16.1	Introduction	16-1
16.2	Approach and Methods	16-1
16.3	Baseline Conditions	16-9
16.4	Potential Impacts Assessment	16-13
16.5	Mitigation and Monitoring Requirements	16-17
16.6	Residual Impacts	16-19
16.7	Overall Evaluation of Significant Effects	16-19
16.9	References	16-20
<b>17</b>	<b>Noise and Vibration</b>	17-1
17.1	Introduction	17-1
17.2	Approach and Methods	17-1
17.3	Baseline Conditions	17-14
17.4	Potential Impacts	17-15
17.5	Mitigation	17-24
17.6	Residual Impacts	17-27
17.7	References	17-29
<b>18</b>	<b>Materials</b>	18-1
18.1	Introduction	18-1
18.2	Approach and Methods	18-1
18.3	Baseline Conditions	18-9
18.4	Key Issues and Limitations to Assessment	18-14
18.5	Potential Impacts Assessment	18-19
18.6	Mitigation	18-25
18.7	Residual Impacts	18-25
18.8	References	18-30
<b>19</b>	<b>Policies and Plans</b>	19-1
19.1	Introduction	19-1
19.2	Approach and Methods	19-1
19.3	Plan and Policy Overview	19-2
19.4	Compliance with Policies and Plans	19-21
19.5	Summary of Compliance	19-34
19.6	References	19-35

---

<b>20</b>	<b>Cumulative Effects</b>	20-1
20.1	Introduction	20-1
20.2	Approach and Methodology	20-1
20.3	Combined Impacts of the Scheme (Type 1)	20-3
20.4	Combined Impacts of the Proposed Scheme in Combination with Other Reasonably Foreseeable Projects (Type 2)	20-6
20.5	Mitigation and Residual Impacts	20-11
20.6	References	20-12
<b>21</b>	<b>Schedule of Environmental Commitments</b>	21-1
21.1	Introduction	21-1
21.2	Mitigation Schedules	21-1
<b>22</b>	<b>Summary of Significant Residual Impacts</b>	22-1
22.1	Introduction	22-1

## Tables

<b>Chapter 1</b>	<b>Introduction</b>	<b>1-1</b>
Table 1-1:	DMRB Staged Development Process	1-1
Table 1-2:	Schedule 4 EIA Requirements	1-5
Table 1-3:	Contents of the Environmental Statement	1-6
<b>Chapter 2</b>	<b>Need for the Scheme</b>	<b>2-1</b>
Table 2-1:	Comparison of Accident Rates and Ratios (before introduction of average speed cameras) (A9 Dualling: Case for Investment, 2016)	2-6
<b>Chapter 3</b>	<b>Alternatives Considered</b>	<b>3-1</b>
Table 3-1:	Section 1 Options	3-4
Table 3-2:	Section 3 Options	3-5
Table 3-3:	Combined mainline options (DMRB Stage 2)	3-5
Table 3-4:	Dalnaspidal junction options taken through DMRB Stage 2 comparative assessment	3-6
<b>Chapter 4</b>	<b>Design Development</b>	<b>4-1</b>
Table 4-1:	DMRB Stage 3 Iterative Design Process	4-1
Table 4-2:	Variation studies undertaken at DMRB Stage 3	4-9
<b>Chapter 5</b>	<b>The Proposed Scheme</b>	<b>5-1</b>
Table 5-1:	Rural all-purpose dual carriageway cross section width requirements	5-1
Table 5-2:	Summary of Earthworks Quantities at DMRB Stage 3	5-9
Table 5-3:	Changes required to existing mainline structures	5-10
Table 5-4:	Proposed new structures	5-10
Table 5-5:	Clearance provided in Proposed Scheme structures	5-14
Table 5-6:	Proposed accesses	5-14
<b>Chapter 6</b>	<b>Overview of Assessment Process</b>	<b>6-1</b>
Table 6-1:	Mitigation schedule headings	6-4
<b>Chapter 7</b>	<b>Consultation</b>	<b>7-1</b>
Table 7-1:	Consultee forums and groups	7-1
Table 7-2:	Proposed Scheme Public Exhibitions/ Drop-ins	7-3
<b>Chapter 8</b>	<b>People and Communities, Community and Private Assets</b>	<b>8-1</b>
Table 8-1:	Significance Criteria for Relief from Existing Community Severance	8-3
Table 8-2:	Significance Criteria for New Community Severance	8-4
Table 8-3:	Sensitivity Criteria for Residential and Commercial Land and Property	8-5
Table 8-4:	Impact Magnitude Criteria for Residential and Commercial Land and Property	8-6
Table 8-5:	Assigning Significance of Impact for Residential and Commercial Land and Property	8-6
Table 8-6:	Impact significance criteria for vehicle access	8-7
Table 8-7:	Sensitivity Criteria for Community Land and Property	8-8
Table 8-8:	Impact Magnitude Criteria for Community Land and Property	8-9
Table 8-9:	Assigning Significance of Impact for Community Land and Property	8-9
Table 8-10:	Criteria for Sensitivity of Agricultural, Forestry and Sporting Interests	8-10
Table 8-11:	Impact Magnitude Criteria for Agricultural, Forestry and Sporting Interests	8-11
Table 8-12:	Assigning Significance of Impact on Agricultural, Forestry and Sporting Interests	8-11
Table 8-13:	Accesses Utilised by Dalnacardoch Estate	8-18
Table 8-14:	Direct Accesses Utilised by North and South Drumochter Estates	8-18
Table 8-15:	Planning Applications	8-19
Table 8-16:	Key Receptors	8-20
Table 8-17:	Permanent Land-take areas for Residential and Commercial land-interests	8-23
Table 8-18:	Summary of permanent direct vehicle access changes to Network Rail, SSE and Telecommunication Assets	8-24
Table 8-19:	Summary of Potential Permanent Impacts on Agricultural Interests	8-25
Table 8-20:	Description of Potential Permanent Impacts on Sporting Interests	8-26
Table 8-21:	Standard, Embedded and Additional Mitigation for Community and Private Assets	8-29
Table 8-22:	Residual permanent impacts in terms of land-take of residential and commercial land	8-34

Table 8-23:	Residual permanent impacts in terms of access of residential and commercial land	8-34
Table 8-24:	Residual permanent impacts in terms of agricultural interests	8-35
Table 8-25:	Residual permanent impacts in terms of sporting interests	8-36
Table 8-26:	Predicted residual construction impacts on community and private assets	8-36
Table 8-27:	Predicted residual operational impacts on community and private assets	8-37
<b>Chapter 9</b>	<b>People and Communities, Effects on all Travellers</b>	9-1
Table 9-1:	NMU Sensitivity Criteria	9-5
Table 9-2:	Magnitude of Impact Criteria for Changes to NMU Journey Length	9-6
Table 9-3:	Significance of Impact on NMU Journey Length	9-6
Table 9-4:	Significance of Impact on NMU Amenity	9-7
Table 9-5:	Impact Significance Criteria for views from the road	9-9
Table 9-6:	Assessment guidance for driver stress for dual carriageway roads	9-10
Table 9-7:	Assessment guidance for driver stress for single carriageway roads	9-10
Table 9-8:	NMU Reference Numbers	9-11
Table 9-9:	NMU Crossing Point Reference Numbers	9-11
Table 9-10:	Bus services serving Dalnaspidal	9-19
Table 9-11:	2015 traffic data relating to south of Dalnaspidal	9-21
Table 9-12:	2015 traffic data relating to north of Dalnaspidal	9-21
Table 9-13:	2015 average vehicle type proportions at the A9/ Dalnaspidal Junction	9-21
Table 9-14:	Key NMU routes to assess	9-22
Table 9-15:	Journey Length Assessment (without mitigation) Operational Phase	9-26
Table 9-16:	Amenity value (without mitigation)	9-28
Table 9-17:	Summary of potential impacts on NMU (without mitigation)	9-28
Table 9-18:	Projected traffic data for 2026 and 2041 north of Dalnaspidal Junction	9-33
Table 9-19:	Projected traffic data for 2026 and 2041 south of Balsporran/ Drumochter Junction	9-33
Table 9-20:	Projected vehicle proportions for 2026 and 2041 at Dalnaspidal	9-33
Table 9-21:	Baseline and projected traffic data comparison, North of Dalnaspidal	9-33
Table 9-22:	Standard and specific mitigation commitments for the Effects on All Travellers	9-35
Table 9-23:	Summary of residual impacts table – Effects on All Travellers	9-40
<b>Chapter 10</b>	<b>Geology, Soils and Groundwater</b>	10-1
Table 10-1:	Sensitivity Criteria for Geology and Soils	10-4
Table 10-2:	Impact Magnitude Criteria for Geology and Soils	10-4
Table 10-3:	Matrix for Determination of Impact Significance for Geology and Soils	10-5
Table 10-4:	Sensitivity Criteria for Groundwater	10-5
Table 10-5:	Impact Magnitude Criteria for Groundwater	10-6
Table 10-6:	Matrix for Determination of Impact Significance for Groundwater	10-6
Table 10-7:	Potential Pollutant Linkages for Potential Contamination	10-7
Table 10-8:	Likelihood Criteria for Potential Contamination	10-8
Table 10-9:	Impact Magnitude (Consequence) Criteria for Potential Contamination	10-8
Table 10-10:	Matrix for Determination of Impact Significance (Risk) for Potential Contamination	10-9
Table 10-11:	Hydrogeological Characteristics and Sensitivity of Superficial and Solid Geology Units	10-17
Table 10-12:	Groundwater Abstractions and Private Water Supplies	10-18
Table 10-13:	Excavation Areas and Depths (equal to or greater than 1.00m depth)	10-24
Table 10-14:	Estimated Peaty Soil/ Topsoil and Peat Excavation Volumes	10-29
Table 10-15:	Potential Impacts on Surface Water Features due to Interaction with Widening/ Cuttings	10-34
Table 10-16:	Standard and Project Specific Mitigation Commitments – Geology, Soils and Groundwater	10-41
Table 10-17:	Residual Impacts – Geology, Soils and Groundwater	10-50
<b>Chapter 11</b>	<b>Road Drainage and the Water Environment</b>	11-1
Table 11-1:	Water Feature Sensitivity	11-10
Table 11-2:	Magnitude of Impact	11-13
Table 11-3:	Significance of Impact	11-17
Table 11-4:	Summary of Groundwater Vulnerability	11-20
Table 11-5:	Licensed Discharges within Project 7 Extent	11-34
Table 11-6:	Potential Impacts and Embedded Mitigation	11-37
Table 11-7:	Summary of specific construction-phase activities on or near major water features	11-39
Table 11-8:	Summary of proposed SuDS features for drainage networks	11-40
Table 11-9:	Summary of potential impacts	11-44
Table 11-10:	Standard Mitigation Commitments	11-49

Table 11-11: Embedded Mitigation	11-56
Table 11-12: Project-Specific Mitigation	11-60
Table 11-13: Predicted residual impacts on the water environment	11-66
<b>Chapter 12 Ecology and Nature Conservation</b>	<b>12-1</b>
Table 12-1: Ecological surveys undertaken to inform EclA assessment baseline	12-3
Table 12-2: Importance criteria for ecological impacts	12-5
Table 12-3: Impact magnitude and character for ecological features	12-6
Table 12-4: Summary of statutory designated sites within the study area	12-9
Table 12-5: Summary of notable habitats recorded within the study area	12-12
Table 12-6: Potential GWDTE	12-14
Table 12-7: Summary of BTO Bird Atlas Data – breeding birds	12-15
Table 12-8: Proportion of Strathspey wader population within the study area	12-17
Table 12-9: Conservation status for breeding bird within the study area (* denoted species also on SBL)	12-17
Table 12-10: Summary of BTO Bird Atlas Data – wintering (non-breeding) birds	12-18
Table 12-11: Summary of BRP features within the study area	12-20
Table 12-12: Summary of otter records within the study area	12-21
Table 12-13: Summary of existing ecological permeability	12-25
Table 12-14: Potential habitat features – CNPA priority non-protected species	12-26
Table 12-15: Project-wide permeability	12-29
Table 12-16: Summary of encroachment into statutory designated sites	12-30
Table 12-17: Temporary works boundary within Drumochter Hills SPA	12-30
Table 12-18: Proposed Scheme Lay-by Locations	12-32
Table 12-19: Temporary works boundary within Drumochter Hills SAC	12-33
Table 12-20: SAC qualifying habitat affected during the construction phase	12-33
Table 12-21: Permanent works boundary within Drumochter Hills SAC	12-34
Table 12-22: Permanent loss of SAC qualifying habitat	12-34
Table 12-23: Temporary works assessment boundary within River Spey SAC	12-34
Table 12-24: Permanent assessment boundary within the River Spey SAC	12-35
Table 12-25: Summary of notable habitats affected by temporary works	12-38
Table 12-26: Summary of notable habitats affected by permanent loss	12-40
Table 12-27: Summary of potential impacts on breeding birds	12-43
Table 12-28: Overview of potential impacts	12-52
Table 12-29: Summary of Mitigation Requirements	12-54
Table 12-30: Residual effects for notable habitats	12-65
Table 12-31: Overview of temporary residual impacts of the Proposed Scheme	12-68
Table 12-32: Overview of operational residual impacts of the Proposed Scheme	12-69
<b>Chapter 13 Landscape</b>	<b>13-1</b>
Table 13-1: Criteria for Assessing Value of Landscape Designations	13-4
Table 13-2: Criteria for Assessing Value of Non-Designated Landscapes	13-4
Table 13-3: Landscape Susceptibility Criteria	13-5
Table 13-4: Landscape Sensitivity Criteria	13-5
Table 13-5: Magnitude of Landscape Impact	13-6
Table 13-6: Significance of Landscape Effect	13-7
Table 13-7: Summary of LCAs and LLCA Value, Susceptibility and Sensitivity	13-24
Table 13-8: Summary of Landscape Features (1-5) and Perception (6-7) Sensitivity	13-28
Table 13-9: Potential Effects upon Drumochter Pass LCA Key Characteristics	13-37
Table 13-10: Potential effects upon Glen Truim Upper Glen and Dalwhinnie LCA key characteristics	13-39
Table 13-11: Potential Significance of Effects on LLCAs at Construction	13-42
Table 13-12: Potential Effects on LLCAs at Operation Year 1 and Years 15-25	13-44
Table 13-13: Potential Significance of Effects on Landscape Features and Perception at Construction	13-54
Table 13-14: Potential Effects on Landscape Features & Perception, Operation Year 1 & Years 15-25	13-55
Table 13-15: Standard Mitigation Commitments for landscape and visual effects and specific mitigation commitments for landscape effects	13-59
Table 13-16: Predicted Residual Effects on Landscape Character and Features	13-75
<b>Chapter 14 Visual</b>	<b>14-1</b>
Table 14-1: Value of views	14-4
Table 14-2: Visual receptor susceptibility to change	14-4
Table 14-3: Visual receptor sensitivity to change	14-5

Table 14-4: Magnitude of visual change	14-5
Table 14-5: Significance of visual effect	14-6
Table 14-6: Visual receptors within the study area	14-7
Table 14-7: Representative viewpoint receptors for the Proposed Scheme	14-8
Table 14-8: Existing A9 lay-bys	14-16
Table 14-9: Proposed Scheme on-road representative views (from lay-bys)	14-17
Table 14-10: Construction phase effects on representative viewpoint receptors	14-26
Table 14-11: Construction phase effects on A9 on-road representative views (from lay-bys)	14-28
Table 14-12: Visual receptors assessment at Operational Phase	14-34
Table 14-13: Standard Mitigation Commitments for landscape and visual effects and specific mitigation commitments for visual effects	14-49
Table 14-14: Summary of residual impacts	14-65
<b>Chapter 15 Cultural Heritage</b>	15-1
Table 15-1: The value of cultural heritage assets	15-4
Table 15-2: Magnitude of impact on cultural heritage assets	15-5
Table 15-3: Significance of Impacts	15-6
Table 15-4: Non-designated cultural heritage assets within the study area	15-6
Table 15-5: Cultural Heritage Specific Mitigation Requirements	15-18
Table 15-6: Predicted residual construction impacts on cultural heritage assets	15-21
Table 15-7: Predicted residual operational impacts on cultural heritage assets	15-21
<b>Chapter 16 Air Quality</b>	16-1
Table 16-1: Air Quality Objectives for NOX, NO2, PM10 and PM2.5	16-2
Table 16-2: Magnitude of change criteria	16-8
Table 16-3: Guidelines to numbers of properties constituting a significant impact	16-8
Table 16.4: NAEI (2017) Total emissions (kt) and source emission contributions (%) by sector for Scotland in 2015	16-10
Table 16-5: Annual mean background pollutant concentrations ( $\mu\text{g m}^{-3}$ ) at human health receptors.	16-11
Table 16-6: Sensitive human health receptors identified for the local air quality assessment	16-11
Table 16-7: Designated Site Critical Loads for Nitrogen Deposition and Baseline Nitrogen Deposition ( $\text{kg N ha}^{-1} \text{ yr}^{-1}$ ) (N/A: Not available)	16-12
Table 16-8: Summary of key receptors considered in each assessment of air quality impacts	16-13
Table 16-9: Overall risk of dust impacts from the four IAQM defined construction activities	16-14
Table 16-10: Results of the regional assessment for the pollutants NOX, PM10 and CO2	16-16
Table 16-11: Annual mean background pollutant concentrations ( $\mu\text{g m}^{-3}$ ) used in the assessment	16-17
Table 16-12: Proposed standard and project specific dust emission and air quality construction phase mitigation measures	16-18
Table 16-13: Summary of air quality residual impacts	16-19
Table 16-14: Summary assessment of overall air quality effects	16-19
<b>Chapter 17 Noise and Vibration</b>	17-1
Table 17-1: Assessment methodology for each noise and vibration topic	17-3
Table 17-2: Criteria Used to Define Noise Sensitive Receptors	17-8
Table 17-3: Threshold of potential significant adverse and adverse effects at dwellings in dB LAeq,t	17-9
Table 17-4: Threshold of significant effects for construction vibration on structures	17-10
Table 17-5: Threshold of potential significant adverse and adverse effects at dwellings in dB LAeq,t	17-10
Table 17-6: Classification of Magnitude of Noise Impacts from a Change in Road Traffic Noise	17-10
Table 17-7: Significance of Noise Impacts	17-11
Table 17-8: Consideration of Impacts in the Decision Making Process	17-11
Table 17-9: Assumptions in relation to the operational road traffic noise assessment	17-14
Table 17-10: Summary of Baseline Noise Measurements	17-15
Table 17-11: Simplified List of Possible Construction Phasing	17-16
Table 17-12: Distances of Receptors to various phases of Construction	17-17
Table 17-13: Predicted Total Construction Noise Levels in each Construction Phase	17-17
Table 17-14: Predicted Vibration from Piling during Construction	17-19
Table 17-15: Long-term Traffic Noise Change Do-Minimum 2026 to Do-Minimum 2041	17-19
Table 17-16: Short-term Traffic Noise Change Do-Minimum 2026 to Do-Something 2026	17-20
Table 17-17: Long-term Traffic Noise Change Do-Minimum 2026 to Do-Something 2041	17-21
Table 17-18: Summary of Traffic Noise Nuisance for Dwellings	17-23
Table 17-19: Summary of Traffic Airborne Vibration Nuisance for Dwellings	17-23

Table 17-20: Standard Noise and Vibration Mitigation Commitments for the Construction Phase	17-25
Table 17-21: Embedded Noise and Vibration Mitigation Commitments for the Operation of the A9	17-26
Table 17-22: Summary of Noise Residual Impacts for Noise Sensitive Receptors	17-27
<b>Chapter 18 Materials</b>	18-1
Table 18-1: Value/ sensitivity of regional natural resources (based on professional judgement)	18-5
Table 18-2: Value/ sensitivity of the waste management infrastructure receptor (HD 212/11)	18-5
Table 18-3: Magnitude of impact for embodied carbon emissions (HD 212/11)	18-6
Table 18-4: Magnitude of impact for depletion of natural resources (based on professional judgement)	18-6
Table 18-5: Magnitude of impact for waste (HD 212/11)	18-7
Table 18-6: Significance of effect for depletion of natural resources and waste management (HD 212/11)	18-7
Table 18-7: Descriptors of the Significance of Effect Categories (HA 205/08)	18-8
Table 18-8: Authorised waste sites and capacity as of 31 December 2015	18-11
Table 18-9: Authorised landfill capacity as of 31 December 2015	18-11
Table 18-10: Identification of the receptors that are relevant to the Materials assessment	18-12
Table 18-11: Estimated total embodied carbon emissions range (excluding and including 15% contingency)	18-16
Table 18-12: Estimated aggregates consumption range (excluding and including 15% contingency)	18-17
Table 18-13: Site clearance and demolition waste range (excluding and including 15% contingency)	18-17
Table 18-14: Estimated excavation waste range (excluding and including 15% contingency)	18-17
Table 18-15: Estimated construction waste range (excluding and including 15% contingency)	18-18
Table 18-16: Detailed assessment reporting matrix prior to additional mitigation	18-18
Table 18-17: Mitigation Measures Reporting Matrix	18-24
Table 18-18: Detailed assessment reporting matrix post mitigation – residual impacts	18-27
Table 18-19: Predicted residual construction impacts on materials receptors	18-29
<b>Chapter 20 Cumulative Effects</b>	20-1
Table 20-1: Likely Significant Type 1 Cumulative Effects on Receptors by Topic	20-4
Table 20-2: List of Other Projects for Cumulative Impact Assessment	20-7
Table 20-3: Likely Significant Type 2 Cumulative Effects by Receptor	20-8
<b>Chapter 21 Schedule of Environmental Commitments</b>	21-1
Table 21-1: Schedule of Environmental Commitments – Standard Construction Commitments	21-2
Table 21-2: Schedule of Environmental Commitments – People and Communities - Community and Private Assets	21-3
Table 21-3: Schedule of Environmental Commitments – People and Communities – Effects on all Travellers	21-6
Table 21-4: Schedule of Environmental Commitments – Geology, Soils and Groundwater	21-10
Table 21-5: Schedule of Environmental Commitments – Road Drainage and the Water Environment	21-18
Table 21-6: Schedule of Environmental Commitments – Ecology and Nature Conservation	21-34
Table 21-7: Schedule of Environmental Commitments – Landscape and Visual	21-44
Table 21-8: Schedule of Environmental Commitments – Cultural Heritage	21-62
Table 21-9: Schedule of Environmental Commitments – Air Quality	21-64
Table 21-10: Schedule of Environmental Commitments – Noise and Vibration	21-65
Table 21-11: Schedule of Environmental Commitments – Materials	21-67
<b>Chapter 22 Summary of Significant Residual Impacts</b>	22-1
Table 22-1: Summary of Significant Adverse Residual Impacts	22-2
Table 22-2: Summary of Significant Beneficial Residual Impacts	22-2

## Figures

<b>Chapter 1</b>	<b>Introduction</b>	<b>1-1</b>
Figure 1-1:	Project 7 – Glen Garry to Dalwhinnie – regional context	1-2
Figure 1-2:	Project 7 – Glen Garry to Dalwhinnie – location and local constraints	1-3
<b>Chapter 3</b>	<b>Alternatives Considered</b>	<b>3-1</b>
Figure 3-1:	Alternative route corridors (A-G) considered via DMRB Stage 1 PES and SEA	3-1
Figure 3-2:	Project 7 – DMRB Stage 2 sections, chainages and options	3-3
Figure 3-3:	Dalnaspidal Junction options taken through DMRB Stage 2 comparative assessment	3-7
<b>Chapter 4</b>	<b>Design Development</b>	<b>4-1</b>
Figure 4-1:	Illustrative cross section showing typical landscaped earthworks slopes	4-4
<b>Chapter 5</b>	<b>The Proposed Scheme</b>	<b>5-1</b>
Figure 5-1:	Approx. chainage -950 to 0,200 – Tie-in from existing split carriageway and northbound approach to Dalnaspidal	5-2
Figure 5-2:	Proposed Dalnaspidal Junction	5-3
Figure 5-3:	Approx. chainage 1,000 to 3,000	5-3
Figure 5-4:	Approx. chainage 3,000 to 4,800	5-4
Figure 5-5:	Through the Pass of Drumochter – approx. ch. 4,800 to 6,100	5-5
Figure 5-6:	Approx. chainage 6,200 to 7,000	5-6
Figure 5-7:	Balsporran Cottage/ Drumochter Lodge Access	5-7
Figure 5-8:	(2 images) Approx. ch. 8,500 to 9,750 – to northern tie-in to existing single carriageway and/ or next A9 Dualling scheme (Project 8, Dalwhinnie to Crubenmore)	5-8
Figure 5-9:	Major/ minor watercourse and watercourse crossings reference system	5-11
Figure 5-10:	Typical cross-sections of buried box culverts with bed material and mammal ledges	5-12
Figure 5-11:	Schematic overview of typical cascade with pools detail	5-13
<b>Chapter 6</b>	<b>Overview of Assessment Process</b>	<b>6-1</b>
Figure 6-1:	Permanent and temporary works assessment boundaries approach	6-2
Figure 6-2:	Overview of interim GIS approach to identification of land required for mitigation	6-4
<b>Chapter 9</b>	<b>People and Communities, Effects on all Travellers</b>	<b>9-1</b>
Figure 9-1:	The retaining wall and barrier forms a boundary to NMU1 (NCN7)	9-27
Figure 9-2:	Indicative view from the southbound lay-by across Dalnaspidal to Loch Garry	9-31
Figure 9-3:	Indicative view north-west from the northbound carriageway	9-32
Figure 9-4:	Indicative view north from the northbound carriageway on the approach to Drumochter Lodge	9-32
<b>Chapter 11</b>	<b>Road Drainage and the Water Environment</b>	<b>11-1</b>
Figure 11-1:	Flow chart of process for selection and impact evaluation of replacement watercourse crossings	11-9
<b>Chapter 13</b>	<b>Landscape</b>	<b>13-1</b>
Figure 13-1:	Illustrative impression and layout - NB lay-by proposal, Dalnaspidal (approx. ch. 800)	13-32
Figure 13-2:	Illustrative impression and layout - NB lay-by proposal, Drumochter Pass (approx. ch. 3,600)	13-33
Figure 13-3:	Illustrative section and layout - SB lay-by proposal, Drumochter Pass (approx. ch. 4,000)	13-34
Figure 13-4:	Rendered 3D model to convey the landform specification	13-57
<b>Chapter 14</b>	<b>Visual</b>	<b>14-1</b>
Figure 14-1:	Indicative view from near Dalnaspidal HML railway level crossing, to the A9	14-31
Figure 14-2:	Indicative view of A9, infrastructure/ proposed underbridge at Dalnaspidal, GWMR	14-31
Figure 14-3:	Indicative view from near HML railway at approx. NB ch. 2,900 looking south	14-32
Figure 14-4:	Indicative view from Balsporran access road to A9/ towards Drumochter underbridge	14-32
Figure 14-5:	Indicative view south from NCN7 at approx. NB ch. 6,900	14-33
Figure 14-6:	Indicative view from proposed A9 carriageway, south to Drumochter underbridge access	14-33
<b>Chapter 18</b>	<b>Materials</b>	<b>18-1</b>
Figure 18-1:	The waste hierarchy as applied to materials and waste	18-21
Figure 18-2:	DfRE process	18-22

## Photographs

<b>Chapter 8</b>	<b>People and Communities, Community and Private Assets</b>	8-1
Photograph 8-1:	Photograph of Station House and Station Cottages	8-14
Photograph 8-2:	Photograph of Garryview	8-14
Photograph 8-3:	Photograph of Balsporran Cottages	8-15
<b>Chapter 9</b>	<b>People and Communities, Effects on all Travellers</b>	9-1
Photograph 9-1:	Off-road NCN7 between the A9 and Dalnaspidal	9-12
Photograph 9-2:	Informal parking at Dalnaspidal	9-13
Photograph 9-3:	NMU5, General Wade's Military Road	9-13
Photograph 9-4:	NMU6 hill walking route to Sgairneach Mhor and Beinn Uldamenn Munros	9-14
Photograph 9-5:	View of Drumochter Pass from lay-by 79	9-14
Photograph 9-6:	View from Balsporran informal parking area toward Balsporran Cottages and NMU8, hill walking routes	9-15
Photograph 9-7:	NCN7 to the north of lay-by 79, separated from the A9 by grass verge and VRS	9-16
Photograph 9-8:	Parking area at Balsporran Cottages with access to hill waking routes	9-18
<b>Chapter 11</b>	<b>Road Drainage and the Water Environment</b>	11-1
Photograph 11-1:	Allt Chaorach Mor (Hydro ID -3, MW 7.24)	11-22
Photograph 11-2:	Allt Chaorach Beag (Hydro ID -2, MW7.25)	11-23
Photograph 11-3:	Allt Coire Mhic-sith (Hydro ID 2/ MW 7.3)	11-24
Photograph 11-4:	Allt Ruidh nan Sgoilearnan (Hydro ID 8/ MW 7.4)	11-25
Photograph 11-5:	Unnamed Watercourse (Hydro ID 12/ MW 7.5)	11-26
Photograph 11-6:	Allt Fuar Bheann (Hydro ID 13/ MW 7.6)	11-27
Photograph 11-7:	Allt a Chaorainn (Hydro ID 23/ MW 7.9)	11-28
Photograph 11-8:	Allt an Creagach (Hydro ID 31/ MW 7.11)	11-29
Photograph 11-9:	Allt Coire Chaorainn (Hydro ID 52/ MW 7.18)	11-30
Photograph 11-10:	Unnamed Watercourse (Hydro ID 57/ MW 7.20)	11-31
Photograph 11-11:	Allt Coire Chuirn (Hydro ID 59/ MW 7.22)	11-32
Photograph 11-12:	Allt Coire Bhotie (Hydro ID 64, MW7.23)	11-33
<b>Chapter 13</b>	<b>Landscape</b>	13-1
Photograph 13-1:	Image of Drumochter Pass LCA	13-10
Photograph 13-2:	Image of Glen Truim Upper Glen and Dalwhinnie LCA	13-12
Photograph 13-3:	Image of Dalnaspidal LLCA	13-15
Photograph 13-4:	Image of Allt Dubhaig LLCA	13-16
Photograph 13-5:	Image of Pass of Drumochter LLCA	13-17
Photograph 13-6:	Image of Dail A'Chuirn LLCA	13-18
Photograph 13-7:	Image of Dalnaspidal Forest LLCA	13-20
Photograph 13-8:	Image of Southern Hill Slopes LLCA	13-21
Photograph 13-9:	Image of Loch Garry LLCA	13-22
Photograph 13-10:	Image of Upper Glen Garry LLCA	13-23
<b>Chapter 14</b>	<b>Visual</b>	14-1
Photograph 14-1:	View towards the A9 from HML railway level crossing at Dalnaspidal	14-9
Photograph 14-2:	View of infrastructure opposite Dalnaspidal near General Wade's Military Road	14-10
Photograph 14-3:	View from Loch Garry access track towards A9	14-11
Photograph 14-4:	View to north of General Wade's Military Road and the BDL east of Dalnaspidal	14-12
Photograph 14-5:	View looking south from Balsporran Cottages access off the A9 mainline	14-14
Photograph 14-6:	View of Drumochter Lodge from adjacent to the A9	14-15
Photograph 14-7:	View toward the A9 from the HML railway level crossing at Dalnaspidal	14-20
Photograph 14-8:	View south, parallel to A9 and HML railway, from NCN7 at Drumochter Pass.	14-20
Photograph 14-9:	View toward the A9 from the HML railway level crossing at Balsporran	14-21
<b>Chapter 15</b>	<b>Cultural Heritage</b>	15-1
Photograph 15-1:	Remains of dwelling/ shieling hut (7.22) looking south-east	15-8
Photograph 15-2:	Drumochter Lodge (Asset 7.18) looking north-east	15-10
Photograph 15-3:	Dalnaspidal Bridge (Asset 7.4) looking south-east	15-11

## **Volume 2: Technical Appendices**

Please see the Volume 2 document for the list of Technical Appendices

## **Volume 3: Environmental Drawings**

Please see the Volume 3 document for the list of Environmental Drawings

## Glossary

<i>'A' weighting dB(A)</i>	The human ear does not respond uniformly to different frequencies. A-weighting is commonly used to simulate the frequency response of the ear.
<i>Abutment</i>	The structure that supports the end of the bridge or supports and retains the bridge approach.
<i>Acid grassland</i>	Grassland that occurs on acidic soils (pH less than 5.5).
<i>Aggregate</i>	Materials used in construction, including sand, gravel, crushed stone, slag, or recycled crushed concrete.
<i>Air Quality Management Area (AQMA)</i>	A non-permanent designation created if monitoring reveals that statutory air quality thresholds are being exceeded or will be exceeded in the near future.
<i>Algae</i>	Single or multi-cellular organisms that photosynthesise.
<i>Alien species</i>	A species that exists outside of its normal distribution.
<i>Allocation</i>	A proposal for land for housing, industry or other uses within a Local Plan that identifies a specific area of land to be developed within the time period of the plan.
<i>Alluvium</i>	Sediment deposited by a river.
<i>Alluvial Fan</i>	A fan or cone-shaped deposit of sediment built up by a river.
<i>Amber list species</i>	Species with unfavorable conservation status in Europe or showing moderate declines or rare or localised in their distribution.
<i>Ambient Noise</i>	The all encompassing sound at any point in time.
<i>Amenity grassland</i>	Intensively managed and regularly mown grasslands that are typical of golf courses, sports pitches, playing fields and lawns. These grasslands are typically of low diversity and limited wildlife and landscape value.
<i>Amenity value</i>	Defined as the relative pleasantness of a journey and relates in particular to the exposure of pedestrians and others to traffic.
<i>Ammocoete</i>	Larval stage in the life cycle of lamprey.
<i>Amphibian</i>	Any cold blooded animal of the class Amphibia which includes frogs, toads and newts.
<i>Ancient Woodland</i>	Areas of land that appear as wooded on maps dated pre-1750 (in Scotland) and are considered likely to have been continuously wooded from this date.
<i>Ancient Woodland Inventory</i>	Aims to list all probable ancient semi-natural woodlands on a county basis together with those woodlands in other ancient categories of lesser woodland nature conservation interest.
<i>Appropriate Assessment</i>	Determination by an identified competent authority (Scottish Government, informed by SNH) of likely significant effects associated with a development on a European Protected Site. Required by law under Regulation 48 of the Habitats Regulations (1994), implementing Article 6(3) of Habitats Directive (92/43/EEC).
<i>Aquifer</i>	A body of rock through which appreciable amounts of water can flow.
<i>Arable land</i>	Land that is or can be used for growing crops.
<i>Artificial refuge</i>	A sheet of corrugated metal, carpet tile or other material that is placed on the ground and is typically used to survey for the presence of reptiles and amphibians.
<i>Assessment</i>	An umbrella term for description, analysis and evaluation.
<i>Attenuation</i>	Increase in duration of flow hydrograph with a consequent reduction in peak flow.
<i>Attribute</i>	Characteristics of an environmental receptor.
<i>Authority area</i>	The area administered by a local authority for example, District Council, City Council or Unitary Authority.
<i>Average Score Per Taxon (ASPT)</i>	Calculated by dividing the Biological Monitoring Working Party (BMWP) score of a sample by the number of scoring families that contributed to the BMWP score of that sample.
<i>Avulsion</i>	The abandonment and formation of new river channels.
<i>Barrier effects</i>	Features such as roads which may impact ecological communities through restriction of movement and habitat alteration, sub-dividing populations with demographic and possibly genetic consequences.
<i>Baseline</i>	The existing conditions which form the basis or start point of the environmental assessment.
<i>Base-poor</i>	Environments which have few chemical bases, they are dominated by environmental acids (usually organic acids) and so are acidic.
<i>Base-rich</i>	Environments which are neutral or alkaline.
<i>Bedrock</i>	Hard rock that lies beneath a superficial cover of soils and sediments.
<i>Best Practicable Means</i>	A feasible approach [to mitigation], having due regard for means, resources and conditions. Control of Pollution Act (1974) defines this as measures 'reasonably practicable having regard among other things to local conditions and circumstances, to the current stated of technical knowledge and to financial implications'.

<i>Bioaccumulation</i>	The process by which substances accumulate in the tissues of living organisms with particular reference to toxic substances that accumulate via a food chain.
<i>Biodiversity</i>	Biological diversity, or richness of living organisms present in representative communities and populations.
<i>Biodiversity Action Plan (BAP)</i>	Sets objectives, along with measurable targets for the conservation of biodiversity.
<i>Bog</i>	An area of soft, wet, peaty ground.
<i>Broadleaved woodland</i>	An area of woodland with predominantly deciduous tree species (less than 10% coniferous trees in the canopy).
<i>Bryophyte</i>	Phylum of non-flowering plants, with little or no vascular tissue; includes plants such as true mosses and liverworts.
<i>Buffer</i>	A natural, undisturbed strip surrounding a development or land disturbance activity or bordering a stream or permanent water body.
<i>Bund</i>	An embankment, wall or dam that can be used to minimise noise or alternatively built around an oil tank to contain the contents in the event of spillage.
<i>Burn</i>	A small stream.
<i>Calcareous</i>	Refers to a sediment, sedimentary rock, or soil type which is formed from or contains a high proportion of calcium carbonate.
<i>Calicolous</i>	A plant that grows and thrives in soil rich in lime.
<i>Calcifugous</i>	Growing or living in acid soil.
<i>CAR</i>	Controlled Activities Regulations
<i>Catchment</i>	The area contributing flow to a point on a drainage system.
<i>Channel morphology</i>	Physical characteristics of stream channels, such as width/depth ratio and sinuosity, and types of pattern e.g. braided, meandering, straight.
<i>Channel sinuosity</i>	An assessment of the degree of irregularity in the path of a river channel across the landscape; it is measured as the difference between channel length and valley length.
<i>Community</i>	Assemblage of interacting populations that occupy a given area.
<i>Community type</i>	The composition of plant species that form a habitat or group of habitats.
<i>Community Conservation Index (CCI)</i>	A conservation indexing protocol for summarising aquatic macroinvertebrate data obtained from inland flowing and still water sites.
<i>Community Severance</i>	Community severance is defined here as the separation of residents from facilities and services they use within their community caused by new or improved roads or by changes in traffic flows.
<i>Commuting route</i>	A linear route used regularly by individuals of a population of bats for travelling between roosting and foraging habitats.
<i>Compulsory Purchase Order (CPO)</i>	A legal document giving the government (Scottish Ministers) power to compulsorily purchase the areas of land necessary for construction of the scheme.
<i>Coniferous woodland</i>	An area of woodland with predominantly coniferous tree species (less than 10% deciduous trees in the canopy).
<i>Conservation</i>	Preservation or restoration of the natural environment and wildlife.
<i>Conservation Area</i>	Area of special architectural or historic interest, the character or appearance of which it is desirable to preserve or enhance. Designated under section 61 Planning (Listed Buildings and Conservation Areas) (Scotland) Act 1997.
<i>Contaminated land</i>	Land in such condition by reason of substances on or under the land that significant harm is being caused, there is a significant possibility of such harm being caused or pollution of controlled water is being, or likely to be caused'.
<i>Contracting Parties</i>	Partnership or organisation which enters into a binding agreement with one or more other contracting parties.
<i>Core Path</i>	A right of way designated by a Local Authority as being of importance to maintain access and leisure provision.
<i>Couch</i>	Above-ground otter shelter.
<i>Cropmark</i>	Marks visible in growing and ripening crops, especially via aerial photography, which reflect the differences in the subsoil beneath. For example, parched lines of grass may indicate hidden stone walls or packed stone layers.
<i>Culvert</i>	A metal, wooden, plastic, or concrete conduit through which surface water can flow under or across roads.
<i>DAFOR Scale</i>	A scale for assessing species abundance.
<i>Debris Cone</i>	Steep cone-shaped accumulation of rock fragments.
<i>Decibel (dB)</i>	The range of audible sound pressures is approximately 0.00002 Pa to 00 Pa. Using decibel notation presents this range in a more manageable form, 0 dB to 140 dB.

<i>Deciduous</i>	Trees and shrubs that shed their leaves annually.
<i>Demography</i>	The studying/ science of the characteristics of populations, such as size, growth rate etc.
<i>Designed Landscape</i>	A designed area of landscape which is identified in the Inventory of Gardens and Designed Landscapes (jointly compiled by SNH and Historic Scotland).
<i>Detention basin</i>	An area for temporarily storing water which delays its flow downstream. Includes some water quality benefits. Usually part of SUDS (drainage design).
<i>Diffuse pollution</i>	Contamination and pollution arising from many dispersed and different sources. These sources are often individually minor, but collectively may be significant.
<i>Discharge regime</i>	The rate of flow of a river at a particular moment in time, relative to volume and velocity.
<i>Displacement</i>	To move something from its natural environment.
<i>Diurnal</i>	Organisms which are active during daylight hours.
<i>Dolerite</i>	Basic igneous rock similar in composition to basalt but with a coarser grain.
<i>Do-Minimum (DM)</i>	The base scenario for assessment purposes, where there are no modifications to the existing road network. May also refer to the minimum modifications, which will necessarily take place in the absence of a proposed scheme.
<i>Do-Something (DS)</i>	The 'with proposed scheme' scenario for assessment purposes,
<i>Drey</i>	The most common squirrel nest type. Comprises a round ball of twigs, leaves and bark. Frequently built close to tree trunk or in branch forks to provide shelter.
<i>Drift deposits</i>	Drift geology overlying bedrock.
<i>Driven shooting</i>	Involves birds being driven over guns by beaters. The guns are stationed in pre- determined positions.
<i>Earthworks</i>	Works created through the moving of quantities of soil or unformed rock.
<i>Easements</i>	A term relating to law where a right (e.g. a right of way) is held by one person to make limited use of another landowner's property.
<i>Echolocation</i>	The use by bats of ultrasonic signals to navigate and locate insect prey.
<i>Ecological Clerk of Works (ECoW)</i>	A qualified ecologist who supervises construction sites, ensuring that ecological impacts are minimised and that the law relating to protected species etc. is complied with.
<i>Ecological receptors</i>	Living organisms, habitats, or natural resources that could be impacted by the construction or operation of the proposed scheme.
<i>Ecology</i>	The branch of biology concerned with the relations of organisms to one another and to their physical surroundings.
<i>Ecosystem</i>	A biological community of organisms interacting with one another and their physical environment.
<i>Edge effect</i>	Processes that characterise habitat fragmentation and the concomitant creation of edges. Habitat conditions (such as degree of humidity and exposure to light or wind) created at or near the more-or-less well-defined boundary between ecosystems, as, for example, between open areas and adjacent forest.
<i>Effect</i>	The result of change or changes on specific environmental resources or receptors.
<i>Eft</i>	An immature newt in its terrestrial phase.
<i>Electrofishing</i>	A fish sampling technique using electric currents and electric fields to control fish movement and/or immobilize fish, allowing capture.
<i>Element</i>	A component part of the landscape or environment (e.g. roads, hedges, woodlands).
<i>Emergent vegetation</i>	The vegetation that grows up from within the water.
<i>Environmental Clerk of Works (EnvCoW)</i>	A qualified environmental specialist who supervises construction sites, ensuring that environmental aspects are considered and any mitigation measure are commitments are implemented.
<i>Environmental Impact Assessment (EIA)</i>	The process by which information about the environmental effects of a project is evaluated and mitigation measures are identified.
<i>Environmental Management Plan (EMP)</i>	Document which describes the processes to be followed to ensure compliance with environmental legislation and policy and minimise harm to the environment.
<i>Environmental Statement (ES)</i>	Document provided by the Developer to the Competent Authority, containing environmental information required under Article 5 of Directive 85/337/EEC as amended.
<i>Feeding station</i>	In ecology, a favoured spot where food items are often brought to be eaten and feeding remains as neat piles of chewed lengths of vegetation are evident.
<i>Fen</i>	A wetland that, like a bog, has organic soil. In contrast with bogs, fens receive most of their water from the surrounding groundwater, and consequently can be either acidic or alkaline, depending on the surrounding earth. They support a greater variety of plants than bogs, but are often still dominated by peat.
<i>Fill</i>	Material deposited by man in ground depression or excavated area.
<i>Floodplain</i>	Land adjacent to a river, which is subject to regular flooding.

<i>Flora</i>	Referring to plants of a particular region or habitat.
<i>Flow regime</i>	Combinations of river discharge and corresponding water levels and their respective (yearly or seasonally) averaged values and characteristic fluctuations around these values.
<i>Fluvial geomorphology</i>	The study of landforms associated with river channels and the sediment processes which form them.
<i>Footprint</i>	The geographical extent of an ecological impact.
<i>Foraging</i>	Searching for food or provisions.
<i>Fragmentation</i>	Breaking up of an organisms habitat into smaller fragments that may vary in size.
<i>Freshwater</i>	Bodies of water such as ponds, lakes, rivers and streams containing low concentrations of dissolved salts and other total dissolved solids.
<i>Geodiversity</i>	The natural range of geological features (rocks, minerals, fossils, structures), geomorphological features (landforms and processes) and soil features that make up the landscape. It includes their relationships, properties, interpretations and systems.
<i>Geological Conservation Review Site (GCR)</i>	Sites designated by regional geological groups on locally developed criteria, currently the most important places for geology and geomorphology outside statutorily protected land such as SSSIs.
<i>Geomorphology</i>	The branch of geology concerned with the structure, origin and development of topographical features of the earth's crust.
<i>Geophysical survey</i>	Geophysical survey is a non-intrusive pre-construction archaeological evaluation technique that exploits a variety of physical or chemical characteristics of rocks and soils etc, in an attempt to locate underground features of archaeological interest. Types of geophysical survey include magnetometer survey, magnetic susceptibility survey and resistivity survey.
<i>Geotextile</i>	Permeable fabric made of polypropylene/ polyester and which has the ability to separate, filter, reinforce, protect or drain.
<i>Glacial Till</i>	Glacial till is that part of glacial drift which was deposited directly by the glacier. It may vary from clays to mixtures of clay, sand, gravel and boulders.
<i>Glaciofluvial</i>	Pertaining to streams fed by melting glaciers, or to the deposits and landforms produced by such streams.
<i>Gleys</i>	Naturally poorly drained soils that develop under conditions of intermittent or permanent waterlogging.
<i>Glide</i>	Even paced section of river or stream with laminar flow.
<i>Green Belt</i>	The green belt is an area of countryside around the edge of an urban area where new building is not normally allowed and planning is strictly controlled. The aims are to prevent urban expansion, allow easy access to the countryside and protect attractive landscapes.
<i>Green list species</i>	Bird species with no identified threat to their population status.
<i>Ground Investigation</i>	Exploratory investigation to determine the structure and characteristics of the ground. The collected information is used to establish or predict ground and groundwater behaviour during, and subsequent to, construction.
<i>Ground-truthing</i>	Verification on the ground of conditions on a site.
<i>Groundwater</i>	Water below the surface of the ground in the saturation zone and in direct contact with the ground or subsoil.
<i>Groundwater Dependent Terrestrial Ecosystem</i>	An ecosystem that is directly dependent on the water level in or flow of water from a groundwater body (that is, in or from the saturated zone).
<i>Habitat</i>	Term most accurately meaning the place in which a species lives, but also used to describe plant communities or agglomerations of plant communities, as used, for example in a Phase 1 Habitat Survey.
<i>Habitat Action Plan</i>	Objectives set by the British government to conserve the biodiversity in given habitats.
<i>Habitat complexity</i>	The sum of factors which interact to dictate environments in which species live.
<i>Habitat fragmentation</i>	Describes the breaking up of an organisms preferred environment/ habitat. Occurs naturally through geological processes that alter the layout of the physical environment over long periods of time, or through human activities, such as land conversion.
<i>Habitat Modification Index</i>	An index used to assess the condition of a river corridor based on the biological condition of a sampling point.
<i>Habitat Modification Score</i>	An assessment of the extent of anthropogenic modification to a channel. Larger scores indicate a higher degree of modification.
<i>Habitat Quality Assessment</i>	A measure of the structural diversity of the river. Increasing scores are associated with increasingly complex habitat diversity.
<i>Habitat Regulations Appraisal (HRA)</i>	The process by which certain plans or projects are assessed which could affect the integrity of European sites. The report is used to inform an Appropriate Assessment (AA) under the requirements of the Habitats Directive.
<i>Habitat Suitability Index</i>	A numerical index that represents the capacity of a given habitat to support a selected species.
<i>Habitats Directive</i>	EC Directive 92/43/EEC on the conservation of natural habitats and of wild fauna and flora.
<i>Habituate</i>	To become accustomed to a particular situation.

<i>Head Deposits</i>	Sediments formed through a range of mass movement slope processes
<i>Heathland</i>	Uncultivated land with sandy soil and scrubby vegetation.
<i>Heavy Duty Vehicle (HDV)</i>	Vehicles greater than 3.5 tonnes gross (includes HGVs, as below).
<i>Heavy Goods Vehicle (HGV)</i>	Vehicles with 3 axles (articulated) or 4 or more axles (rigid and articulated).
<i>Hibernacula</i>	Structures used by animals to hibernate through the winter, such as log piles, rock piles, vegetation piles, old mammal burrows, tree root complexes and buildings.
<i>Hibernation</i>	Extended period of torpor undertaken during winter.
<i>Holt</i>	Deep underground otter shelter.
<i>Holocene</i>	Relating to or denoting the present epoch, which is the second epoch in the Quaternary period and followed the Pleistocene.
<i>Hummocky Moraine</i>	A strongly undulating surface of ground moraine, showing steep slopes, deep, enclosed depressions and meltwater channels.
<i>Hummocky (Moundy) Glacial Deposits</i>	Glacial deposits of rock debris, sand and gravel that have a characteristic moundy topographic form.
<i>Hydraulic</i>	Of, relating to, or operated by the force of liquid in motion.
<i>Hydrocarbon</i>	A chemical compound of hydrogen and carbon.
<i>Hydrogeology</i>	Branch of geology dealing with occurrence, distribution, and effect of groundwater.
<i>Hydrological</i>	The exchange of water between the atmosphere, the land and the oceans.
<i>Hymenoptera</i>	Taxonomic order of the Insecta which includes ants, bees and wasps.
<i>Igneous Petrology</i>	The study of igneous rocks, their occurrence, composition, and origin.
<i>Impact</i>	Any changes attributable to the proposed scheme that have the potential to have environmental effects (i.e. the causes of the effects).
<i>Impermeable</i>	Material that does not allow fluids to pass through it.
<i>Improved grassland</i>	Grasslands that have been so modified by fertilisers, drainage or grazing that they have lost most of the species expected in unimproved grassland.
<i>Incidental sighting</i>	Casual observation of a plant or animal of one or more species recorded by whilst performing a non-relevant ecological survey.
<i>Indicator species</i>	A species that is characteristic of a particular habitat. The disappearance of such a species is an early warning of habitat degradation.
<i>Inter alia</i>	'Among other things'.
<i>Inter-bedded</i>	Alternating layers of different materials in a section of bedded rocks.
<i>Interstitial</i>	Referring to the spaces between sediment grains or in other minute spaces.
<i>Invertebrate</i>	An animal without a backbone.
<i>Kettle hole</i>	A low-lying area or hollow, usually filled with water from flood waters or retreating glaciers.
<i>Laeq</i>	Equivalent Continuous Sound Level. A notional steady sound level which would cause the same A-weighted sound energy to be received as that due to the actual, possibly fluctuating, sound level over a given period of time.
<i>Landform</i>	Combination of slope and elevation producing the shape and form of the land surface.
<i>Landscape</i>	Human perception of the land, conditioned by knowledge and identity with a place.
<i>Land-take</i>	Acquired land which is necessary to construct the proposed scheme and associated infrastructure and to undertake the essential environmental mitigation measures.
<i>Larvae</i>	An active immature form of an insect or other animal that undergoes metamorphosis, e.g. a caterpillar or tadpole.
<i>Lateral connectivity</i>	Hydrologic connectivity is defined as the condition by which disparate regions on the hillslope are linked via subsurface water flow. Lateral refers to the spatial dimensions of riverine/ riparian/ floodplain habitats.
<i>Lichen</i>	A group of complex organisms, which are formed from the symbiotic association of a fungus and an alga.
<i>Listed Building</i>	Building included on the list of buildings of special architectural or historic interest and afforded statutory protection under the 'Planning (Listed Buildings and Conservation Areas) (Scotland) Act 1997' and other planning legislation. Classified as Categories A-C.
<i>Lithology</i>	The study of rocks, with particular emphasis in terms of their color, texture, and composition.

<i>Local Geodiversity Site (LGS)/ Regionally Important Geological Sites (RIGS)</i>	Sites designated by regional geological groups on locally developed criteria, currently the most important places for geology and geomorphology outside statutorily protected land such as SSSIs.
<i>Local Landscape Character Area (LLCA)</i>	An area outlined as having distinct characteristics based on landscape features. Derived from regional landscape studies available from SNH.
<i>Loch Lomond Stadial</i>	The period between deglaciation and the start of the Holocene, 10,000 years ago.
<i>Macroinvertebrate</i>	An animal without a backbone that can be seen with the naked eye, for example, snails, waterfleas, shrimps or insects.
<i>Macrophyte</i>	An individual alga large enough to be seen easily with the unaided eye.
<i>Made ground</i>	Ground comprised of material deposited by man i.e. not natural.
<i>Magnitude</i>	Size, extent, scale and duration of an impact.
<i>Marginal vegetation</i>	Vegetation at the water's edge.
<i>Marshland</i>	Low-lying wet land with grassy vegetation; usually a transition zone between land and water.
<i>Meadow</i>	An area of grassland that has is normally grazed by livestock and/ or used for growing hay.
<i>Meander bend</i>	A bend in a sinuous watercourse. Formed when moving water in a valley bottom erodes the outer banks causing the channel to change shape.
<i>Mesotrophic</i>	Of a moderately rich or productive habitat.
<i>Migration</i>	The movement (of an animal) from one habitat to another according to the seasons.
<i>Mineral extraction</i>	The removal of a naturally occurring solid formed through geological process that has a characteristic chemical composition, a highly ordered atomic structure and specific physical properties.
<i>Mire</i>	General term for all peat-forming ecosystems; bog, fen, carr, muskeg, moor and peatland (does not include marshes as these are non-peat-forming and are seasonally flooded).
<i>Mitigation</i>	Measure to avoid, reduce or offset potential adverse impacts.
<i>Mixed plantation woodland</i>	Planted stands with either broadleaf or conifer species comprising 10-90% of the canopy.
<i>Monoculture</i>	Land that is used to grow one crop only.
<i>Moraine</i>	Glacially formed accumulation of unconsolidated glacial debris (rock and sediment).
<i>Mosaic</i>	A pattern of two or more vegetation types disposed in intimate relationships to one another.
<i>Natal holt</i>	The small space (usually a holt or couch) used by a female otter to give birth and raise cubs for a period of up to three months.
<i>National Vegetation Classification (NVC)</i>	A system to describe British vegetation types, whereby each vegetation type has a different 'code'.
<i>Native</i>	A species occurring in its normal geographic range (not introduced).
<i>Non-indigenous</i>	Not originating in, nor characteristic of, a particular area.
<i>Non-motorised users</i>	Pedestrians, cyclists and equestrians.
<i>Non-prime land</i>	Agricultural land of Land Capability for Agriculture (LCA) classes 3.2 to 7.
<i>Non-Statutory Guidance/ Organisation</i>	Direction from a professional governing body and not directly through legislation.
<i>Notable species</i>	Species which are below Red Data Book species in terms of threat status.
<i>Offsetting</i>	The process of compensating for something with something else.
<i>Ombrogenous</i>	Dependent on rain for its formation. Ombrogenous bog is a peat-forming vegetation community lying above groundwater level: it is separated from the mineral soil, and is thus dependent on rain water for mineral nutrients. The resulting lack of dissolved bases gives strongly acidic conditions. Two types of ombrogenous bogs are commonly distinguished: raised bogs and blanket bogs.
<i>Ombrotrophic</i>	Rain-fed soils or vegetation that receive all their water and nutrients from precipitation, rather than from streams or springs.
<i>Open space</i>	Any land laid out as public parks or used for the purpose of public recreation, or land which is a disused burial ground.
<i>Outfall</i>	The place of discharge e.g. where a sewage pipe discharges into a river.
<i>Parr</i>	Young salmon or trout with distinctive thumbprint markings on flanks.
<i>Pasture</i>	An area of grassland (or other suitable plants) used to feed grazing animals.
<i>Peat</i>	An organic soil which contains more than 60 per cent of organic matter and exceeds 50cm in thickness.
<i>Peatland</i>	Land where plant decomposes only partially and accumulates to form brown to black organic material called peat; the two main types are bogs and fens.

<i>Peaty soil</i>	Organic soil deposits which are less than 50cm in thickness.
<i>Perennial</i>	A plant that continues to grow from year to year, sometimes undergoing several years of growth before seeds are produced.
<i>Permeable</i>	Something that can be penetrated/ passed through by something else e.g. soil is permeable to water as the water can pass through it.
<i>pH</i>	A figure expressing acidity or alkalinity on a logarithmic scale of 0 to 14.
<i>Phase 1 Habitat Survey</i>	This identifies the different habitats that are contained within or make up a site, and the key plant species for each of those habitat types.
<i>Phase 2 Habitat Survey</i>	A detailed specialist survey or phytosociological (plant community) study of a habitat within a site. It may utilise analysis of sample vegetation plots (quadrats) following the UK National Vegetation Classification.
<i>Pile/ Piling</i>	A heavy stake or post made out of timber, steel, reinforced concrete or pre-tensioned concrete, driven into the ground to support foundations.
<i>Planning Advice Note (PAN)</i>	Supporting document to National Planning Policy Guidelines, which disseminates good practice and provides more specific design advice of a practical nature.
<i>Plantation woodland</i>	Woodland of any age that obviously originated from planting.
<i>Poaching</i>	Term used in river habitat survey (RHS) to mean the erosion of a watercourse bank by livestock.
<i>Podzol</i>	A typically free-draining acid soil that develops under aerobic conditions in temperate to cold moist climates under coniferous or heath vegetation.
<i>Point bars</i>	Deposits of alluvium found on the inside bank of a meander, they form when alluvium is eroded from the outside bend (cut bank) and deposited on the inside bend of a meander.
<i>Point pollution</i>	A point source of pollution is a single identifiable localised source of air, water, thermal, noise or light pollution.
<i>Polycyclic aromatic hydrocarbon (PAH)</i>	Any of a class of carcinogenic organic molecules that consist of three or more benzene rings and are commonly produced by fossil fuel combustion.
<i>Potential Impact</i>	The impact on an aspect of the environment that may occur in the absence of mitigation.
<i>Prime agricultural land</i>	Agricultural land of Land Capability for Agriculture (LCA) classes 1, 2 and 3.1.
<i>Priority habitat</i>	Those which have been identified as being most threatened and requiring actions under the UK Biodiversity Action Plan.
<i>Priority species</i>	Those which have been identified as being most threatened and requiring actions under the UK Biodiversity Action Plan.
<i>Proposed Scheme</i>	The scheme design as reported in Chapter 5 of the ES, and used as the basis for environmental assessment and reporting.
<i>Quadrat</i>	A sample area of known size enclosed within a square frame, inside of which a community of plants/ animals is analysed.
<i>Qualitative</i>	Concerned only with the nature of the organism/ substance being investigated.
<i>Quantitative</i>	Concerned with the number, as well as nature of the organism/ substance being investigated.
<i>Ramsar sites</i>	Internationally important wetland identified for conservation under the RAMSAR Convention 1971.
<i>Ranker</i>	Soils predominant in mountain or hilly terrain or on glacially eroded rocky terrain with underlying solid or fragmented non-calcareous rocks within 30cm depth
<i>Receptor</i>	In this context, an element that is susceptible to being affected (either directly or indirectly) by the proposed scheme. Examples include habitats, species, people, properties, landscape, archaeological remains etc.
<i>Red Data List</i>	The IUCN Red List of Threatened Species™ provides taxonomic, conservation status and distribution information on plants and animals that have been globally evaluated using the IUCN Red List Categories and Criteria. Designed to determine the relative risk of extinction, and to catalogue and highlight those plants and animals that are facing a higher risk of global extinction (i.e. those listed as Critically Endangered, Endangered and Vulnerable).
<i>Red list species</i>	Bird species in severe population decline. Or globally threatened.
<i>Refuge/ refuges</i>	Any structure that provides animals temporarily with a place they can retreat to and feel secure. This can be rock or log piles, dense scrub or mammal burrows
<i>Residual impact</i>	Residual impact means the environmental impact after the provision of mitigation measures, if any.
<i>Rhizome</i>	A horizontally creeping underground stem which bears roots and leaves and usually persists from season to season
<i>Riffle</i>	A shallow section of a river/stream where the water is fast-flowing over a gravel/ cobble substrate.
<i>Right of way</i>	A public right of way is a defined route which has been used by the general public for at least 20 years and which links two public places (usually public roads).
<i>Riparian habitat</i>	Natural home for plants and animals occurring in a thin strip of land bordering a stream or river.

<i>Riparian zone</i>	The area of habitat that is under the influence of the water body. It includes the transitional area between the water and land, and also extends further back than just the water edges.
<i>River basin characterisation</i>	The process of identifying the type, and all significant pressures on every water body.
<i>River Basin District</i>	The area of land and sea, made up of one or more river basins, together with the associated groundwater and coastal waters, identified by the Water Framework Directive as the main unit for the management of river basins.
<i>River Basin Management Plan (RBMP)</i>	A plan setting out actions required within a river basin to achieve set environmental quality objectives, reviewed on a six yearly basis.
<i>River Habitat Survey (RHS)</i>	A survey to assess the physical structure of freshwater streams and rivers, providing a broad assessment of habitat quality.
<i>River Terrace Deposits</i>	Sediment deposited by a river in a step-like landform.
<i>Rockhead</i>	The surface representing the top of the solid geological strata, i.e. below any drift deposits.
<i>Roost</i>	Any resting site used by bats including maternity roosts which are used by females and their young, hibernacula which are used during winter hibernation and transitional roosts which may be used at any time.
<i>Rough grassland</i>	Rank or tussocky grassland. May have been drained, grazed, mown or treated with manure but not so improved by fertiliser or herbicides as to have altered the sward composition greatly. Associated with unenclosed uplands, lowlands with poor access or wet areas, and road verges.
<i>Rough pasture</i>	Rough pasture is non-intensive grazing pasture, commonly found on poor soils, especially in hilly areas.
<i>Ruderal</i>	A plant that colonizes disturbed ground. They are often weeds that have a high nutrient requirement and/ or are intolerant of competition.
<i>Run</i>	Fast flowing, silent water flow. Standing waves at surface are unbroken.
<i>Runoff</i>	Water that flows over the ground surface to the drainage system. This occurs if the ground is impermeable or if permeable ground is saturated.
<i>Salmonid</i>	Pertaining or belonging to the family Salmonidae (salmon, trout and charr).
<i>Scat</i>	Animal faeces.
<i>Scheduled Monument (SM)</i>	A monument which has been scheduled by the Scottish Ministers as being of national importance under the terms of the 'Ancient Monuments and Archaeological Areas Act 1979'.
<i>Scottish Planning Policy (SPP)</i>	A statement of Scottish Government policy on nationally important land use.
<i>Scour</i>	A depression or hole left when sediment is washed away from the bottom of a river.
<i>Scrub</i>	Vegetation dominated by locally native shrubs, usually less than 5m tall.
<i>Sediment</i>	Material carried in particles by water or wind and deposited on the land surface or seabed.
<i>Sedimentation</i>	The deposition or accumulation of sediment.
<i>Semi-improved grassland</i>	Grassland that has been modified by fertilizers, drainage or intensive grazing. Contain less species diversity than unimproved grasslands.
<i>Semi-natural Ancient Woodland</i>	Areas that appear as wooded on 1860 maps but not maps from 1750 i.e. woodland that appeared between these two dates.
<i>Semi-natural habitat</i>	Habitat which has been altered by altered by land management.
<i>Semi-natural woodland</i>	Woodland that does not obviously originate from planting. The distribution of species will generally reflect the variations in the site and the soil. Planted trees must account for less than 30% of the canopy composition.
<i>Sett</i>	The burrow system of badgers comprising a series of underground tunnels and chambers. There are several categories of sett including a main sett, annexe sett, subsidiary sett and outlier sett.
<i>Severance</i>	The separation of communities from facilities and services used within their community. Alternatively, in relation to agricultural land, the division of land into separate areas, potentially affecting access or availability for agricultural use.
<i>Side bar</i>	See Point Bar.
<i>Sinuuous</i>	A river with many curves/ bends (meanders).
<i>Site compound</i>	A secure area close to the construction site which provides full site services including storage for equipment, materials and fuel, offices and amenity areas.
<i>Site of Importance to Nature Conservation (SINC)</i>	Non-statutory designation which seeks to protect areas of high wildlife value at a local level.

<i>Sites of Special Scientific Interest (SSSI)</i>	Designated areas of national importance (UK). The aim of the SSSI network is to maintain an adequate representation of all natural and semi-natural habitats and native species in the UK. The site network is protected under the provisions of Sections 28 and 19 of the Wildlife and Countryside Act 1981 as well as the Amendment Act 1985 and the Environmental Protection Act 1990.
<i>Soakaway</i>	A deep hole used for drainage, where rainwater and other waste water drains directly into the ground, without connection to mains drainage or sewerage pipes.
<i>Soligenous</i>	Where water movements are predominantly lateral. Produced by inflow of surface water or rise of groundwater and not completely by locally precipitated water.
<i>Soutterain</i>	Curving, underground passageway built many years ago, which are usually lined with stone. Their use is not known but it is thought that they were either used for storage of valuable commodities or for ritual purposes.
<i>Spawning</i>	The process of egg release into the water by aquatic animals.
<i>Special Area of Conservation (SAC)</i>	An area designated under the EC Habitats Directive to ensure that rare, endangered or vulnerable habitats or species of community interest are either maintained at or restored to a favourable conservation status.
<i>Special Protection Area (SPA)</i>	An area designated under the Wild Birds Directive (Directive 74/409/EEC) to protect important bird habitats.
<i>Species Action Plan</i>	UK Biodiversity Action Plans detailing information on the conservation status of 382 species and the actions necessary to achieve the action plan targets.
<i>Specific impact</i>	A forceful consequence or strong effect to something particular or unique.
<i>Spraint</i>	Otter faeces.
<i>Stakeholder</i>	A person or group that has an investment, share or interest in something.
<i>Statute</i>	Formal written enactment of a legislative authority that governs a country, city, or county. Typically, statutes command or prohibit something, or declare policy. Statute is often used to distinguish law made by legislative bodies from case law and the regulations issued by Government agencies.
<i>Strategic Environmental Assessment (SEA)</i>	The process by which information about the environmental effects of proposed plans, policies and programmes are evaluated.
<i>Strategic Transport Project Review (STPR)</i>	A two year review of the Scottish transport network undertaken by Transport Scotland. It identified and prioritised road, rail and other interventions of national significance, which will be taken forward to improve the network. Through selecting which transport projects of national significance should be progressed, the STPR also affects regional and local transport networks.
<i>Sub-lethal</i>	Not causing death directly but has cumulative deleterious effects.
<i>Superficial Deposits</i>	The youngest geological deposits formed during the most recent period of geological time, the Quaternary, which extends back 1.8 million years.
<i>Susceptibility</i>	The ability to accommodate change without adverse effect.
<i>Sustainable Drainage Systems (SUDS)</i>	A sequence of management practices and control structures designed to drain surface water in a more sustainable fashion than some conventional techniques.
<i>Swamp</i>	An area of wet spongy land that often supports some trees and vegetation but is too wet for cultivation.
<i>Taxa</i>	Plural of taxon.
<i>Taxon</i>	A taxonomic group of any rank.
<i>Taxonomy</i>	The branch of science (biological) concerned with classification.
<i>Terrestrial</i>	The environment above the mean high water spring
<i>Threshold</i>	The minimum intensity or value of a signal etc that will produce a response or specified effect.
<i>Turbid</i>	High concentrations of suspended sediment and particulates in the water column.
<i>Tussocky grassland</i>	Grassland which have no, or only a very sparse, tree and shrub layer, and a ground layer dominated by tussock-forming (clump of) grasses.
<i>Vascular plants</i>	Higher plants, including flowering plants, conifers and ferns. They are characterised by the possession of specialized tissues (vascular tissue) for the translocation of substances around the plant.
<i>Velocity</i>	A measure of the speed and direction of an object.
<i>Vernacular</i>	Refers to a type of architecture which is indigenous to a specific time or place.
<i>Viaduct</i>	A bridge that carries a road, railroad etc. over a valley.
<i>Vibro-piling</i>	A method of driving a pile into the ground using rapid repeated oscillations of the pile.
<i>Visual envelope</i>	Illustrates the extent of potential visibility to or from a specific area.
<i>Vulnerable groups</i>	In environmental assessment, generally children, elderly and disabled.

---

<i>Water Framework Directive (WFD)</i>	European environmental legislation (2000/60/EC) relating to inland surface waters, estuarine and coastal waters and groundwater. Fundamental objective to maintain “high status” of waters where it exists, preventing any deterioration in the existing status of waters and achieving at least “good status” in relation to all waters by 2015.
<i>Water quality</i>	The chemical and biological status of various parameters within the water column and their interactions, for example dissolved oxygen, indicator metals such as dissolved copper, or suspended solids (the movement of which is determined by hydrological process and forms geomorphological landforms).
<i>Wildfowl</i>	Any wild bird such as ducks, geese or swans.
<i>Wildlife and Countryside Act 1981 (WCA)</i>	Principal mechanism for wildlife protection in the UK. Referred to as WCA.
<i>Working corridor</i>	Strip of land either side of a proposed development.
<i>Zone of influence</i>	An area along a proposed development over which potential effects extend.

## Abbreviations

µg	microgram
AA	Appropriate Assessment
AADT	Annual Average Daily Traffic
ABS	Abstraction (Groundwater Abstraction and Private Water Supply Reference IDs)
AEP	Annual Exceedance Probability
AESI	Adverse Effects on Site Integrity
AGLAO	Association of Local Government Archaeological Officers UK
AMJV	Atkins-Mouchel Joint Venture
AOD	Above Ordnance Datum
APIS	Air Pollution Information System
AQMA	Air Quality Management Area
AQO	Air Quality Objectives
AQPI	Air Quality Pollution Inventory
AQS	Air Quality Strategy
ARN	Affected road network
ASC	Average Speed Cameras
AWI	Ancient Woodland Inventory
B&B	Bed and Breakfast
BAP	Biodiversity Action Plan
BCT	Bat Conservation Trust
BDL	Beaully-Denny Line
BFI	Base Flow Index
bgl	below ground level
BGS	British Geological Survey
BHS	British Horse Society
BLM	Biotic Ligand Model
BMWP	Biological Monitoring Working Party
BoQ	Bill of Quantities
BRE	Building Research Establishment
BRP	Bat Roost Potential
BS	British Standard
BTO	British Trust for Ornithology
CaCO <sub>3</sub>	Calcium carbonate
CAR	Water Environment (Controlled Activities) (Scotland) Regulations 2005
CAWL	Core Area of Wild Land
CBD	Convention on Biological Diversity
CBI	Confederation of British Industry
CD&E	Construction, Demolition and Excavation
CEL:LFN	Cost Effective Landscapes: Learning from Nature
CEMP	Construction Environmental Management Plan
CFJV	CH2M HILL Fairhurst Joint Venture
ch	chainage
CIEEM	Chartered Institute for Ecology and Environmental Management
CIEH	Chartered Institute of Environmental Health

CifA	Chartered Institute for Archaeologists
CIRIA	Construction Industry Research and Information Association
CL:AIRE	Contaminated Land: Applications in Real Environments
CMS	Carbon Management System
CNAP	Cairngorms Nature Action Plan
CNP	Cairngorms National Park
CNPA	Cairngorms National Park Authority
CNPLDP	Cairngorms National Park Local Development Plan
CO <sub>2</sub>	Carbon Dioxide
CoPA	Control of Pollution Act (1974)
COSHH	Control of Substances Hazardous to Health Regulations
CP	Crossing Point
CPO	Compulsory Purchase Order
CRC	Carbon Reduction Commitment
CROW	Catalogue of Rights of Way
CRTN	Calculation of Road Traffic Noise
CSM	Conceptual Site Model
CTC	Cycle Touring Club (Scotland)
Cu	Copper
D&B	Design and Build
D2AP	Dual Carriageway All Purpose
dB	Decibel
DCBS	Detailed Catchment Baseline Survey
DEFRA	Department for Environment, Food and Rural Affairs
DfRE	Designing for Resource Efficiency
DM	Do-Minimum
DMP	Dust Management Plan
DMRB	Design Manual for Roads and Bridges
DS	Do-Something
DSFB	District Salmon Fisheries Board
DTM	Digital Terrain Model
DVC	Deer Vehicle Collision
DWPA	Drinking Water Protected Area
EA	Environment Agency
EC	European Commission
ECoW	Ecological Clerk of Works
EFT	Emissions Factor Toolkit
EH	English Heritage
EHO	Environmental Health Officer
EIA	Environmental Impact Assessment
EMC	Event Mean Concentrations
EMP	Environmental Management Plan
EMSC	Event Mean Sediment Concentrations
END	Environmental Noise Directive
EnvCoW	Environmental Clerk of Works
EPA	Environmental Protection Act (1990)

EPS	European Protected Species
EQS	Environmental Quality Standards
ES	Environmental Statement
ER	Environmental Report
ESG	Environmental Steering Group
ETS	Emissions Trading Scheme
EU	European Union
FEH	Flood Estimation Handbook
FRA	Flood Risk Assessment
FWPM	Freshwater Pearl Mussel
GAC	Generic Assessment Criteria
GBR	General Binding Rules
GCN	Great Crested Newt
GCR	Geological Conservation Review
GES	Good Ecological Status
GHG	Greenhouse gas
GI	Ground Investigations
GIS	Geographic Information System
GLVIA	Guidance on Landscape and Visual Impact Assessment
GLVIA2	Guidelines for Landscape and Visual Impact Assessment 2nd Edition (2002)
GLVIA3	Guidelines for Landscape and Visual Impact Assessment 3rd Edition (2013)
GPS	Global Positioning System
GPZ	Groundwater Protection Zones
GSV	Gas Screening Value
GWDTE	Groundwater Dependent Terrestrial Ecosystems
GWMR	General Wade's Military Road
ha	hectare
HA	Highways Agency (now Highways England)
HALP	Highland Area Local Plan
HAP	Habitat Action Plan
HAWRAT	Highways Agency's Water Risk Assessment Tool
HDV	Heavy Duty Vehicle
HE	Historic England
HES	Historic Environment Scotland
HGV	Heavy Goods Vehicle
HITRANS	Highland and Islands Transport Partnership
HLA	Historic Landscape Assessment
HLT	Historic Landscape Type
HML	Highland Main Line (railway)
HMWB	Heavily Modified Waterbodies
hr	hour
HRA	Habitat Regulations Appraisal
HSE	Health and Safety Executive
HSI	Habitat Suitability Index
IAN	Interim Advice Note
IAQM	Institute of Air Quality Management

ICE	Inventory of Carbon and Energy
IEEM	Institute of Ecology and Environmental Management
IEMA	Institute of Environmental Management and Assessment
IfA	Institute for Archaeologists
IIP	Infrastructure Investment Plan
INNS	Invasive Non-Native Species
IPPC	Intergovernmental Panel on Climate Change
IUCN	International Union for the Conservation of Nature
IWAAC	Inland Waterways Amenity Advisory Council
JHI	James Hutton Institute
JLA	Journey Length Assessment
JNCC	Joint Nature Conservation Committee
JTC	Junction Turning Count
JUK	Jacobs UK
kg	kilogram
km	kilometres
kph	Vehicle speed, kilometres per hour
l	litre
LA	Local Authority
LAQM	Local Air Quality Management
LBAP	Local Biodiversity Action Plan
LCA	Land Capability for Agriculture (Community & Private Assets chapter)
LCA	Landscape Character Area (Landscape & Visual chapters)
LCT	Landscape Character Type
LDP	Local Development Plan
LDV	Light Duty Vehicles
LGS	Local Geodiversity Site
LLCA	Local Landscape Character Area
LMA	Land Made Available
LNR	Local Nature Reserve
LNS	Low Noise Surface
LSE	Likely Significant Effect
LNSR	Low Noise Surface Road
LPA	Local Planning Authority
LQM	Land Quality Management
LTT	Long-term trend
LVIA	Landscape and Visual Impact Assessment
LWS	Local Wildlife Site
m	metre
m bgl	metres below ground level
m <sup>3</sup> /s	Cubic metres per second
MACS	Mobility and Access Community for Scotland
mBGL	metres Below Ground Level
mg	milligram
MLURI	Macaulay Land Use Research Institute
MMP	Materials Management Plan


MoU	Magnitude of Uncertainty
MPA	Mineral Planning Areas
MSW	Municipal Solid Waste
MTRIPS	Major Transport Infrastructure Projects (Transport Scotland)
MW	Major Watercourse
NAQS	National Air Quality Strategy
NBN	National Biodiversity Network
NCN	National Cycle Network
NCN7	National Cycle Network Route 7
NCR	National Cycle Route
NCSA	Nature Conservation (Scotland) Act 2004
NGR	National Grid Reference
NISR	Noise Insulation (Scotland) Regulations
NMU	Non-Motorised Users
NNR	National Nature Reserve
NO	Nitric Oxide
NO2	Nitrogen Dioxide
NOx	Oxides of Nitrogen
NPF	National Planning Framework
NPF2	National Planning Framework 2
NPF3	National Planning Framework 3
NPPG	National Planning Policy Guidelines
NRP	Non-Residential Property
NRTF	National Road Traffic Forecasts
NSA	National Scenic Area
NTS	National Transport Strategy
NVC	National Vegetation Classification
OC	Operating Company (Trunk Road)
OHMP	Outline Habitat Management Plan
OPMP	Outline Peat Management Plan
OS	Ordnance Survey
OSPP	Outline Species Protection Plan
PAH	Polycyclic Aromatic Hydrocarbons
PALP	Perth Area Local Plan
PAN	Planning Advice Note
PAS	Publicly Available Specification
PCM	Pollution Control Mapping
PEL	Probable Effect Level
PES	Preliminary Engineering Support
PFD	People Friendly Design
PKC	Perth and Kinross Council
PKHT	Perth and Kinross Heritage Trust
PKLPD	Perth and Kinross Local Development Plan
PL	Pollutant Linkage
PM	Particulate Matter
PM10	Particulate Matter (less than 10 microns)

PMP	Peat Management Plan
PNEC	Probable Non-Effect Concentration
PPG	Pollution Prevention Guidelines
ppm	parts per million
PPV	Peak Particle Velocity
PWL	Sound Power Level
PWS	Private Water Supply
q50	Flow that is expected to be exceeded 50% of the time (m3/s)
q95	Flow that is expected to be exceeded 95% of the time (m3/s)
QA	Quality Assurance
QMED	Median annual maximum flood flow (m3/s) (the same as the flow with a 2yr return period)
RAP	Route Action Plan
RBMP	River Basin Management Plan
RCAHMS	Royal Commission on Ancient and Historical Monuments of Scotland
RIGS	Regionally Important Geological Sites
RISS	Route Improvement Strategy Study
RoD	Record of Determination
ROW	Right of Way
RP	Residential property
RPA	Root Protection Area
RSPB	Royal Society for the Protection of Birds
RST	Runoff Specific Threshold
RTS	Regional Transport Strategy
SAAR	Standard Average Annual Rainfall (mm)
SAC	Special Area of Conservation
SBL	Scottish Biodiversity List
ScARF	Scottish Archaeological Research Framework
SCI	Sites of Community Importance
SCM	Site Condition Monitoring
SDP	Strategic Development Plan
SEA	Strategic Environmental Assessment
SEPA	Scottish Environment Protection Agency
SFB	Spey Fishery Board
SFRA	Strategic Flood Risk Assessment
SHEP	Scottish Historic Environment Policy
SINC	Site of Importance to Nature Conservation
SLQ	Special Landscape Qualities
SM	Scheduled Monument
SNH	Scottish Natural Heritage
SOM	Soil Organic Matter
SPA	Special Protection Area
SPL	Sound Pressure Level
SPP	Scottish Planning Policy
SPPN	Scottish Procurement Policy Note
S-P-R	Source-Pathway-Receptor protocol
SSD	Stopping Sight Distance

SSE	Scottish and Southern Energy
SSSI	Site of Special Scientific Interest
STAG	Scottish Transport Appraisal Guidance
STPR	Strategic Transport Projects Review
STW	Sewage Treatment Works
SuDS	Sustainable Drainage Systems
SWMP	Site Waste Management Plan
t	tonnes
TACTRANS	Tayside and Central Scotland Transport Partnership
TAN	Technical Advice Note
TEL	Threshold Effects Levels
THC	The Highland Council
TMfS	Transport Model for Scotland
TN	Target Note
TO	Trunk Road Operating Company
ToSI	Threshold of Significant Impact
TPH	Total Petroleum Hydrocarbons
TRS	Trophic Ranking Score
TS	Transport Scotland
tZVI	Theoretical Zone of Visual Influence
UK	United Kingdom
UKBAP	UK Biodiversity Action Plan
VCMP	View Corridor Management Plan
W	Minor watercourse
WANE	Wildlife and Natural Environment (Scotland) Act 2011
WCA	Wildlife and Countryside Act 1981
WEWS	Water Environment and Water Services (Scotland) Act 2003
WFD	Water Framework Directive
WHO	World Health Organization
WRAP	Waste and Resources Action Programme
WS2+1	Wide single 2+1 (sections of roads with two lanes of travel in one direction and a single lane of traffic in the opposite direction).
Zn	Zinc
Zol	Zone of Influence
ZVI	Zone of Visual Influence
ZWP	Zero Waste Plan







This report has been prepared in accordance with the instructions of the client, Transport Scotland, for the client's sole and specific use. Any other persons who use any information contained herein do so at their own risk.

© Crown copyright 2017

You may re-use this information (excluding logos) free of charge in any format or medium, under the terms of the Open Government Licence. To view this licence,

visit <http://www.nationalarchives.gov.uk/doc/open-government-licence/> or e-mail: [psi@nationalarchives.gsi.gov.uk](mailto:psi@nationalarchives.gsi.gov.uk).

Where we have identified any third party copyright information you will need to obtain permission from the copyright holders concerned.