

## **M6 DBFO National Border to Millbank**



## **WINTER MAINTENANCE PLAN 2019/2020**

**August 2019**

**Project Manager  
Project Office  
Nethercleuch  
Lockerbie  
DG11 2SQ**

---

WORKING WITH



|   |                     |
|---|---------------------|
| <b>WINTER MAINTENANCE PLAN</b>                            | Page 1 of 24        |
| Contract Name : <b>National Border to Millbank</b>        | <b>Revision : 0</b> |
| Winter Maintenance Plan No. : <b>M6-ROM-WM PLAN-4-001</b> | <b>August 2019</b>  |

## **M6 ROM**

## **WINTER MAINTENANCE PLAN 2019/2020**

**Contract:**

## **M6DBFO**

## **NATIONAL BORDER TO MILLBANK**

**August 2019**

|   |                     |
|---|---------------------|
| <b>WINTER MAINTENANCE PLAN</b>                            | Page 2 of 24        |
| Contract Name : <b>National Border to Millbank</b>        | <b>Revision : 0</b> |
| Winter Maintenance Plan No. : <b>M6-ROM-WM PLAN-4-001</b> | <b>August 2019</b>  |

## RECORD OF REVISIONS

| Date     | Type of Change | Revision No. | Prepared by |
|----------|----------------|--------------|-------------|
|          |                |              |             |
| 31/08/19 | First edition  | 00           |             |
|          |                |              |             |

|   |                     |
|---|---------------------|
| <b>WINTER MAINTENANCE PLAN</b>                            | Page 3 of 24        |
| Contract Name : <b>National Border to Millbank</b>        | <b>Revision : 0</b> |
| Winter Maintenance Plan No. : <b>M6-ROM-WM PLAN-4-001</b> | <b>August 2019</b>  |

## REGISTER OF CONTROLLED COPIES

| <b>Controlled Copy No.</b> | <b>Holder</b>  |
|----------------------------|--|
| 001                        | Share Point Intranet                                       |
| 002                        | M6 ROM Project Manager                                     |
| 003                        | M6 ROM Works Manager                                       |
| 004                        | M6 ROM Duty Engineer                                       |
| 005                        | M6 ROM Duty Engineer                                       |
| 006                        | M6 ROM Duty Engineer                                       |
| 007                        | M6 ROM Duty Engineer                                       |
| 008                        | Eaglesfield Depot  |
| 009                        | Crawford Depot   |
| 010                        | Autolink   |
| 011                        | Autolink (2nd copy)  |
| 012                        | Transport Scotland   |
| 013                        | Performance Audit Group (PAG)                              |
| 014                        | PAG (2nd copy)   |
| 015                        | Police Scotland - Dumfries & Galloway Division             |
| 016                        | Dumfries & Galloway Division (2nd copy)                    |
| 017                        | Police Scotland – Lanark Division                          |
| 018                        | Lanark Division (2nd copy)                                 |
| 019                        | Cumbria Police   |
| 020                        | Dumfries & Galloway Council                                |
| 021                        | Transerve – South West Trunk Road Unit                     |
| 022                        | Highways England - Area 13                                 |
| 023                        | MeteoGroup   |
| 024                        | Capita Symonds   |
| 025                        | Amey – South East Trunk Road Unit                          |
| 026                        | Reception <span style="float: right;">Duty Officers</span> |

Note: A controlled copy of this Winter Maintenance Plan will be held on the site specific Share Point Intranet on a 'read only' basis and as such no paper Controlled copies will be issued except to people who do not have access to Share Point and those listed on the register above. Any revision to this Winter Maintenance Plan will be notified to the Document Controller who will have access to make changes to the Controlled copy.

|   |                     |
|---|---------------------|
| <b>WINTER MAINTENANCE PLAN</b>                            | Page 4 of 24        |
| Contract Name : <b>National Border to Millbank</b>        | <b>Revision : 0</b> |
| Winter Maintenance Plan No. : <b>M6-ROM-WM PLAN-4-001</b> | <b>August 2019</b>  |

## CONTENTS:

| <b>Section No.</b> | <b>Title</b>                                    | <b>Page No.</b> |
|--------------------|---|-----------------|
|                    | Record of Revisions                             | 2               |
|                    | Register of Controlled Copies                   | 3               |
|                    | Contents  | 4               |
| 1                  | Introduction                                    | 5               |
| 2                  | Objectives                                      | 6               |
| 3                  | Organisation and Decision Making                | 7               |
| 4                  | The Reporting Centre                            | 9               |
| 5                  | Operational Periods                             | 11              |
| 6                  | Treatment Methods / Salt Application            | 12              |
| 7                  | Winter Patrols                                  | 14              |
| 8                  | Forecasts / Ice Detection                       | 15              |
| 9                  | Plant and Resources                             | 17              |
| 10                 | Salt  | 19              |
| 11                 | Records   | 23              |
| 12                 | Police Departments and Neighbouring Authorities | 24              |
|                    |   |                 |

| <b>Appendix No.</b> | <b>Title</b>  |
|---------------------|---|
| Appendix A          | Meteorological Forecasts - Definition of Terms                  |
| Appendix B          | Road Conditions   |
| Appendix C          | Treatment Routes and Descriptions                               |
| Appendix D          | Project Road  |
| Appendix E          | Schedule of Winter Maintenance Contacts                         |
| Appendix F          | Duty Engineer Rota  |
| Appendix G          | Decision Making / Forecasts                                     |
| Appendix H          | Records / Salt Returns  |
| Appendix I          | Contract Plant List plus Additional Plant List                  |
| Appendix J          | Police Departments and Neighbouring Authorities                 |
| Appendix K          | Salt Application Spread Rates                                   |
| Appendix L          | Relevant Documentation to be read in conjunction with this Plan |
| Appendix M          | Interface Arrangements with Other Road Authorities              |
| <b>Appendix N</b>   | <b>Snow Plan</b>  |
|                     |   |

|   |                     |
|---|---------------------|
| <b>WINTER MAINTENANCE PLAN</b>                            | Page 5 of 24        |
| Contract Name : <b>National Border to Millbank</b>        | <b>Revision : 0</b> |
| Winter Maintenance Plan No. : <b>M6-ROM-WM PLAN-4-001</b> | <b>August 2019</b>  |

## **Section 1 INTRODUCTION**

- 1.1 This document describes the Winter Maintenance procedures on the A74(M)/M74 between Gretna and Millbank and is compiled in conjunction with the requirements of Section 3 of Schedule 4 Part 2 of the DBFO Agreement and the Scottish Ministers' Variation SMV OM/007 for Pre-wetted Salt
- 1.2 Routine maintenance including Winter Maintenance is carried out by the Routine Operation and Maintenance Contractor, M6 ROM, of Sir Robert McAlpine Ltd.
- 1.3 The Contract road is shown in Appendix D. Actual interfaces have been agreed with the adjoining Authorities listed in Appendix M. Direct communications links are as detailed in Appendix J. Notes of any meetings held will be available for inspection.
- 1.4 Every member of the M6 ROM staff who is involved with Winter Maintenance will be inducted into this Plan and will have access to copies of this Manual.

|   |                     |
|---|---------------------|
| <b>WINTER MAINTENANCE PLAN</b>                            | Page 6 of 24        |
| Contract Name : <b>National Border to Millbank</b>        | <b>Revision : 0</b> |
| Winter Maintenance Plan No. : <b>M6-ROM-WM PLAN-4-001</b> | <b>August 2019</b>  |

## Section 2 OBJECTIVES

M6 ROM on behalf of Autolink aim to provide a service which will ensure as far as is reasonably possible, the safe movement of vehicles on the A74(M) and M74 between the National Border and Millbank ( Junction 12 of the M74 ). The M6 ROM will aim to ensure that delays and inconvenience caused by adverse weather are kept to a minimum.

The Winter Maintenance arrangements include amongst other operations the provision of night time patrols, personnel and plant available 24 hours a day to enable precautionary salting to be carried out within 3 hours of a decision to begin treatment.(ie 1 hour to commence treatment once a decision has been made and 2 hours to complete the treatment). The operations will be carried out from two depots located at Eaglesfield and Crawford using “latest technology” spreaders supplemented by other plant as necessary.

The period of the year during which the process of Winter Maintenance will normally be undertaken is from 1st October to 15th May.

|   |                     |
|---|---------------------|
| <b>WINTER MAINTENANCE PLAN</b>                            | Page 7 of 24        |
| Contract Name : <b>National Border to Millbank</b>        | <b>Revision : 0</b> |
| Winter Maintenance Plan No. : <b>M6-ROM-WM PLAN-4-001</b> | <b>August 2019</b>  |

## **Section 3 ORGANISATION / DECISION MAKING**

### **3.1 ORGANISATION**

3.1.1 In order to provide the required response to weather conditions staff from M6 ROM will operate a combination of standby at home, standby at compounds, normal and continuous shifts. Manning arrangements are defined as follows :

- (i) Call – out                      -                      available off – duty personnel if demand arises, contactable via the Duty Officer.
- (ii) Standby                        -                      personnel available at home or at a compound for immediate duty outside normal working hours or shifts.
- (iii) Normal Shifts                -                      maintenance compounds manned during normal working hours.
- (iv) Continuous Shifts          -                      24 hour manning at the maintenance compounds.

3.1.2 In all cases a Duty Engineer, Duty Officer and labour are provided to ensure that treatment of the whole Project Road can be completed within 2 hours of work starting on precautionary salting runs.

3.1.3 Personnel involved with Winter Maintenance are listed in Appendix E and their responsibilities are listed in Appendix F of the M6 ROM Quality Plan No. QMP/01.

3.1.4 The Duty Engineers will work a rota system as detailed in Appendix F and will be available 1 week in 4. They will be issued with a portable telephone and will be available to take calls night or day. If the Duty Engineer is unable to make a decision he/she will report it to his/her manager.

### **3.2 DECISION MAKING**

3.2.1 The decision to carry out treatment will be made by the Duty Engineer who will instruct the Duty Officer to mobilise resources. The Duty Officer will then telephone the required operatives who will call back to the Duty Officer for their instructions. All decisions will be recorded using the 'RoadDSS Manager' system (during office hours a copy of the record sheet will be e-mailed to the Works Manager and Supervisor so that resources can be effectively programmed). The Vaisala RoadDSS Manager is a web based piece of software used to create winter road maintenance action plans. It allows the user to view observational data, archive data, forecast data, maps and camera images through the same web interface.

3.2.2 A rota for the operatives will be held at the Reporting Centre and depots, and will be updated by the depot supervisor.

3.2.3 To assist the Duty Engineer in their decision making as to whether some form of treatment is required a guide has been produced in the form of a Table in Appendix G.

|   |                     |
|---|---------------------|
| <b>WINTER MAINTENANCE PLAN</b>                            | Page 8 of 24        |
| Contract Name : <b>National Border to Millbank</b>        | <b>Revision : 0</b> |
| Winter Maintenance Plan No. : <b>M6-ROM-WM PLAN-4-001</b> | <b>August 2019</b>  |

3.2.4 It is important to note that the Table is meant as a general guide only and that the weather forecast together with prevailing weather conditions may warrant actions different to those listed.

3.2.5 The procedure for general weekday and weekend precautionary salting decision making is as detailed in Appendix G.

### **3.3 COMMUNICATIONS**

3.3.1 Full use will be made, wherever possible, of cellular telephone communication and all personnel will be thoroughly conversant with the use.

|   |                     |
|---|---------------------|
| <b>WINTER MAINTENANCE PLAN</b>                            | Page 9 of 24        |
| Contract Name : <b>National Border to Millbank</b>        | <b>Revision : 0</b> |
| Winter Maintenance Plan No. : <b>M6-ROM-WM PLAN-4-001</b> | <b>August 2019</b>  |

## Section 4 THE REPORTING CENTRE

4.1 Winter maintenance operations are administered from the Reporting Centre at:

M6 ROM  
M6 DBFO Project Office  
Nethercleuch  
Lockerbie  
DG11 2SQ

Tel. No. 01576 205200

Fax No. 01576 204666

4.2 The Reporting Centre is manned on a 24 hour basis.

4.3 The Reporting Centre is responsible for :

- i) receiving and disseminating weather forecasts from the Forecast Provider;
- ii) keeping the Project Manager and Works Manager informed of the current status;
- iii) liaison with the relevant Police Headquarters;
- iv) keeping a log book of all messages and the status and movements of operational plant;
- v) recording road conditions and any lanes blocked;
- vi) providing the Press, local radio, BBC, ITV, AA, RAC and public enquiries with factual information on road conditions via the Police;
- vii) Dealing with any difficulties or complaints from the general public which may arise.
- viii) Receiving and disseminating information from Vaisala.

4.4 Contact Points

4.4.1 Contact with Maintenance Staff during and outside normal working hours is made through the cellular telephone system operated by the Reporting Centre. Staff are available at all times, day and night, throughout the year on the telephone numbers listed in Appendix E. The Duty Rota is also available to interested parties.(Appendix F).

4.4.2 All initial contact by the public or enquiries through the Customer Care Line (0845 7 966666) shall be directed to the Duty Engineer.

4.5 Operations Map

4.5.1 During periods of prolonged severe weather the Reporting Centre will keep up to date Operations Maps showing road conditions. These maps will be kept at the Reporting Centre and will be updated on a regular basis. These maps are for single time use for the weather event in progress and no permanent records will be retained in this format. However, records will exist of the runs carried out by means of the Global Positioning System (GPS).

|   |                     |
|---|---------------------|
| <b>WINTER MAINTENANCE PLAN</b>                            | Page 10 of 24       |
| Contract Name : <b>National Border to Millbank</b>        | <b>Revision : 0</b> |
| Winter Maintenance Plan No. : <b>M6-ROM-WM PLAN-4-001</b> | <b>August 2019</b>  |

#### 4.6 Reports to Outside Organisations

4.6.1 In addition to reporting to Autolink, for forward transmission to Transport Scotland, on completion of a Road Condition Report the Reporting Centre may, if requested, forward details to the Police, AA Roadwatch, the RAC, the media and the general public.

4.6.2 By 1st October each year a Winter Maintenance Policy Statement will be drawn up by Autolink. This will be issued to the public via the Press and will be kept available for inspection at the Lockerbie Office.

4.6.3 By 31st August each year a Winter Maintenance Strategy in the form of a procedure will be drawn up by Autolink.

#### 4.7 Road Condition Report

4.7.1 When requested, or during emergencies, reports of road conditions shall be given by the Reporting Centre personnel, via Autolink, to Transport Scotland by 10.00 hours daily. If requested by Transport Scotland these reports will be supplemented by subsidiary reports.

|   |                     |
|---|---------------------|
| <b>WINTER MAINTENANCE PLAN</b>                            | Page 11 of 24       |
| Contract Name : <b>National Border to Millbank</b>        | <b>Revision : 0</b> |
| Winter Maintenance Plan No. : <b>M6-ROM-WM PLAN-4-001</b> | <b>August 2019</b>  |

## **Section 5 OPERATIONAL PERIODS**

Three winter maintenance periods are defined for normal operational purposes:

### **5.1 High Period**

The High Period is defined as December, January and February when Severe conditions might reasonably be expected.

During the High Period, the operation provides essential operatives on standby to ensure that treatment of the Project Road is commenced within 1 hour of receiving an instruction to carry out treatment. Occasions may arise when actual or forecast conditions are severe enough to require that operatives are placed on normal or continuous shifts to ensure that treatment of the Network can commence immediately or indeed to provide continuous treatment.

### **5.2 Low Period**

The Low Period is defined as November and March when severe conditions may occasionally occur.

During the Low Period, standby procedures operate to start treatment of the Project Road as quickly as possible after an instruction to treat has been given but, in any event, this will be not later than 1 hour after such instruction. Occasions may arise however, when conditions are so severe that High Period arrangements are needed.

### **5.3 Marginal Period**

The Marginal Period is defined as part or all of October, April and May when severe conditions are generally not to be expected.

During the Marginal Period, standby procedures or call out may be in operation dependant on forecast to enable treatment of the Project Road to commence as quickly as possible after an instruction to treat has been given but in any event this will be not later than 1 hour after such instruction.

|   |                     |
|---|---------------------|
| <b>WINTER MAINTENANCE PLAN</b>                            | Page 12 of 24       |
| Contract Name : <b>National Border to Millbank</b>        | <b>Revision : 0</b> |
| Winter Maintenance Plan No. : <b>M6-ROM-WM PLAN-4-001</b> | <b>August 2019</b>  |

## **Section 6 TREATMENT METHODS (see Appendix G and K for tabulated guide)**

### **6.1 Precautionary Salting**

6.1.1 The philosophy behind Winter Maintenance operations is, wherever possible, to carry out pre-salting before ice forms or snow settles on the road. To enable this to be undertaken effectively depends on a mixture of local knowledge and experience, good local weather forecasts and a knowledge of the state of the road at the time (i.e. is it wet or dry, salt covered or not etc).

6.1.2 If no forecast is available for whatever reason and the temperature has fallen to plus 1<sup>0</sup>c, then precautionary salting shall take place unless :

- i) no moisture is or is expected on the road.
- ii) there is enough residual salt on the road to deal with the expected conditions.
- iii) there is enough cloud cover to suggest that temperatures will not fall any further.

6.1.3 If no forecast is available then the above criteria will be assessed by on site monitoring by patrolmen, logged on weather monitor record & relayed to duty engineer and/or duty officer as required.  
In addition the 24 hour telephone number for the Meteogroup Forecaster will also be utilised: 020 3808 2009.

6.1.4 As instructed in SMV OM/007 pre-wetted salt is to be used for all precautionary de-icing treatments and for ice and snow clearance for all treatments on the Project Road.

### **6.2 Rates of Spread for Precautionary Salting**

6.2.1 The minimum requirements for de-icing material spread rates are given in Table 2 of Appendix K for various scenarios of forecast weather and road condition status.

### **6.3 Treatment of Ice already on the Road**

6.3.1 If ice has already formed on the road salt shall be spread up to 40gms/m<sup>2</sup> depending on the amount of ice present and the air temperature to ensure a rapid melt. Particular attention will be made to lengths of road which are known to be susceptible to run-off of water from verges or central reservation.

### **6.4 Treatment of Snow already on the Road after Precautionary Salting**

6.4.1 Snow ploughing shall commence as soon as snow depths on the Network or part thereof exceed 30mm or as directed by the Duty Engineer. Each pass of the plough shall be supplemented by an application of salt at a rate of 20-40gms/m<sup>2</sup> depending upon the temperature trend. Information from the Ice Prediction System together with temperature measurements at the depots will be available. Special salting may be necessary to deal with melted water from snow which may freeze at night and watch will be kept for such conditions.

|   |                     |
|---|---------------------|
| <b>WINTER MAINTENANCE PLAN</b>                            | Page 13 of 24       |
| Contract Name : <b>National Border to Millbank</b>        | <b>Revision : 0</b> |
| Winter Maintenance Plan No. : <b>M6-ROM-WM PLAN-4-001</b> | <b>August 2019</b>  |

## **6.5 Treatment of Hard-Packed Snow and Ice**

- 6.5.1 If the above procedures are carried out successfully then the formation of hard-packed snow and ice should be rare. However, should these conditions occur provided it is no more than 20mm thick and the air temperature is above minus 5 °c, then removal shall be carried out by successive salt applications of 20-40gms/m<sup>2</sup>.

Below minus 10 °c or where the snow is more than about 20mm thick salt application will be 40gms/m<sup>2</sup>.

- 6.5.2 Where snow depths reach 120mm or when drifting occurs ploughing may be undertaken without salting so that the weight of the loaded vehicle may aid traction. Salting shall, however, be resumed as soon as possible thereafter.

## **6.6 Operations**

- 6.6.1 Winter Maintenance Operations will take place from two maintenance depots (Eaglesfield and Crawford) the locations of which are shown in Appendix D.
- 6.6.2 The salting and snow ploughing routes from these depots are shown and described in Appendix C.
- 6.6.3 All slip roads will form part of the overall salting and ploughing routes in accordance with liaison arrangements with the other operating roads authorities.

|   |                     |
|---|---------------------|
| <b>WINTER MAINTENANCE PLAN</b>                            | Page 14 of 24       |
| Contract Name : <b>National Border to Millbank</b>        | <b>Revision : 0</b> |
| Winter Maintenance Plan No. : <b>M6-ROM-WM PLAN-4-001</b> | <b>August 2019</b>  |

## **Section 7 WINTER PATROLS**

- 7.1 From 1st November to 31st March inclusive patrols shall be carried out on all parts of the Project Road during the hours of darkness and only during daylight hours in periods of adverse weather.
- 7.2 Priority shall be given to the mainline carriageway. Where it is not possible to assess the condition of slip lanes and slip roads from the mainline carriageway the patrol shall be so arranged to cover these.
- 7.3 Individual sections of route within the Project Road shall be patrolled at intervals not exceeding three hours. This patrol interval will be monitored using the Global Positioning System (GPS) which is fitted to the spreader patrol vehicle.
- 7.4 During the patrol period Patrols shall be carried out using loaded spreaders when the temperature is forecast to be 3 °C or below in order that treatment may commence immediately should a problem area be encountered. At other times the patrol shall be carried out in another vehicle equipped with a cellular telephone communication system in order that assistance may be called out. The driver of the patrol vehicle will keep a log sheet ('Spreader Log' sheet shown in Appendix H) detailing the time and duration of patrols and any action taken.
- 7.5 There will be two patrol routes (one from each depot). These routes may be altered to suit the prevailing weather and road conditions.
- 7.6 Spreaders being used as Patrol vehicles are fitted with temperature probes to assist the driver in ascertaining the road temperatures.
- 7.7 Space blankets, energy bars and water will be available for the public from the spreaders in periods of difficulty.

|   |                     |
|---|---------------------|
| <b>WINTER MAINTENANCE PLAN</b>                            | Page 15 of 24       |
| Contract Name : <b>National Border to Millbank</b>        | <b>Revision : 0</b> |
| Winter Maintenance Plan No. : <b>M6-ROM-WM PLAN-4-001</b> | <b>August 2019</b>  |

## **Section 8 FORECASTS AND ICE DETECTION**

### **8.1 Forecasting Services**

- 8.1.1 24 hour weather forecasts and forecast updates are provided by the M6 ROM Forecast Provider:

MeteoGroup UK Ltd  
PA NewsCentre  
292, Vauxhall Bridge Road  
London  
SW1V 1AE

Tel. No. 0845 603 0563  
0203 808 2009  
Fax No. 0207 963 7599

- 8.1.2 An Ice Prediction System has been supplied by :

Vaisala TMI Ltd  
Vaisala House  
349 Bristol Road  
Birmingham  
B5 7SW

Tel. No. 0121 683 1200  
Fax No. 0121 683 1299

- 8.1.3 Road sensors are installed on the Project Road at the following outstation positions :

Beattock  
Norwood

Appendix D details precise locations. Regular inspections of the Ice Prediction Equipment will be carried out at Beattock and Norwood.

- 8.1.4 Both weather forecasts and road sensor data are received by the Vaisala TMI Ice Prediction System central computer in Birmingham. Graphs and text forecasts are received by either the office workstation or a portable computer and modem utilised by standby personnel from home.
- 8.1.5 Definitions of terms used in meteorological forecasts are shown in Appendix A.
- 8.1.6 Thermal mapping of the Project Road has been carried out by Vaisala and is installed on the Ice Prediction computer. This will be updated as and when necessary.

|   |                     |
|---|---------------------|
| <b>WINTER MAINTENANCE PLAN</b>                            | Page 16 of 24       |
| Contract Name : <b>National Border to Millbank</b>        | <b>Revision : 0</b> |
| Winter Maintenance Plan No. : <b>M6-ROM-WM PLAN-4-001</b> | <b>August 2019</b>  |

## **8.2 Forecasts**

### 24 Hour Weather Forecasts

- 8.2.1 A 36 hour forecast with an extended outlook for 10 days and 9 nights will be issued at approximately 08:00 hours, 12.00 hours and 17.00 hours, 7 days a week.
- 8.2.2 A site specific forecast including a graphical prediction of road surface temperatures for particular outstations will also be given. There will be additional text to accompany these on occasions where clarification of assumptions is required.
- 8.2.3 A paper copy will be taken from the Ice Prediction Computer to be kept in the Reporting Centre.

## **8.3 Forecast Updates**

- 8.3.1 Forecast updates will be issued between 17.00 and 21.00 hours 7 days a week but may be issued at any time of the day or night as the need arises. Notification of any amendment to the textual or graph forecasts will be by the cellular telephone system.
- 8.3.2 Forecast updates may also be supplied on request by telephoning the Forecast Provider, 24 hours a day, 7 days a week.
- 8.3.3 Weather forecast, actions taken etc are retained and archived on the Vaisala system.

|   |                     |
|---|---------------------|
| <b>WINTER MAINTENANCE PLAN</b>                            | Page 17 of 24       |
| Contract Name : <b>National Border to Millbank</b>        | <b>Revision : 0</b> |
| Winter Maintenance Plan No. : <b>M6-ROM-WM PLAN-4-001</b> | <b>August 2019</b>  |

## **Section 9 PLANT AND RESOURCES**

### **9.1 Routine Salting and Snow Ploughing Fleet**

- 9.1.1 The size and configuration of the fleet of spreaders will be reviewed after each Winter Maintenance season and any recommendations put into practice having regard to available finance.
- 9.1.2 The current spreader fleet is as shown in Appendix I.
- 9.1.3 The spreaders will be fitted with equipment which complies with BS1622: 1989 Class A1.
- 9.1.4 Five spreaders will operate from the Eaglesfield depot and three from the Crawford depot. A vehicle from Eaglesfield may be sent to the Crawford depot should it be required during periods of severe weather.
- 9.1.5 The spreaders will be mechanically maintained by the manufactures agents and there will call upon local resources. The agent for repairs is located at Dumfries. The drivers will be responsible for daily maintenance and for washing the vehicle.
- 9.1.6 The spreaders will be fitted with on-board electronic data loggers fitted with or connected to a global positioning system all of which provide and accurate record of time and distance travelled and capable of spreading salt and pre-wetted salt. The GPS will tell times when de-icing materials have been spread, the rate of spread and the width of spread all continuously referenced to the Ordnance Survey grid. The GPS used is provided by ACP System through Vaisala. The onboard electronic data loggers are capable of downloading their data to a personal computer and the data from the electronic data loggers will be downloaded on a daily basis and shall load and retain such data on an electronic database. In the event of an onboard electronic data logger malfunction a similar written record will be prepared within 12 hours.
- 9.1.7 The spreaders will be
- (i) Capable of delivering a constant supply of brine of the correct amount
  - (ii) Comply with the requirements of para 3.4 g) of Schedule 4 Part 2 where such requirements are not inconsistent with the spreading of pre-wetted salt and
  - (iii) Comply with any other requirements to ensure effective distribution of pre-wetted salt to comply with the requirements of SMV OM/007.
  - (iv) The M6 ROM has provided to Autolink in writing the method that is employed to ensure that the quantity of brine being applied during each route treatment is correct.
- 9.1.8 The salt reconciliation system will be developed based on the information gained from the on board data collection equipment, on board weighing facility of each gritter, individual driver logs and tight controls on material deliveries.
- 9.1.9 To obtain and retain the most economical rates of spread every Spreader will be calibrated and checked annually. Spread patterns and widths of spread will be checked to avoid wastage.

|   |                     |
|---|---------------------|
| <b>WINTER MAINTENANCE PLAN</b>                            | Page 18 of 24       |
| Contract Name : <b>National Border to Millbank</b>        | <b>Revision : 0</b> |
| Winter Maintenance Plan No. : <b>M6-ROM-WM PLAN-4-001</b> | <b>August 2019</b>  |

9.1.10 All equipment shall be checked and be in a state of readiness by 30 September each year.

9.1.11 Winter grade fuel will be stored at each of the operating depots.

## **9.2 Hire of Plant in an Emergency**

9.2.1 If prevailing weather conditions are such that extra or more appropriate plant is required, the Autolink Operations Manager will be advised by the Project Manager accordingly.

9.2.1 A list of proposed additional plant to be used in an emergency is given in Appendix I.

9.2.2 During the winter maintenance period a standby generator may be brought to site if a snowfall in excess of 150mm is forecast by MeteoGroup.

9.2.3 If a snowfall of in excess of 200mm is forecast snow blowers will be brought to the site if available.

## **9.3 Operatives**

**9.3.1 A minimum of 24 no. qualified drivers will be employed in total.**

The drivers will be on a 7 day stand by rota system so that they will be available every other week for standby duty. They will be on call to return to the depot for gritting duties and will be contactable by mobile phone.

9.3.2 All Winter Maintenance operatives, prior to undertaking operations, will have attained the City & Guilds Certificate for Winter Maintenance Operations issued by The City and Guilds of London Institute or equivalent recognised qualification awarded by a state of the European Union. Records will be available for inspection at the Reporting Centre.

|   |                     |
|---|---------------------|
| <b>WINTER MAINTENANCE PLAN</b>                            | Page 19 of 24       |
| Contract Name : <b>National Border to Millbank</b>        | <b>Revision : 0</b> |
| Winter Maintenance Plan No. : <b>M6-ROM-WM PLAN-4-001</b> | <b>August 2019</b>  |

## **Section 10 SALT. (De-Icing Materials)**

### **10.1 General**

- 10.1.1 Salt will be the prime material used for combating snow and ice. It is, however recognised that salt is also environmentally unfriendly. Therefore, to gain the most economic and environmentally satisfactory solution, the minimum amount of salt will be used to obtain the best effect.
- 10.1.2 Pre-wetted salt is to be used for all precautionary de-icing treatments and for ice and snow clearance for all treatment routes on the Project Road.
- 10.1.3 The minimum requirements for de-icing material spread rates for precautionary treatment are provided in Appendix K.
- 10.1.4 Where the spread rate is greater than 20 grammes per square metre two separate precautionary treatments shall be undertaken.  
In this case the first precautionary treatment will be undertaken at a spread rate of at least 20 grammes per square metre and within the timescale required by the Agreement.
- The second precautionary treatment shall commence within 3 hours of the completion of the first treatment unless the trend from a range of road sensors indicates that the road temperature shall remain at least 1degC higher than the intervention level in Table 1 of Appendix K.
- 10.1.5 The minimum requirements for de-icing material spread rates for ice and snow clearance are shown in Table 3 of Appendix K.
- 10.1.6 Precautionary salt spreading rates will be reduced by 30% for the pre-wetted applications; Brine will make up the other 30%. Rock Salt for the production of brine will be stored at our Eaglesfield and Crawford depots and will be managed so that there is sufficient stocks in place to enable contract requirements to be fulfilled.
- 10.1.7 The salt saturators to be used at our depots have a capacity of 10,000 litres and an hourly production rate of 2,500 litres. They will also act as storage vessels. Storage tanks will also be available at each depot.

|   |                     |
|---|---------------------|
| <b>WINTER MAINTENANCE PLAN</b>                            | Page 20 of 24       |
| Contract Name : <b>National Border to Millbank</b>        | <b>Revision : 0</b> |
| Winter Maintenance Plan No. : <b>M6-ROM-WM PLAN-4-001</b> | <b>August 2019</b>  |

**Table 1 – Salt Usage per route at 20 grammes per square metre (dry salt application)**

|               | <b>Route<br/>tonnage<br/>(dry salt)</b> | <b>Depot<br/>tonnage</b> | <b>70% of Dry<br/>Salt<br/>Tonnage</b> | <b>Brine<br/>Used per<br/>Treatment<br/>(Litres)<br/>30%</b> | <b>Brine Salt<br/>per depot<br/>used per<br/>treatment<br/>(T)</b> |
|---------------|---|--------------------------|--|--|--|
| Route 1       | 6.25                                    | C                        | 4.38                                   | 1,875  |  |
| Route 2       | 5.74                                    | C – 11.99                | 4.02                                   | 1,722  | 7.19   |
| Route 3       | 3.85                                    | E                        | 2.70                                   | 1,155  |  |
| Route 4       | 3.76                                    | E                        | 2.63                                   | 1,128  |  |
| Route 5       | 4.31                                    | E                        | 3.02                                   | 1,293  |  |
| Route 6       | 3.61                                    | E – 15.53                | 2.53                                   | 1,083  | 9.32   |
|               |   |                          |  |  |  |
| <b>Totals</b> | <b>27.52</b>                            | <b>27.52</b>             | <b>19.28</b>                           | <b>8.256</b>   | <b>16.51</b>   |

C – Crawford depot

E – Eaglesfield depot

## **10.2 Salt Specification**

- 10.2.1 Salt for de-icing material as part of pre-wetted salt Operations not including the salt to be used in producing brine shall be 6.3mm grading particle size complying with BS 3247 or equivalent and treated with an anti-caking agent.
- 10.2.2 Salt for de-icing material as part of pre-wetted salt Operations to be used in producing brine shall be suitable for the production of brine
- 10.2.3 At loading points salt storage shall ensure that the moisture content of the stored salt shall not exceed 4%.  
Should the moisture content of the salt used for de-icing exceed 4% spread rates shall be increased by 100% for spread rates up to and including 20 grammes per square metre except where the moisture content has been increased above 4% in accordance with 10.2.4.
- 10.2.4 When the conditions of road surface temperatures of less than or equal to plus 1degC and relative humidity levels of less than or equal to 80% are forecast or present prevail, the salt moisture content for precautionary treatment shall be 5% .

## **10.3 Pre-wetted Salt**

- 10.3.1 Salt for de-icing material as part of pre-wetted salt Operations to be used in producing brine shall be suitable for the production of brine.
- 10.3.2 For pre-wetted salt spreading Operations the spread rates set out in Appendix K means the total weight of the spread material.
- 10.3.3 Brine added to salt during spreading Operations as a pre-wetted agent shall be 30% of the total spread material by weight (70% salt / 30% brine solution). For example, for a spread rate of 20 grammes per square metre the proportions shall be 14 grammes salt and 6 grammes brine.

|   |                     |
|---|---------------------|
| <b>WINTER MAINTENANCE PLAN</b>                            | Page 21 of 24       |
| Contract Name : <b>National Border to Millbank</b>        | <b>Revision : 0</b> |
| Winter Maintenance Plan No. : <b>M6-ROM-WM PLAN-4-001</b> | <b>August 2019</b>  |

- 10.3.4 The sodium chloride content of the pre-wetting brine solution shall have a minimum concentration of 20% and a maximum concentration of 23%.
- Where temperatures are forecast to fall below minus 15degC the fully saturated brine shall be diluted by the addition of water to prevent re-crystallisation of the salt. This addition of water shall not reduce the concentration of sodium chloride below the minimum value of 20%.
- The addition of water shall be undertaken in such a manner that shall ensure that the water and brine shall be thoroughly mixed to produce a consistent concentration of brine.
- As soon as temperatures rise above minus 15degC a fully saturated solution (ie 23%) shall be used.

#### **10.4 Salt Supplier**

- 10.4.1 Rock Salt will be supplied by :
- Cleveland Potash Ltd  
Boulby Mine  
Loftus  
Saltburn-by-the-Sea  
Cleveland  
TS13 4UZ
- 10.4.2 Salt for brine solution will be supplied by;
- JC Peacock & Co Ltd  
North Harbour  
Ayr  
KA8 8AE

#### **10.5 Salt Stock Levels**

- 10.5.1 The Salt Stock Levels will be maintained as follows in purpose built salt barns at the two depots with the approximate storage volumes prior to the start of the Winter Maintenance season being :
- |              |             |             |
|--------------|-------------|-------------|
| Rock Salt -  | Eaglesfield | 2000 tonnes |
|              | Crawford    | 2000 tonnes |
| Brine Salt – | Eaglesfield | 26 tonnes   |
|              | Crawford    | 26 tonnes   |

In addition up to 2000 tonnes of Rock Salt will be available for M6 ROM use at Dovedale Farm, Stonehouse, off the M74.

- 10.5.1 As a minimum sufficient brine shall be stored at each depot to treat simultaneously at a maximum spread rate all precautionary treatment routes serviced from that depot with an additional quantity of 20% brine above that quantity held in reserve.
- The brine within the storage facilities shall be replenished within 2 hours of being depleted.
- 10.5.2 Sensors with digital readouts shall be fitted to the storage facilities to measure automatically the salt concentration of the brine.
- Weekday checks will be carried out using a saturation meter and the results to be stored electronically.

|   |                     |
|---|---------------------|
| <b>WINTER MAINTENANCE PLAN</b>                            | Page 22 of 24       |
| Contract Name : <b>National Border to Millbank</b>        | <b>Revision : 0</b> |
| Winter Maintenance Plan No. : <b>M6-ROM-WM PLAN-4-001</b> | <b>August 2019</b>  |

## 10.6 Salt Stockpiles

- 10.6.1 Salt will not be stored more than 5 metres high and will be stored so that it is possible to use salt left from previous years before using new stock. Angle of repose  $> 40^{\circ}$
- 10.6.2 Salt will be taken from the barns and loaded over the sides of the spreaders by high lift front end loading shovels until the required amount of salt is loaded to suit the gritting route.
- 10.6.3 The salt barns will be constructed on concrete bases and shall be encircled by a cut off drain. They will be constructed in such a manner that run-off from other parts of the site will not underwash the base, the water content of the stockpile shall not increase from ground water rising and that any drainage moisture shall run to the perimeter.

## 10.7 Measurement of Salt Stockpiles

- 10.7.1 Salt stockpiles will be checked a minimum of once per month and, during high usage, at shorter intervals as appropriate. The salt will be supplied by Cleveland Potash Ltd. who will be responsible on behalf of the M6 ROM for ensuring that stockpiles of salt are maintained at a level to give a minimum stock of 500 tonnes.

## 10.8 Testing

- 10.8.1 Within 10 days of delivery salt shall be tested at loading points all in accordance with BS 812 or equivalent and results recorded to ascertain
- (i) Moisture content (1 test per 500 tonnes)
  - (ii) Particle size distribution (1 test per 500 tonnes)
  - (iii) Chloride content (1 test per 1500 tonnes)
  - (iv) Soluble sulphate compounds (1 test per 1500 tonnes)
- 10.8.2 Salt stocks will be tested for salt moisture content at monthly intervals throughout each winter period and the results recorded.
- 10.8.3 An electronic database will be maintained for the storage of materials test data.

|   |                     |
|---|---------------------|
| <b>WINTER MAINTENANCE PLAN</b>                            | Page 23 of 24       |
| Contract Name : <b>National Border to Millbank</b>        | <b>Revision : 0</b> |
| Winter Maintenance Plan No. : <b>M6-ROM-WM PLAN-4-001</b> | <b>August 2019</b>  |

## **Section 11 RECORDS AND REPORTING**

### **11.1 General**

- 11.1.1 In order to regularly assess the cost effectiveness and performance of the Winter Maintenance operation the following monitoring exercises will be carried out during the winter period.
- 11.1.2 Performance monitoring will be undertaken throughout the winter period to establish the standard of forecasting and the incidence of abortive actions and failures to salt.
- 11.1.3 All records and performance monitoring reports will be kept for 5 years.

### **11.2 Records**

- 11.2.1 Key issues which will be monitored are :

- i) response time ('RoadDSS Manager'/daily action/Spreader log )
- ii) treatment times / runs (Spreader log )
- iii) fleet downtime due to breakdown (Spreader log )
- iv) salt usage / grit usage ( Salt recon )
- v) forecast performance / daily action ('RoadDSS Manager'/daily action)
- vi) road blockages ( road blocks.)
- vii) weekly statistical returns ( Weekly report )
- viii) level and validity of public complaints ( Complaint form)
- ix) the incidence of road traffic accidents ( Weekly report )
- x) third party claims
- xi) software faults (Hardware/software fault report form)
- xii) communications (Duty Officer Log)

- 11.2.2 Examples of the record sheets are given in Appendix H. They may however be kept as an electronic copy.
- 11.2.3 The Vaisala 'RoadDSS Manager' system was introduced for the 2014/2015 winter period and will be used this season.
- 11.2.4 Data from the Vaisala Ice Prediction System is automatically archived by the system. A hard print copy of the forecast for every day of the Winter Maintenance Period will be kept for 5 years.
- 11.2.5 Other documentation to be read in conjunction with this Plan is listed in Appendix L.
- 11.2.6 Records of the runs carried out will not be retained as hard copies but will be retained electronically on the GPS computer. This information will be archived weekly.

|   |                     |
|---|---------------------|
| <b>WINTER MAINTENANCE PLAN</b>                            | Page 24 of 24       |
| Contract Name : <b>National Border to Millbank</b>        | <b>Revision : 0</b> |
| Winter Maintenance Plan No. : <b>M6-ROM-WM PLAN-4-001</b> | <b>August 2019</b>  |

## **Section 12 POLICE DEPARTMENTS AND NEIGHBOURING AUTHORITIES**

### **12.1 Police Departments**

- 12.1.1 Co-operation and full contact with the Police will be maintained at all levels regarding the calling out of personnel, manning of depots etc. The Winter Maintenance Patrols will report by telephone to the Duty Engineer whenever snow begins to fall.
- 12.1.2 In difficult conditions, when requested, a Police car may accompany the snow clearing or salt spreading plant. The Police car will only operate until a reasonable passage for traffic has been obtained. All requests for a patrol car will be made by the Duty Engineer to the appropriate Police Force Control Room. Gritter and snowplough drivers will not however, wait for patrol cars but will commence work immediately.
- 12.1.3 A list of relevant Police Departments and contact telephone numbers is given in Appendix J.
- 12.1.4 Movement of Abnormal Loads: When conditions due to ice and snow become too severe for the safe movement of abnormal or heavy loads and it is known that a movement is imminent or in progress, the appropriate Police Force Control Room will be informed by the Reporting Centre. A request will be made for Police co-operation in advising the driver of the abnormal load of the conditions in order to encourage him to cease travelling until the road is considered safe. If the move has not commenced or is due on the motorway network within 24 hours, the haulage contractor will be informed of the conditions by the Networks Management Abnormal Loads Officer who is listed in Appendix E.
- 12.1.5 The Police will be advised that snow ploughing has commenced and request activation of the motorway warning signals.
- 12.1.6 During periods of prolonged severe weather and when requested by the Police, a Duty Engineer, when resources allow, may be stationed in the Control Rooms of both Dumfries & Galloway and Strathclyde Police Departments to co-ordinate Winter Maintenance operations on the Project Road.
- 12.1.7 Liaison with Traffic Scotland to display a special message on the Variable Message Signs if required.

### **12.2 Neighbouring Authorities.**

- 12.2.1 A list of relevant Local Authorities and contact telephone numbers is given in Appendix J.
- 12.2.2 Details of the interface arrangements with other road authorities is given in Appendix M.

|   |                     |
|---|---------------------|
| <b>WINTER MAINTENANCE PLAN</b>                            |                     |
| Contract Name : <b>M6DBFO National Border to Millbank</b> | <b>Revision : 0</b> |
| Winter Maintenance Plan No. : <b>M6-ROM-WM PLAN-4-001</b> | <b>August 2019</b>  |

## Appendix A

### Meteorological Forecasts – Definition of terms

|   |                     |
|---|---------------------|
| <b>WINTER MAINTENANCE PLAN</b>                            |                     |
| Contract Name : <b>M6DBFO National Border to Millbank</b> | <b>Revision : 0</b> |
| Winter Maintenance Plan No. : <b>M6-ROM-WM PLAN-4-001</b> | <b>August 2019</b>  |

## Appendix A

### METEOROLOGICAL FORECASTS - DEFINITION OF TERMS

#### **A.1 Precipitation**

A.1.1 A collective word for all the various types of rain, snow, hail etc. In forecasts the following are the definitions used:

|                         |  |
|-------------------------|--|
| Drizzle:                | Very small, generally very numerous, raindrops.  |
| Rain:                   | Raindrops of appreciably size.   |
| Snow:                   | Crystals of white ice apparently opaque, generally in small or large flakes of light feather structure.  |
| Slight Accumulations:   | Undisturbed less than 25mm deep.   |
| Moderate Accumulations: | Undisturbed reaching a depth of 25 - 100mm.  |
| Heavy Accumulations:    | Undisturbed reaching a depth over 100mm.   |
| Hail:                   | Pellets of ice, usually hard, partly transparent, but collectively of white appearance. There is also a form of pellet not hard but white and opaque like snow which is called soft hail or graupel. |
| Sleet:                  | Snow and rain together or snow melting as it is actually falling.  |

#### **A.2 Fog**

A.2.1 Obscurity in the surface layers of the atmosphere caused by particles of condensed moisture or smoke held in suspension in the air. Fog is officially that condition of obscurity in which objects at a distance of one kilometre are not visible. Above this limit, but below two kilometres, it is officially "mist". Haze enjoys the same limits as mist but is reserved for dry air in which the obscuration is due to dust or smoke.

A.2.2 The following scale of fog intensity is used in official forecasts:

|              | Visibility           |
|--------------|----------------------|
| Dense Fog    | less than 44 yards   |
| Thick Fog    | less than 220 yards  |
| Fog          | less than 440 yards  |
| Moderate Fog | less than 1100 yards |
| Mist or Haze | less than 2200 yards |

Fog can occur whenever a surface is cooler than a moist air stream which crosses it.

|   |                     |
|---|---------------------|
| <b>WINTER MAINTENANCE PLAN</b>                            |                     |
| Contract Name : <b>M6DBFO National Border to Millbank</b> | <b>Revision : 0</b> |
| Winter Maintenance Plan No. : <b>M6-ROM-WM PLAN-4-001</b> | <b>August 2019</b>  |

### **A.3 Frost**

A.3.1 The following terms are used to denote the degree of frost:

| Term              | Wind less than 10 Knots | Wind more than 10 Knots |
|-------------------|-------------------------|-------------------------|
| Slight Frost      | 0 to -2.5 C             | 0 to -0.5 C             |
| Moderate Frost    | -3.5 to -6.0 C          | -1.0 to -2.0 C          |
| Severe Frost      | -6.5 to -11.5 C         | -2.5 to -5.0 C          |
| Very Severe Frost | Below -11.5 C           | Below -5.0 C            |

### **A.4 Other Terms used in Forecasts**

A.4.1 When periods of precipitation are expected, the following terms are used:

|                   |  |
|-------------------|--|
| Shower:           | Brief precipitation with more or less definite clearances between the falls.   |
| Occasional:       | Not continuous. The periods of precipitation are relatively short and occupy only a small fraction of the total time.                |
| Intermittent:     | Not continuous over a considerable period; but the period of precipitation are of substantial duration and the sky remains overcast. |
| Thundery Rain:    | Occasional or intermittent rain of varying intensity, but heavy at times. Usually but not necessarily accompanied by thunder.        |
| Thundery Showers: | Showers of rain, hail, sleet or snow, usually heavy and accompanied by thunder.  |
| Thunderstorm:     | Thunder and lightning with or without precipitation, which may be continuous over a considerable period, and heavy at times.         |

A.4.2 When it is expected to be dry then the following terms are used, during daylight:

|                   |   |
|-------------------|---|
| Fine:             | No precipitation or thick fog. Some sunshine.   |
| Dry:              | No precipitation or thick fog.  |
| Sunny:            | Sunshine most of the time.  |
| Sunny Periods:    | Fairly continuous sunshine for an hour or two at a time, and in all more sunshine than cloud. |
| Sunny Intervals:  | Intermittent sunshine for less than half the period.  |
| Bright:           | Considerable diffused sunshine and perhaps some direct sunshine.                              |
| Bright Periods:   | Bright sky for more than half the time.   |
| Bright Intervals: | Intermittent occurrences of a bright sky which are too brief to be termed bright periods.     |

|   |                     |
|---|---------------------|
| <b>WINTER MAINTENANCE PLAN</b>                            |                     |
| Contract Name : <b>M6DBFO National Border to Millbank</b> | <b>Revision : 0</b> |
| Winter Maintenance Plan No. : <b>M6-ROM-WM PLAN-4-001</b> | <b>August 2019</b>  |

Cloudy: Cloud nearly or completely covering the sky so as to reduce daylight to the extent that bright is inappropriate.

Dull: A complete cloud cover so dark as to justify a stronger term than cloudy.

A.4.3 When it is expected to be dry then the following terms are used, during darkness:

Fine: No precipitation or thick fog.

Dry: No precipitation or thick fog.

Clear: No fog, little or no cloud.

Cloudy: Cloud nearly or completely covering the sky.

Variable Cloud: Cloud cover varying between about one-quarter and three quarters.

|   |                     |
|---|---------------------|
| <b>WINTER MAINTENANCE PLAN</b>                            |                     |
| Contract Name : <b>M6DBFO National Border to Millbank</b> | <b>Revision : 0</b> |
| Winter Maintenance Plan No. <b>M6-ROM-WM PLAN-4-001</b>   | <b>August 2019</b>  |

# Appendix B

## Road Conditions

|   |                     |
|---|---------------------|
| <b>WINTER MAINTENANCE PLAN</b>                            |                     |
| Contract Name : <b>M6DBFO National Border to Millbank</b> | <b>Revision : 0</b> |
| Winter Maintenance Plan No. <b>M6-ROM-WM PLAN-4-001</b>   | <b>August 2019</b>  |

## Appendix B

### ROAD CONDITIONS

#### **B.1 Road Conditions**

- B.1.1 According to the Road Research Laboratory road icing depends more on the state of the road i.e. the 'degree of wetness' than on actual temperature. However, the circumstances in which roads become icy may be classified into the following broad categories, in order of frequency of occurrence.

##### **The Freezing of Wet Road Surfaces**

- B.1.2 In most cases the road will have become wet because of rain which fell when air temperature was above freezing point; the road may also become wet by a heavy deposit of dew or from a wet fog, by the melting of hoar frost which may have formed during the previous night, or by melting snow. A subsequent fall in temperature of the road surface, usually due to radiation of heat to a clear night sky, causes the water film remaining on the surface to freeze.

##### **A Heavy Deposit of Hoar Frost**

- B.1.3 Sometimes this is preceded by a deposit of dew. With little traffic the surface is not very slippery, but heavy traffic, causing the partial melting and packing of the ice crystals, eventually produces a treacherous surface if the temperature is near to the freezing point.

##### **The Freezing of Deposited Moisture on a Cold, Dry Road Surface**

- B.1.4 When there is a sudden change in the weather, from a relatively long period with temperatures below freezing point, to one where the temperature is high, then water which condenses on the cold road surface, may freeze. This condition is most severe if the onset of the warmer conditions is accompanied by drizzle. It does not occur frequently (about once every two winters on the average), but it leads to treacherous road conditions because freezing takes place from below and the ice layer will have a lubricating film of water on its surface.

##### **Glazed Frost**

- B.1.5 This is the most dangerous of weather phenomena associated with frost which is caused by the re-freezing of super cooled rain drops on impact with the cold surface. This is an infrequent occurrence in the British Isles.

#### **B.2 Action on Receipt of a Forecast Predicting Freezing Temperatures**

- B.2.1 On receipt of the 24 hour Forecast or a Forecast Update the Reporting Centre, or the appropriate maintenance personnel, will decide on the appropriate action and make the necessary arrangements for treatment.
- B.2.2 Table 1 indicates possible appropriate actions for many combinations of forecast and existing situations. **In the event of a border line situation, action should be on the side of safety.**

##### **Notes to Action Table (Table 1)**

|   |                     |
|---|---------------------|
| <b>WINTER MAINTENANCE PLAN</b>                            |                     |
| Contract Name : <b>M6DBFO National Border to Millbank</b> | <b>Revision : 0</b> |
| Winter Maintenance Plan No. <b>M6-ROM-WM PLAN-4-001</b>   | <b>August 2019</b>  |

B.2.3 The action table should be read in conjunction with the following notes:

- i) Particular attention should be given to the possibility of water running across carriageways, e.g. off adjacent grassed areas after heavy rains, washing off salt previously deposited. Such locations should be kept under scrutiny and may require treating in the evening and morning, and possibly on other occasions.
- ii) When a forecast contains reference to expected hoar frost considerable deposits may occur. Hoar frost usually occurs in the early morning and is difficult to cater for because of the probability that any salt deposited on a dry road too soon before its onset may be dispersed before it can become effective. Particular vigilance is required under this forecasted condition which is ideally treated just as the hoar frost is forming. Such action is usually not practicable and salt may have to be deposited on a dry road before the condition forms. Hoar frost may be forecast to occur at other times in which case the timing of salting operations should be adjusted accordingly.
- iii) If, under conditions where rain is expected before freezing and rain has not ceased by early morning, crews must be called out and action should be initiated as rain ceases (Action 5).
- iv) Under circumstances where rain is expected during freezing conditions rain will freeze on contact with the road surface and full pre-salting must take place even on dry roads. Constant vigilance must be maintained throughout the danger period.
- v) Forecasts are often qualified by altitudes in which case differing action may be required from each depot.

|   |                     |
|---|---------------------|
| <b>WINTER MAINTENANCE PLAN</b>                            |                     |
| Contract Name : <b>M6DBFO National Border to Millbank</b> | <b>Revision : 0</b> |
| Winter Maintenance Plan No. : <b>M6-ROM-WM PLAN-4-001</b> | <b>August 2019</b>  |

## Appendix C

### Treatment Routes and Descriptions

---

# ***ROUTE OPTIMISATION M6 ROM***

## ***Pre-Salt 20gm<sup>-2</sup> Routes***




Certificate No.  
FS 34153



**VAISALA LTD**  
**Vaisala House**  
**349 Bristol Road**  
**Birmingham B5 7SW**  
**United Kingdom**  
Phone intl + (0)121 683 1200  
Fax intl + (0)121 683 1299  
<http://www.vaisala.com>

---

| M6 ROM Version 2 July 2004 Pre-Salt Routes |          |             |                       |
|--|----------|-------------|-----------------------|
| Route:                                     | 1        | Domain:     | n/a Spread:10,15,20gm |
| Depot (Vehicles):                          | Crawford |             |                       |
| Live (m):                                  | 30.2     | Dead (m )   | 24.9 Total (m): 55.1  |
| Efficiency:                                | 54%      | Time (h:m): | 1.26 Thermal: Cold    |



## M6 ROM

### PRE-SALT 10/15/20gm<sup>2</sup> ROUTES


#### ROUTE 1

##### FROM CRAWFORD DEPOT

Out of depot, TURN RIGHT

- |               |   |
|---------------|---|
| <b>TRAVEL</b> | A702 southbound and B7076 to M74 Junction 14 southbound on slip at Wellshot, BEAR LEFT  |
| <b>SALT</b>   | On slip and M74 southbound and M74 Junction 15 off slip to end, TURN RIGHT  |
| <b>TRAVEL</b> | A701 underneath M74 to M74 Junction 15 northbound on slip, TURN RIGHT   |
| <b>SALT</b>   | On slip and M74 northbound to end of M74 Junction 14 on slip, STRAIGHT  |
| <b>TRAVEL</b> | M74 northbound to M74 southbound to M74 Junction 13 off slip, BEAR LEFT   |
| <b>SALT</b>   | Off slip and M74 Junction 13 on slip to end, JOIN CARRIAGEWAY   |
| <b>TRAVEL</b> | M74 northbound, M74 Junction 12 off slip, road underneath M74, M74 southbound on slip and M74 southbound to M74 Junction 13 off slip, BEAR LEFT |
| <b>SALT</b>   | Off slip and M74 southbound on slip to end, JOIN CARRIAGEWAY  |
| <b>TRAVEL</b> | M74 southbound to M74 Junction 14 Crawford Interchange off slip, BEAR LEFT  |
| <b>SALT</b>   | Off slip to A702 Crawford r/b, TURN RIGHT   |
| <b>TRAVEL</b> | Return to depot via A702  |

| M6 RDM Version 2 July 2004 Pre-Salt Routes |            |             |      |
|--|------------|-------------|------|
| Route:                                     | 2          | Domain:     | n/a  |
| Spread:                                    | 10,15,20gm |             |      |
| Depot (Vehicles):                          | Crawford   |             |      |
| Live (m):                                  | 28.6       | Dead (m)    | 15.4 |
| Total (m):                                 | 44         |             |      |
| Efficiency:                                | 65%        | Time (h:m): | 1.19 |
| Thermal:                                   | Cold       |             |      |



## M6 ROM


### PRE-SALT 10/15/20gm<sup>2</sup> ROUTES

#### ROUTE 2

##### FROM CRAWFORD DEPOT

Out of depot, TURN RIGHT

- |               |   |
|---------------|---|
| <b>TRAVEL</b> | A702 southbound to M74 Junction 14 northbound on slip, TURN LEFT                      |
| <b>SALT</b>   | On slip and M74 northbound and the M74 Junction 12 off slip, TURN RIGHT               |
| <b>TRAVEL</b> | A70 to M74 Junction 12 southbound on slip, TURN RIGHT                                 |
| <b>SALT</b>   | On slip and M74 southbound to end of M74 Junction 14 on slip at Wellshot, STRAIGHT    |
| <b>TRAVEL</b> | M74 southbound to M74 southbound Weigh Bridge off slip, BEAR LEFT                     |
| <b>SALT</b>   | Off slip and M74 southbound Weigh Bridge on slip to end, JOIN CARRIAGEWAY             |
| <b>TRAVEL</b> | M74 southbound to gap in carriageway at Works Access, BEAR LEFT                       |
| <b>SALT</b>   | Off slip and through Works Access gates   |
| <b>TRAVEL</b> | B719 over Greenhillstairs Bridge to B7076 and M74 northbound Works Access, TURN RIGHT |
| <b>SALT</b>   | Works Access gates to northbound on slip to end, JOIN CARRIAGEWAY                     |
| <b>TRAVEL</b> | M74 northbound to M74 Junction 14 off slip, BEAR LEFT                                 |
| <b>SALT</b>   | Off slip to A702 r/b, TURN LEFT   |
| <b>TRAVEL</b> | Return to depot via A702  |



| M6 ROM Version 2 July 2004 Pre-Salt Routes |            |             |      |
|--|------------|-------------|------|
| Route:                                     | 3          | Domain:     | n/a  |
| Spread:                                    | 10,15,20gm |             |      |
| Depot (Vehicles):                          | Crawford   |             |      |
| Live (m):                                  | 20.5       | Dead (m):   | 39.2 |
| Total (m):                                 | 59.7       |             |      |
| Efficiency:                                | 32%        | Time (h:m): | 1.35 |
| Thermal:                                   | Cold       |             |      |

## M6 ROM

### PRE-SALT 10/15/20gm<sup>2</sup> ROUTES

#### ROUTE 3

##### FROM EAGLESFIELD DEPOT


Out of depot, TURN LEFT

|               |   |
|---------------|---|
| <b>TRAVEL</b> | B722 to M74 Junction 20 northbound on slip  |
| <b>SALT</b>   | On slip to end, JOIN CARRIAGEWAY  |
| <b>TRAVEL</b> | M74 northbound to M74 Junction 19 off slip, BEAR LEFT   |
| <b>SALT</b>   | Off slip and M74 northbound on slip to end, JOIN CARRIAGEWAY  |
| <b>TRAVEL</b> | M74 northbound to M74 Junction 17 off slip, BEAR LEFT   |
| <b>SALT</b>   | Off slip and M74 northbound on slip to end, JOIN CARRIAGEWAY  |
| <b>TRAVEL</b> | M74 northbound to M74 Junction 16 off slip, BEAR LEFT   |
| <b>SALT</b>   | Off slip and M74 northbound on slip to end, JOIN CARRIAGEWAY  |
| <b>TRAVEL</b> | M74 northbound to M74 Junction 15 off slip, STRAIGHT  |
| <b>SALT</b>   | M74 northbound to end of M74 Junction 15 on slip, STRAIGHT  |
| <b>TRAVEL</b> | M74 northbound to gap in carriageway at Works Access, BEAR LEFT   |
| <b>SALT</b>   | Off slip and through the Work Access gates, TURN LEFT   |
| <b>TRAVEL</b> | B7076 southbound to B719 over Greenhillstairs Bridge and TURN LEFT to the southbound Works Access gates |
| <b>SALT</b>   | Works Access gates to southbound on slip to end, JOIN CARRIAGEWAY                                       |
| <b>TRAVEL</b> | M74 southbound to M74 Junction 15 off slip, STRAIGHT  |
| <b>SALT</b>   | M74 southbound to end of M74 Junction 18 southbound on slip, STRAIGHT                                   |
| <b>TRAVEL</b> | Return to depot via M74 southbound, M74 Junction 20 off slip and B722                                   |

Scale 1:14000

Title 20gm rtf © Vaisala Ltd

| M6 ROM <i>Version 1 August 2000, Pre-Salt 20gm Routes</i> |             |             |                      |
|---|-------------|-------------|----------------------|
| Route:  | 4           | Domain:     | Central Spread: 20g  |
| Depot (Vehicle):  | Eaglesfield |             |                      |
| Salt (m):   | 17.1        | Dead (m):   | 28.2 Total (m): 45.3 |
| Efficiency:   | 38%         | Time (h:m): | 01:11 Thermal:       |



Route Design & artwork,  
Copyright © VAISALA LTD 2000.  
No unauthorised reproductions.

**M6 ROM**  
**PRE-SALT 20gm<sup>2</sup> ROUTES**


**ROUTE 4**  
**FROM EAGLESFIELD DEPOT**

Out of depot,

- |               |   |
|---------------|---|
| <b>TRAVEL</b> | B722, M73 Junction 20 northbound on slip and M74 northbound to M74 Junction 18 off slip, STRAIGHT |
| <b>SALT</b>   | M74 northbound and M74 Junction 15 off slip to end, BEAR RIGHT                                    |
| <b>TRAVEL</b> | A701 under M74 to M74 southbound on slip, TURN RIGHT  |
| <b>SALT</b>   | On slip to end, JOIN CARRIAGEWAY  |
| <b>TRAVEL</b> | M74 southbound to Junction 16 Johnstonebridge Services off slip, BEAR LEFT                        |
| <b>SALT</b>   | Off slip and M74 southbound on slip to end, JOIN CARRIAGEWAY                                      |
| <b>TRAVEL</b> | M74 southbound to M74 Junction 17 off slip, BEAR LEFT   |
| <b>SALT</b>   | Off slip and M74 southbound on slip to end, JOIN CARRIAGEWAY                                      |
| <b>TRAVEL</b> | M74 southbound to M74 Junction 19 off slip, BEAR LEFT   |
| <b>SALT</b>   | Off slip to B7076 r/b and M74 southbound on slip to end, JOIN CARRIAGEWAY                         |
| <b>TRAVEL</b> | M74 southbound to M74 Junction 20 off slip, BEAR LEFT   |
| <b>SALT</b>   | Off slip to B722, TURN LEFT   |

Return to depot via B722

|   |      |             |                       |
|---|------|-------------|-----------------------|
| M6 (ROM) Version 3 October 2015 Pre-Salt Routes |      |             |                       |
| Route:  | 5    | Domain:     | n/a Spread:10,15,20gm |
| Depot (Vehicles): Eaglesfield                   |      |             |                       |
| Live (m):                                       | 19.6 | Dead (m )   | 35.6 Total (m): 55.2  |
| Efficiency:                                     | 36%  | Time (h:m): | 01:26 Thermal: Cold   |



## **M6 ROM**

### **PRE-SALT 20GM<sup>2</sup> ROUTES**

#### **ROUTE 5 FROM EAGLESFIELD DEPOT**

Out of depot,

**TRAVEL** B722 to A74/M Junction 20 southbound on slip, TURN LEFT

**SALT** On slip and A74/M southbound at A6071 Guardsmill over bridge, STRAIGHT. BEAR LEFT using emergency gates at Guardsmill over bridge and JOIN CARRIAGEWAY A74/M northbound

**SALT** Off slip and On slip to end using at the emergency gates at Guardsmill over bridge and JOIN CARRIAGEWAY A74/M northbound

**TRAVEL** A74/M northbound to off slip A75(T)

**SALT** A75(T) off slip towards Gretna and main carriageway to gap in carriageway, U-TURN

**SALT** A75(T) eastbound and on slip to A74/M

**TRAVEL** A74/M southbound at A6071 Guardsmill over bridge, BEAR LEFT using emergency gates at Guardsmill over bridge and JOIN CARRIAGEWAY A74/M northbound

**TRAVEL** A74/M northbound and A75(T) off slip towards Gretna to first spur off to B7076, TURN LEFT

**SALT** A75(T) off slip to B7076, TURN LEFT

**TRAVEL** B7076 to A74/M northbound on slip, STRAIGHT

**SALT** Off slip B7076 to end TURN LEFT

**TRAVEL** B7076 to A74/M northbound on slip, STRAIGHT

**SALT** On slip to end , JOIN CARRIAGEWAY

**TRAVEL** A74/M northbound to Gretna Green Services off slip, BEAR LEFT

**SALT** Off slip, Service Access road and A74/M northbound on slip to end, JOIN CARRIAGEWAY

**TRAVEL** A74/M northbound to B7076 Grahamshill off slip, BEAR LEFT

**SALT** Off slip to B7076, TURN RIGHT

**TRAVEL** B7076 over main carriageway to A74/M southbound on slip, TURN RIGHT

**M6 ROM**  
**PRE-SALT 20GM<sup>2</sup> ROUTES**


**ROUTE 5**

**FROM EAGLESFIELD DEPOT (Continued.....)**

- SALT** On slip to end, JOIN CARRIAGEWAY
- TRAVEL** A74/M southbound, Gretna Green Services off slip, Service Access road over main carriageway, A74/M northbound on slip and A74/M northbound to A74/M Junction 18 off slip, BEAR LEFT
- TRAVEL** Off slip, B723 and A74/M southbound on slip to end, JOIN CARRIAGEWAY
- SALT** A74/M southbound to end of A74/M Junction 20 on slip, STRAIGHT
- TRAVEL** A74/M southbound to A74/M Junction 21 off slip at Kirkpatrick Fleming, BEAR LEFT
- SALT** Off slip to B6357, TURN RIGHT
- TRAVEL** B6357 over main carriageway to A74/M northbound on slip, TURN RIGHT
- SALT** On slip to end, JOIN CARRIAGEWAY
- TRAVEL** A74/M northbound to A74/M Junction 20 off slip, BEAR LEFT
- SALT** Off slip to B722, TURN RIGHT

Return to depot via B722.

|   |             |             |                       |
|---|-------------|-------------|-----------------------|
| M6 (ROM) Version 3 October 2014 Pre-Salt Routes |             |             |                       |
| Route:  | 6           | Domain:     | n/a Spread:10,15,20gm |
| Depot (Vehicles):                               | Eaglesfield |             |                       |
| Live (m):                                       | 16.4        | Dead (m )   | 14.8 Total (m): 31.2  |
| Efficiency:                                     | 53%         | Time (h:m): | 00:52 Thermal: Cold   |



**M6 ROM**  
**PRE-SALT 20GM<sup>2</sup> ROUTES**

**ROUTE 6**  
**FROM EAGLESFIELD DEPOT**

Out of depot,

**TRAVEL** B722, A74/M Junction 20 southbound on slip and A74/M southbound to Gretna Green Services off slip, BEAR LEFT

**SALT** Off slip and A74/M southbound on slip to end, JOIN CARRIAGEWAY

**TRAVEL** A74/M southbound to Springfield off slip, BEAR LEFT

**SALT** Off slip to Springfield r/b, TURN LEFT

**TRAVEL** Class III road, B7076 to Gretna A75(T) westbound on slip

**SALT** On slip to A75(T) westbound to end, JOIN CARRIAGEWAY

**TRAVEL** A75(T) westbound to break in carriageway, U-TURN

**TRAVEL** A75(T) eastbound, A74/M southbound on slip, A74/M southbound at A6071 Guards Mill over bridge, BEAR LEFT using emergency gates at Guardsmill over bridge and JOIN CARRIAGEWAY A74/M northbound

**TRAVEL** A74/M northbound to A6071 Guardsmill over bridge, STRAIGHT

**SALT** A74/M northbound and A74/M Junction 18 off slip to B723, TURN RIGHT

**TRAVEL** B723 to A74/M southbound on slip, TURN RIGHT

**SALT** On slip to end, JOIN CARRIAGEWAY

Return to depot via A74/M southbound, A74/M Junction 20 off slip and B722.

---

# ***ROUTE OPTIMISATION M6 ROM***

## ***Pre-Salt 40gm<sup>-2</sup> Routes***




Certificate No.  
FS 34153



**VAISALA LTD**  
**Vaisala House**  
**349 Bristol Road**  
**Birmingham B5 7SW**  
**United Kingdom**  
Phone intl + (0)121 683 1200  
Fax intl + (0)121 683 1299  
<http://www.vaisala.com>

| M6 ROM Version 1 August 2000, Pre-Salt 40gm Routes |          |             |                      |
|--|----------|-------------|----------------------|
| Route:   | 1        | Domain:     | North Spread: 40g    |
| Depot (Vehicle):                                   | Crawford |             |                      |
| Salt (m):  | 16.3     | Dead (m):   | 26.2 Total (m): 42.5 |
| Efficiency:  | 38%      | Time (h:m): | 01:07 Thermal: Cold  |



**PRE-SALT 40gm<sup>-2</sup> ROUTES****ROUTE 1  
FROM CRAWFORD DEPOT**

Out of depot, TURN RIGHT

**TRAVEL** A702 southbound to M74 Junction 14 northbound on slip, TURN LEFT

**SALT** On slip to end, JOIN CARRIAGEWAY

**TRAVEL** M74 northbound to M74 Junction 13 off slip, BEAR LEFT

**SALT** Off slip to B7078 and M74 northbound on slip to end, JOIN  
CARRIAGEWAY

**TRAVEL** M74 northbound to M74 Junction 12 off slip, BEAR LEFT

**SALT** Off slip to A70, TURN RIGHT

**TRAVEL** A70 and M74 southbound on slip to end, JOIN CARRIAGEWAY

**SALT** M74 southbound to end of Paddy's Rickle Bridge on slip, STRAIGHT


**TRAVEL** M74 to gap in carriageway at Works Access, BEAR LEFT

**SALT** Works Access slip roads and U-TURN

**TRAVEL** M74 northbound to M74 Junction 14 off slip, BEAR LEFT

**SALT** Off slip to A702 r/b, TURN RIGHT

Return to depot via A702.



**M6 ROM  
PRE-SALT 40gm<sup>2</sup> ROUTES**

**ROUTE 2  
FROM CRAWFORD DEPOT**

Out of depot, TURN RIGHT

|               |   |
|---------------|---|
| <b>TRAVEL</b> | A702 southbound & M74 Junction 14 northbound on slip to end, JOIN CARRIAGEWAY |
| <b>SALT</b>   | M74 northbound to M74 Junction 12 off slip, BEAR LEFT                         |
| <b>TRAVEL</b> | Off slip & A70 to M74 southbound on slip, TURN RIGHT                          |
| <b>SALT</b>   | On slip to end, JOIN CARRIAGEWAY  |
| <b>TRAVEL</b> | M74 southbound to M74 Junction 13 off slip, BEAR LEFT                         |
| <b>SALT</b>   | Off slip & M74 southbound on slip to end, JOIN CARRIAGEWAY                    |
| <b>TRAVEL</b> | M74 southbound to Crawford Interchange off slip, BEAR LEFT                    |
| <b>SALT</b>   | Off slip to A702 Crawford r/b   |

Return to depot

**ALTERNATIVE ROUTE 2  
FROM EAGLESFIELD DEPOT**


Out of depot,

|               |  |
|---------------|--|
| <b>TRAVEL</b> | B722 TO A74/M Junction 20 northbound on slip, JOIN CARRIAGEWAY |
| <b>TRAVEL</b> | A74/M northbound, to the M74 J14 on slip,                      |
| <b>SALT</b>   | M74 northbound to M74 Junction 12 off slip, BEAR LEFT          |
| <b>TRAVEL</b> | Off slip & A70 to M74 southbound on slip, TURN RIGHT           |
| <b>SALT</b>   | On slip to end, JOIN CARRIAGEWAY                               |
| <b>TRAVEL</b> | M74 southbound to M74 Junction 13 off slip, BEAR LEFT          |
| <b>SALT</b>   | Off slip & M74 southbound on slip to end, JOIN CARRIAGEWAY     |
| <b>TRAVEL</b> | M74 southbound to Crawford Interchange off slip, BEAR LEFT     |
| <b>SALT</b>   | Off slip to A702 Crawford r/b                                  |

Return to Crawford Depot, Route Completed

**M6 ROM** Version 2 August 2013 Pre-Salt Routes

|                   |          |             |       |            |      |
|-------------------|----------|-------------|-------|------------|------|
| Route:            | 3        | Domain:     | North | Spread:    | 40gm |
| Depot (Vehicles): | Crawford |             |       |            |      |
| Salt (m):         | 11.8     | Dead (m )   | 15.9  | Total (m): | 27.7 |
| Efficiency:       | 42%      | Time (h:m): | 00:55 | Thermal:   | Cold |



## **M6 ROM**

### **PRE-SALT 40GM<sup>2</sup> ROUTES**

#### **ROUTE 3 FROM CRAWFORD DEPOT**

Out of depot, TURN RIGHT

**TRAVEL** A702 southbound, B7078, A74/M southbound on slip at Wellshot interchange and A74/M southbound to Paddys Rickle Bridge, STRAIGHT

**SALT** A74/M Paddys Rickle Bridge southbound and A74/M Junction 15 off slip to A701, TURN RIGHT

**TRAVEL** A701 under A74/M main carriageway to A74/M northbound on slip TURN RIGHT

**SALT** On slip to end, JOIN CARRIAGEWAY

|                  |   |             |                      |
|------------------|---|-------------|----------------------|
| M6 ROM           | Version 1 August 2000, Pre-Salt 40gm Routes |             |                      |
| Route:           | 4   | Domain:     | North Spread: 40g    |
| Depot (Vehicle): | Crawford                                    |             |                      |
| Salt (m):        | 13.6  | Dead (m):   | 28.1 Total (m): 41.7 |
| Efficiency:      | 33%   | Time (h:m): | 01:04 Thermal: Cold  |

J 13

Crawford Depot

Crawford

J 14 Elvanfoot

Wellshot

Paddy's Rickle Bridge

Work's Access

J 15 Beattock

J 16 Johnstonebridge

Route Design & artwork,  
Copyright © VAISALA LTD 2000.  
No unauthorised reproductions.

**ROUTE 4  
FROM CRAWFORD DEPOT**

Out of depot, TURN RIGHT

**TRAVEL** A702 southbound and B7076 to Wellshot r/b, TURN RIGHT

**SALT** M74 southbound on slip to end, JOIN CARRIAGEWAY

**TRAVEL** M74 southbound to M74 Junction 15 off slip, STRAIGHT


**SALT** M74 southbound to end of M74 Junction 15 on slip, STRAIGHT

**TRAVEL** M74 southbound, M74 Junction 16 off slip, road under M74, M74 northbound  
on slip and M74 northbound to M74 Junction 15 off slip, STRAIGHT

**SALT** M74 northbound to end of M74 Junction 14 on slip, STRAIGHT

Return to depot via M74 northbound, M74 Junction 13 off slip, B7078, M74  
southbound and A702.

| M6 ROM Version 1 August 2000, Pre-Salt 40gm Routes |             |             |                      |
|--|-------------|-------------|----------------------|
| Route:   | 5           | Domain:     | Central Spread: 40g  |
| Depot (Vehicle):                                   | Eaglesfield |             |                      |
| Salt (m):  | 17.2        | Dead (m):   | 22.7 Total (m): 39.9 |
| Efficiency:  | 43%         | Time (h:m): | 01:04 Thermal:       |




**ROUTE 5  
FROM EAGLESFIELD DEPOT**

|               |   |
|---------------|---|
|               | Out of depot,   |
| <b>TRAVEL</b> | B722 to M74 Junction 20 northbound on slip, TURN RIGHT                            |
| <b>SALT</b>   | On slip to end, JOIN CARRIAGEWAY  |
| <b>TRAVEL</b> | M74 northbound to M74 Junction 19 off slip, BEAR LEFT                             |
| <b>SALT</b>   | Off slip and M74 northbound on slip to end, JOIN CARRIAGEWAY                      |
| <b>TRAVEL</b> | M74 northbound to M74 Junction 17 off slip, BEAR LEFT                             |
| <b>SALT</b>   | Off slip and M74 northbound on slip to end, JOIN CARRIAGEWAY                      |
| <b>TRAVEL</b> | M74 northbound to M74 Junction 16 Johnstonebridge Services off slip, BEAR<br>LEFT |
| <b>SALT</b>   | Off slip and M74 northbound on slip to end, JOIN CARRIAGEWAY                      |
| <b>TRAVEL</b> | M74 northbound to M74 Junction 15 off slip, BEAR LEFT                             |
| <b>SALT</b>   | Off slip to A701, TURN RIGHT  |
| <b>TRAVEL</b> | A701 under M74 and M74 southbound on slip to end, JOIN<br>CARRIAGEWAY             |
| <b>SALT</b>   | M74 southbound to end of M74 Junction 18 on slip, STRAIGHT                        |

Return to depot via M74 southbound, Junction 20 off slip and B722.

|                  |   |             |                      |
|------------------|---|-------------|----------------------|
| M6 ROM           | Version 1 August 2000, Pre-Salt 40gm Routes |             |                      |
| Route:           | 6   | Domain:     | Central Spread: 40g  |
| Depot (Vehicle): | Eaglesfield                                 |             |                      |
| Salt (m):        | 17.1  | Dead (m):   | 28.2 Total (m): 45.3 |
| Efficiency:      | 38%   | Time (h:m): | 01:11 Thermal:       |



**ROUTE 6**  
**FROM EAGLESFIELD DEPOT**

Out of depot,

**TRAVEL** B722, M74 Junction 20 northbound on slip and M74 northbound to M74 Junction 18 off slip, STRAIGHT

**SALT** M74 northbound to M74 Junction 15 off slip, BEAR LEFT

**TRAVEL** Off slip and A701 under M74 to M74 southbound on slip, TURN RIGHT

**SALT** On slip to end, JOIN CARRIAGEWAY

**TRAVEL** M74 southbound to M74 Junction 16 Johnstonebridge Services off slip, BEAR LEFT

**SALT** Off slip and M74 southbound on slip to end, JOIN CARRIAGEWAY

**TRAVEL** M74 southbound to M74 Junction 17 off slip, BEAR LEFT

**SALT** Off slip and M74 southbound on slip to end, JOIN CARRIAGEWAY

**TRAVEL** M74 southbound to M74 Junction 19 off slip, BEAR LEFT


**SALT** Off slip to B7076 r/b and M74 southbound on slip to end, JOIN CARRIAGEWAY

**TRAVEL** M74 southbound to M74 Junction 20 off slip, BEAR LEFT

**SALT** Off slip to B722, TURN LEFT

Return to depot via B722.

| M6 (ROM) Version 4 May 2015 Pre-Salt Routes |      |             |                      |
|---|------|-------------|----------------------|
| Route:                                      | 7    | Domain:     | South Spread: 40gm   |
| Depot (Vehicles): Eaglesfield               |      |             |                      |
| Live (m):                                   | 19.6 | Dead (m )   | 35.6 Total (m): 55.2 |
| Efficiency:                                 | 36%  | Time (h:m): | 01:26 Thermal: Cold  |



**M6 ROM  
POST-SALT 40gm<sup>2</sup> ROUTES**

**ROUTE 7  
FROM EAGLESFIELD DEPOT**

|               |  |
|---------------|--|
|               | Out of depot,  |
| <b>TRAVEL</b> | B722 TO A74/M Junction 20 southbound on slip, TURN LEFT  |
| <b>SALT</b>   | On slip & A74/M southbound to A6071 Guards Mill over bridge, BEAR LEFT using emergency gates at Guardsmill over bridge and JOIN CARRIAGEWAY A74/M northbound |
| <b>TRAVEL</b> | A74/M northbound to off slip A75(T)  |
| <b>SALT</b>   | A75(T) off slip towards Gretna & main carriageway to gap in carriageway, U-TURN  |
| <b>SALT</b>   | A75(T) eastbound & on slip to A74/M  |
| <b>TRAVEL</b> | A74/M southbound to A6071 Guards Mill over bridge, BEAR LEFT using emergency gates at Guardsmill over bridge and JOIN CARRIAGEWAY A74/M northbound           |
| <b>TRAVEL</b> | A74/M northbound & A75(T) off slip towards Gretna to first spur off to B7076, TURN LEFT  |
| <b>SALT</b>   | A75(T) slip to B7076, TURN LEFT  |
| <b>TRAVEL</b> | B7076 to A74/M northbound on slip, STRAIGHT  |
| <b>SALT</b>   | On slip to end, JOIN CARRIAGEWAY   |
| <b>TRAVEL</b> | A74/M northbound to Gretna Green Services off slip, BEAR LEFT  |
| <b>SALT</b>   | Off slip, Service Access road & A74/M northbound on slip to end, JOIN CARRIAGEWAY  |
| <b>TRAVEL</b> | A74/M northbound to B7076 Grahamshill off slip, BEAR LEFT  |
| <b>SALT</b>   | Off slip to B7076, TURN RIGHT  |
| <b>TRAVEL</b> | B7076 over main carriageway to A74/M southbound on slip TURN RIGHT   |
| <b>SALT</b>   | On slip to end, JOIN CARRIAGEWAY   |


**(continued.....)**

**M6 ROM**  
**POST-SALT 40gm<sup>2</sup> ROUTES**

**ROUTE 7**  
**FROM EAGLESFIELD DEPOT (Continued)**

|               |  |
|---------------|--|
| <b>TRAVEL</b> | A74/M southbound, Gretna Green Services off slip, Service Access road over carriageway, A74/M northbound on slip & A74/M northbound to A74/M Junction 18 off slip, BEAR LEFT |
| <b>TRAVEL</b> | Off slip, B723 & A74/M southbound on slip to end, JOIN CARRIAGEWAY   |
| <b>SALT</b>   | A74/M southbound to end of A74/M Junction 20 on slip, STRAIGHT   |
| <b>TRAVEL</b> | A74/M southbound to A74/M Junction 21 off slip at Kirkpatrick Fleming, BEAR LEFT   |
| <b>SALT</b>   | Off slip to B6357, TURN RIGHT  |
| <b>TRAVEL</b> | B6357 over main carriageway to A74/M northbound on slip, TURN RIGHT  |
| <b>SALT</b>   | On slip to end, JOIN CARRIAGEWAY   |
| <b>TRAVEL</b> | A74/M northbound to A74/M Junction 20 off slip, BEAR LEFT  |
| <b>SALT</b>   | Off slip to B722, TURN RIGHT   |

Return to depot via B722



|   |       |                               |      |
|---|-------|-------------------------------|------|
| M6 (ROM) Version 4 May 2015 Pre-Salt Routes |       |                               |      |
| Route:                                      | 8     | Domain:                       | n/a  |
| Spread:                                     | 40gm  | Depot (Vehicles): Eaglesfield |      |
| Live (m):                                   | 16.4  | Dead (m)                      | 14.8 |
| Total (m):                                  | 31.2  | Efficiency: 53%               |      |
| Time (h:m):                                 | 00:52 | Thermal:                      | Cold |

**M6 ROM**  
**POST-SALT 40gm<sup>2</sup> ROUTES**

**ROUTE 8**  
**FROM EAGLESFIELD DEPOT**

Out of depot,

**TRAVEL** B722, A74/M Junction 20 southbound on slip & A74/M southbound to Gretna  
Green Services off slip, BEAR LEFT

**SALT** Off slip & A74/M southbound on slip to end, JOIN CARRIAGEWAY

**TRAVEL** A74/M southbound to Springfield off slip, BEAR LEFT

**SALT** Off slip to Springfield r/b, TURN LEFT

**TRAVEL** Class III road, B7076 to Gretna A75(T) westbound on slip

**SALT** On slip to A75(T) westbound to end, JOIN CARRIAGEWAY

**TRAVEL** A75(T) westbound to break in carriageway, U-TURN

**TRAVEL** A75(T) eastbound, A74/M southbound to A6071 Guardsmill over bridge, BEAR  
LEFT using emergency gates at Guardsmill over bridge and JOIN  
CARRIAGEWAY A74/M northbound

**SALT** A74/M northbound & A74/M Junction 18 off slip to B723, TURN RIGHT

**TRAVEL** B723 to A74/M southbound on slip, TURN RIGHT

**SALT** On slip to end, JOIN CARRIAGEWAY

Return to depot via A74/M southbound, A74/M Junction 20 off slip & B722

---

# ***ROUTE OPTIMISATION M6 ROM***

## ***PloughingRoutes***

Version 1 (Phase IV)

© Vaisala Ltd 2000




Certificate No.  
FS 34153



**VAISALA LTD**  
**Vaisala House**  
**349 Bristol Road**  
**Birmingham B5 7SW**  
**United Kingdom**  
Phone intl + (0)121 683 1200  
Fax intl + (0)121 683 1299  
<http://www.vaisala.com>

---

|   |                     |
|---|---------------------|
| <b>WINTER MAINTENANCE PLAN</b>                            |                     |
| Contract Name : <b>M6DBFO National Border to Millbank</b> | <b>Revision : 0</b> |
| Winter Maintenance Plan No. : <b>M6-ROM-WM PLAN-4-001</b> | <b>August 2019</b>  |



|   |                     |
|---|---------------------|
| <b>WINTER MAINTENANCE PLAN</b>                            |                     |
| Contract Name : <b>M6DBFO National Border to Millbank</b> | <b>Revision : 0</b> |
| Winter Maintenance Plan No. : <b>M6-ROM-WM PLAN-4-001</b> | <b>August 2019</b>  |

## M6 ROM PLOUGHING ROUTES



### ROUTE 1 FROM CRAWFORD DEPOT

Out of depot, TURN RIGHT

**TRAVEL** A702 southbound and M74 Junction 14 northbound on slip to end, JOIN  
CARRIAGEWAY

N.B. On first pass plough in first lane

**PLOUGH** First lane of M74 northbound to M74 Junction 12 off slip, BEAR LEFT

**TRAVEL** Off slip, A70 and M74 southbound on slip to end, JOIN CARRIAGEWAY


**PLOUGH** First lane of M74 southbound to Crawford Interchange off slip, BEAR LEFT

**TRAVEL** Off slip to A702 r/b, BEAR RIGHT

N.B. Repeat route ploughing in third lane

Return to depot via A702.

|   |                     |
|---|---------------------|
| <b>WINTER MAINTENANCE PLAN</b>                            |                     |
| Contract Name : <b>M6DBFO National Border to Millbank</b> | <b>Revision : 0</b> |
| Winter Maintenance Plan No. : <b>M6-ROM-WM PLAN-4-001</b> | <b>August 2019</b>  |



|   |                     |
|---|---------------------|
| <b>WINTER MAINTENANCE PLAN</b>                            |                     |
| Contract Name : <b>M6DBFO National Border to Millbank</b> | <b>Revision : 0</b> |
| Winter Maintenance Plan No. : <b>M6-ROM-WM PLAN-4-001</b> | <b>August 2019</b>  |

## **M6 ROM PLOUGHING ROUTES**



### **ROUTE 2 FROM CRAWFORD DEPOT**

Out of depot, TURN RIGHT

**TRAVEL** A702 southbound and M74 Junction 14 northbound on slip to end, JOIN CARRIAGEWAY

**PLOUGH** Second lane of M74 northbound and M74 Junction 12 off slip to A70, TURN RIGHT

**TRAVEL** A70 to M74 southbound on slip, TURN RIGHT

**PLOUGH** On slip, second lane of M74 southbound and Crawford Interchange off slip to A702 r/b, BEAR RIGHT

**TRAVEL** A702 southbound and M74 Junction 14 northbound on slip to end, JOIN CARRIAGEWAY

N.B. On second pass either travel main carriageway, or plough hard shoulder

**TRAVEL/PLOUGH** M74 northbound to M74 Junction 13 off slip, BEAR LEFT

**PLOUGH** Off slip and M74 northbound on slip to end, JOIN CARRIAGEWAY

**TRAVEL/PLOUGH** M74 northbound to M74 Junction 12 off slip, BEAR LEFT

**TRAVEL** Off slip, A70 and M74 southbound on slip to end, JOIN CARRIAGEWAY


**TRAVEL/PLOUGH** M74 southbound to M74 Junction 13 off slip, BEAR LEFT

**PLOUGH** Off slip and M74 southbound on slip to end, JOIN CARRIAGEWAY

**TRAVEL/PLOUGH** M74 southbound to Crawford Interchange off slip, BEAR LEFT

Return to depot via off slip and A702.

|   |                     |
|---|---------------------|
| <b>WINTER MAINTENANCE PLAN</b>                            |                     |
| Contract Name : <b>M6DBFO National Border to Millbank</b> | <b>Revision : 0</b> |
| Winter Maintenance Plan No. : <b>M6-ROM-WM PLAN-4-001</b> | <b>August 2019</b>  |



|   |                     |
|---|---------------------|
| <b>WINTER MAINTENANCE PLAN</b>                            |                     |
| Contract Name : <b>M6DBFO National Border to Millbank</b> | <b>Revision : 0</b> |
| Winter Maintenance Plan No. : <b>M6-ROM-WM PLAN-4-001</b> | <b>August 2019</b>  |

## M6 ROM PLOUGHING ROUTES




### ROUTE 3 FROM CRAWFORD DEPOT

- Out of depot, TURN LEFT
- TRAVEL** A702 northbound to M74 Junction 13 southbound on slip, BEAR LEFT
- TRAVEL** On slip and M74 southbound to Crawford Interchange off slip, STRAIGHT
- PLOUGH** First lane of M74 southbound to M74 Junction 15 off slip, BEAR LEFT
- TRAVEL** Off slip, road under M74 and M74 northbound on slip to end, JOIN  
CARRIAGEWAY
- PLOUGH** First lane of M74 northbound to end of M74 Junction 14 on slip, STRAIGHT
- TRAVEL** M74 northbound, M74 Junction 13 off slip, B7078, M74 southbound on slip and  
M74 southbound to off slip at Crawford Interchange, STRAIGHT
- PLOUGH** Third lane of M74 southbound to M74 Junction 15 off slip, BEAR LEFT
- TRAVEL** Off slip, road under M74 and M74 northbound on slip to end, JOIN  
CARRIAGEWAY
- PLOUGH** Third lane of M74 northbound to end of M74 Junction 14 on slip, STRAIGHT

Return to depot via M74 northbound, M74 Junction 13 off slip, B7078 and A702.

|   |                     |
|---|---------------------|
| <b>WINTER MAINTENANCE PLAN</b>                            |                     |
| Contract Name : <b>M6DBFO National Border to Millbank</b> | <b>Revision : 0</b> |
| Winter Maintenance Plan No. : <b>M6-ROM-WM PLAN-4-001</b> | <b>August 2019</b>  |



|   |                     |
|---|---------------------|
| <b>WINTER MAINTENANCE PLAN</b>                            |                     |
| Contract Name : <b>M6DBFO National Border to Millbank</b> | <b>Revision : 0</b> |
| Winter Maintenance Plan No. : <b>M6-ROM-WM PLAN-4-001</b> | <b>August 2019</b>  |

## M6 ROM PLOUGHING ROUTES



### ROUTE 4 FROM CRAWFORD DEPOT

Out of depot, TURN LEFT

**TRAVEL** A702 northbound, M74 Junction 13 southbound on slip and M74 southbound to end of Crawford Interchange off slip, STRAIGHT

**PLOUGH** Second lane of M74 southbound, M74 Junction 15 off slip, road under M74, M74 northbound on slip and second lane of M74 northbound to end of M74 Junction 14 on slip, STRAIGHT

**TRAVEL** M74 northbound, M74 Junction 13 off slip, B7078, A702 southbound and B7076 southbound to Wellshot Hill r/b, TURN RIGHT (2nd exit)

**PLOUGH** M74 southbound on slip to end, JOIN CARRIAGEWAY

N.B. On second pass either travel main carriageway, or plough hard shoulder

**TRAVEL/PLOUGH** M74 southbound to Works Access

**PLOUGH** Works Access

**TRAVEL/PLOUGH** M74 southbound, M74 Junction 15 off slip, road under M74, M74 northbound on slip and M74 northbound to Works Access


**PLOUGH** Works Access

**TRAVEL/PLOUGH** M74 northbound to M74 Junction 14 off slip, BEAR LEFT

**PLOUGH** Off slip to A702 r/b, TURN RIGHT

Return to depot via A702.

|   |                     |
|---|---------------------|
| <b>WINTER MAINTENANCE PLAN</b>                            |                     |
| Contract Name : <b>M6DBFO National Border to Millbank</b> | <b>Revision : 0</b> |
| Winter Maintenance Plan No. : <b>M6-ROM-WM PLAN-4-001</b> | <b>August 2019</b>  |



|   |                     |
|---|---------------------|
| <b>WINTER MAINTENANCE PLAN</b>                            |                     |
| Contract Name : <b>M6DBFO National Border to Millbank</b> | <b>Revision : 0</b> |
| Winter Maintenance Plan No. : <b>M6-ROM-WM PLAN-4-001</b> | <b>August 2019</b>  |

## M6 ROM PLOUGHING ROUTES




### ROUTE 5 FROM EAGLESFIELD DEPOT

- Out of depot,
- TRAVEL** B722, M74 Junction 20 northbound on slip and M74 northbound to M74 Junction 18 off slip, STRAIGHT
- PLOUGH** First lane of M74 northbound to end of M74 Junction 15 on slip, STRAIGHT
- TRAVEL** M74 northbound, works access roads under M74 and M74 southbound to M74 Junction 15 off slip, STRAIGHT
- PLOUGH** First lane of M74 southbound to M74 Junction 18 on slip, STRAIGHT
- TRAVEL** M74 southbound, M74 Junction 19 off slip, road over M74, M74 Junction 19 on slip and M74 northbound to M74 Junction 18 off slip, STRAIGHT
- PLOUGH** Third lane of M74 northbound to end of M74 Junction 15 on slip, STRAIGHT
- TRAVEL** M74 northbound, works access roads under M74 and M74 southbound to M74 Junction 15 off slip, STRAIGHT
- PLOUGH** Third lane of M74 southbound to M74 Junction 18 on slip, STRAIGHT

Return to depot via M74 southbound and Junction 20 off slip.

|   |                     |
|---|---------------------|
| <b>WINTER MAINTENANCE PLAN</b>                            |                     |
| Contract Name : <b>M6DBFO National Border to Millbank</b> | <b>Revision : 0</b> |
| Winter Maintenance Plan No. : <b>M6-ROM-WM PLAN-4-001</b> | <b>August 2019</b>  |



|   |                     |
|---|---------------------|
| <b>WINTER MAINTENANCE PLAN</b>                            |                     |
| Contract Name : <b>M6DBFO National Border to Millbank</b> | <b>Revision : 0</b> |
| Winter Maintenance Plan No. : <b>M6-ROM-WM PLAN-4-001</b> | <b>August 2019</b>  |

## M6 ROM PLOUGHING ROUTES



### ROUTE 6 FROM EAGLESFIELD DEPOT

Out of depot,

- TRAVEL** B722 to end of M74 Junction 20 southbound off slip, STRAIGHT
- PLOUGH** B722 over main carriageway and M74 Junction 20 northbound on slip, JOIN CARRIAGEWAY
- TRAVEL** M74 northbound to M74 Junction 18 off slip, STRAIGHT
- PLOUGH** Second lane of M74 northbound to end of M74 Junction 15 on slip, STRAIGHT
- TRAVEL** M74 northbound, works access roads under M74 and M74 southbound to M74 Junction 15 off slip, STRAIGHT
- PLOUGH** Second lane of M74 southbound to end of M74 Junction 18 on slip, STRAIGHT
- TRAVEL** M74 southbound to M74 Junction 20 off slip, BEAR LEFT
- PLOUGH** Off slip to B722, TURN RIGHT
- TRAVEL** B722 under M74 and M74 northbound on slip to M74, JOIN CARRIAGEWAY
- N.B. On second pass either travel main carriageway, or plough hard shoulder
- TRAVEL/PLOUGH** M74 northbound to M74 Junction 17 off slip, BEAR LEFT
- PLOUGH** Off slip and M74 northbound on slip to end, JOIN CARRIAGEWAY
- TRAVEL/PLOUGH** M74 northbound to Junction 16 Johnstonebridge Services off slip, BEAR LEFT
- PLOUGH** Off slip and M74 northbound on slip to end, JOIN CARRIAGEWAY
- TRAVEL/PLOUGH** M74 northbound to M74 Junction 15 off slip, BEAR LEFT
- PLOUGH** Off slip to A701, TURN RIGHT
- TRAVEL** A701 to M74 Junction 15 on slip, TURN RIGHT
- PLOUGH** On slip to end, JOIN CARRIAGEWAY

(continued...)

|   |                     |
|---|---------------------|
| <b>WINTER MAINTENANCE PLAN</b>                            |                     |
| Contract Name : <b>M6DBFO National Border to Millbank</b> | <b>Revision : 0</b> |
| Winter Maintenance Plan No. : <b>M6-ROM-WM PLAN-4-001</b> | <b>August 2019</b>  |

## **M6 ROM PLOUGHING ROUTES**



### **ROUTE 6 FROM EAGLESFIELD DEPOT (Continued)**

**TRAVEL/PLOUGH** M74 southbound to M74 Junction 16 Johnstonebridge services off slip,  
BEAR LEFT

**PLOUGH** Off slip and M74 southbound on slip to end, JOIN CARRIAGEWAY


**TRAVEL/PLOUGH** M74 southbound to M74 Junction 17 off slip, BEAR LEFT

**PLOUGH** Off slip and M74 southbound on slip to end, JOIN CARRIAGEWAY

**TRAVEL/PLOUGH** M74 southbound to M74 Junction 20 off slip, BEAR LEFT

Return to depot via slip road and B722.

|   |                     |
|---|---------------------|
| <b>WINTER MAINTENANCE PLAN</b>                            |                     |
| Contract Name : <b>M6DBFO National Border to Millbank</b> | <b>Revision : 0</b> |
| Winter Maintenance Plan No. : <b>M6-ROM-WM PLAN-4-001</b> | <b>August 2019</b>  |



|   |                     |
|---|---------------------|
| <b>WINTER MAINTENANCE PLAN</b>                            |                     |
| Contract Name : <b>M6DBFO National Border to Millbank</b> | <b>Revision : 0</b> |
| Winter Maintenance Plan No. : <b>M6-ROM-WM PLAN-4-001</b> | <b>August 2019</b>  |

**M6 ROM  
PLOUGHING ROUTES**


**ROUTE 7  
FROM EAGLESFIELD DEPOT**

Out of depot,

- TRAVEL**      B722 & A74/M Junction 20 northbound on slip to end, JOIN CARRIAGEWAY
- PLOUGH**      First lane of A74/M northbound to A74/M Junction 18 off slip, BEAR LEFT
- PLOUGH**      Off slip, B723 under A74/M & A74/M Junction 18 southbound on slip to end, JOIN CARRIAGEWAY
- PLOUGH**      First lane of A74/M southbound to A6071 Guardsmill over bridge, STRAIGHT
- TRAVEL**      A74/M southbound at A6071 Guardsmill over bridge, BEAR LEFT using emergency gates at Guardsmill over bridge and JOIN CARRIAGEWAY A74/M northbound
- PLOUGH**      First lane of A74/M northbound to A74/M Junction 20 on slip, STRAIGHT
- PLOUGH**      Third lane of A74/M northbound Junction 20 on slip to A74/M Junction 18 off slip, BEAR LEFT
- PLOUGH**      Off slip, B723 under A74/M & A74/M Junction 18 southbound on slip to end, JOIN CARRIAGEWAY
- PLOUGH**      Third lane of A74/M southbound to A6071 Guardsmill over bridge, STRAIGHT
- TRAVEL**      A74/M southbound at A6071 Guardsmill over bridge, BEAR LEFT using emergency gates at Guardsmill over bridge and JOIN CARRIAGEWAY A74/M northbound
- PLOUGH**      Third lane of A74/M northbound to A74/M Junction 20 on slip, STRAIGHT
- Return to depot or Repeat ploughing routes if required

|   |                     |
|---|---------------------|
| <b>WINTER MAINTENANCE PLAN</b>                            |                     |
| Contract Name : <b>M6DBFO National Border to Millbank</b> | <b>Revision : 0</b> |
| Winter Maintenance Plan No. : <b>M6-ROM-WM PLAN-4-001</b> | <b>August 2019</b>  |

NB  
First pass to plough  
2nd line, 2nd pass  
to free run or plough  
Hard Shoulder and Slip Roads



| M6(M6M) Version 1 August 2009 Ploughing Routes |          |            |      |            |      |
|--|----------|------------|------|------------|------|
| Route:   | 8        | Domain:    | n/a  | Spread:    | n/a  |
| Depot (Vehicles):                              | Crowford |            |      |            |      |
| Live (m):                                      | 35.7     | Dead (m):  | 36.2 | Total (m): | 71.9 |
| Efficiency:                                    | 50%      | Time (km): | n/a  | Thermal:   | n/a  |

|   |                     |
|---|---------------------|
| <b>WINTER MAINTENANCE PLAN</b>                            |                     |
| Contract Name : <b>M6DBFO National Border to Millbank</b> | <b>Revision : 0</b> |
| Winter Maintenance Plan No. : <b>M6-ROM-WM PLAN-4-001</b> | <b>August 2019</b>  |

**M6 ROM  
PLOUGHING ROUTES**

**ROUTE 8  
FROM EAGLESFIELD DEPOT**

Out of depot,

- TRAVEL** B722 to A74/M Junction 20 northbound on slip.
- PLOUGH** A74/M Junction 20 northbound on slip to end, JOIN CARRIAGEWAY
- PLOUGH** Second lane of A74/M northbound to A74/M Junction 18
- PLOUGH** A74/M Junction 18 northbound off slip to end TURN RIGHT B723
- PLOUGH** A74/M Junction 18 southbound on slip & second lane of A74/M southbound to A6071 Guardsmill over bridge, STRAIGHT
- TRAVEL** A74/M southbound at A6071 Guardsmill over bridge, BEAR LEFT using emergency gates at Guardsmill over bridge and JOIN CARRIAGEWAY A74/M northbound
- PLOUGH** Second lane of A74/M northbound to A74/M Junction 20 northbound on slip, STRAIGHT
- N.B On second pass either travel main carriageway or plough hard shoulder
- TRAVEL/PLOUGH** A74/M northbound to A74/M Junction 19 off slip, BEAR LEFT
- TRAVEL/PLOUGH** A74/M Junction 19 off slip & A74/M Junction 19 northbound on slip to end, JOIN CARRIAGEWAY
- TRAVEL/PLOUGH** A74/M northbound, A74/M Junction 18 off slip, BEAR LEFT
- TRAVEL/PLOUGH** A74/M Junction 18 northbound off slip to end, BEAR RIGHT B723, A74/M Junction 18 southbound on slip to end, JOIN CARRIAGEWAY
- TRAVEL/PLOUGH** A74/M southbound, A74/M Junction 19 off slip, BEAR LEFT
- TRAVEL/PLOUGH** A74/M Junction 19 southbound off slip to end, A74/M Junction 19 southbound on slip to end, JOIN CARRIAGEWAY
- TRAVEL/PLOUGH** A74/M southbound & A74/M Junction 20 off slip to B722, STRAIGHT

(continued.....)

|   |                     |
|---|---------------------|
| <b>WINTER MAINTENANCE PLAN</b>                            |                     |
| Contract Name : <b>M6DBFO National Border to Millbank</b> | <b>Revision : 0</b> |
| Winter Maintenance Plan No. : <b>M6-ROM-WM PLAN-4-001</b> | <b>August 2019</b>  |

**M6 ROM  
PLOUGHING ROUTES**

**ROUTE 8  
FROM EAGLESFIELD DEPOT (Continued)**

|                      |  |
|----------------------|--|
| <b>TRAVEL/PLOUGH</b> | A74/M Junction 20 southbound off slip to end, A74/M Junction 20 southbound on slip to end, JOIN CARRIAGEWAY                      |
| <b>TRAVEL/PLOUGH</b> | A74/M Junction 20 southbound on slip to end, JOIN CARRIAGEWAY  |
| <b>TRAVEL/PLOUGH</b> | A74/M southbound to A74/M Junction 21 off slip at Kirkpatrick Fleming, BEAR LEFT   |
| <b>TRAVEL/PLOUGH</b> | A74/M Junction 21 southbound off slip to end B6357, TURN RIGHT   |
| <b>TRAVEL</b>        | B6357 & B7076 to A74/M southbound Grahamshill on slip, TURN RIGHT  |
| <b>TRAVEL/PLOUGH</b> | A74/M Junction 21 southbound on slip to end, JOIN CARRIAGEWAY  |
| <b>TRAVEL/PLOUGH</b> | A74/M southbound to Gretna Green Services off slip, BEAR LEFT  |
| <b>TRAVEL/PLOUGH</b> | Gretna Green Services southbound off slip to end, A74/M Gretna Green Services southbound on slip to end, JOIN CARRIAGEWAY        |
| <b>TRAVEL/PLOUGH</b> | A74/M southbound to A74/M Junction 22 southbound off slip, BEAR LEFT   |
| <b>TRAVEL/PLOUGH</b> | A74/M Junction 22 southbound off slip roundabout, (1 <sup>st</sup> exit)   |
| <b>TRAVEL</b>        | Class III road & B7076 to A75(T) westbound on slip, BEAR RIGHT   |
| <b>TRAVEL/PLOUGH</b> | A75(T) westbound on slip to end, JOIN CARRIAGEWAY  |
| <b>TRAVEL/PLOUGH</b> | A75(T) westbound to first gap in carriageway, U-TURN, then A75(T) eastbound to A74/M southbound on slip to end, JOIN CARRIAGEWAY |
| <b>TRAVEL/PLOUGH</b> | A74/M southbound to A6071 Guardsmill over bridge, BEAR LEFT  |

**(continued.....)**

|   |                     |
|---|---------------------|
| <b>WINTER MAINTENANCE PLAN</b>                            |                     |
| Contract Name : <b>M6DBFO National Border to Millbank</b> | <b>Revision : 0</b> |
| Winter Maintenance Plan No. : <b>M6-ROM-WM PLAN-4-001</b> | <b>August 2019</b>  |

**M6 ROM  
PLOUGHING ROUTES**

**ROUTE 8  
FROM EAGLESFIELD DEPOT (Continued)**

|                      |   |
|----------------------|---|
| <b>TRAVEL</b>        | A74/M southbound at A6071 Guardsmill over bridge, BEAR LEFT using emergency gates at Guardsmill over bridge and JOIN CARRIAGEWAY A74/M northbound |
| <b>TRAVEL/PLOUGH</b> | A74/M northbound to A75(T) off slip towards Gretna, BEAR LEFT   |
| <b>TRAVEL/PLOUGH</b> | A75(T) westbound to first gap in carriageway, U-TURN, then A75(T) eastbound to A74/M southbound on slip to end, JOIN CARRIAGEWAY                  |
| <b>TRAVEL/PLOUGH</b> | A74/M southbound to A6071 Guardsmill over bridge, BEAR LEFT   |
| <b>TRAVEL</b>        | A74/M southbound at A6071 Guardsmill over bridge, BEAR LEFT using emergency gates at Guardsmill over bridge and JOIN CARRIAGEWAY A74/M northbound |
| <b>TRAVEL/PLOUGH</b> | A74/M northbound to A75(T) off slip towards Gretna, BEAR LEFT   |
| <b>TRAVEL/PLOUGH</b> | A75(T) eastbound to off slip for first spur off to B7076, BEAR LEFT<br><br>Gretna off slip to first spur off to B7076 to end, TURN LEFT           |
| <b>TRAVEL</b>        | B7076 & Class III road to A74/M northbound on slip, STRIAIGHT   |
| <b>TRAVEL/PLOUGH</b> | A74/M Junction 22 northbound on slip to end, REJOIN CARRIAGEWAY   |
| <b>TRAVEL/PLOUGH</b> | A74/M northbound to Gretna Green Services off slip, BEAR LEFT   |
| <b>TRAVEL/PLOUGH</b> | Gretna Green Services northbound off slip to end, A74/M<br>Gretna Green Services northbound on slip to end, JOIN CARRIAGEWAY                      |

(continued.....)

|   |                     |
|---|---------------------|
| <b>WINTER MAINTENANCE PLAN</b>                            |                     |
| Contract Name : <b>M6DBFO National Border to Millbank</b> | <b>Revision : 0</b> |
| Winter Maintenance Plan No. : <b>M6-ROM-WM PLAN-4-001</b> | <b>August 2019</b>  |

**M6 ROM  
PLOUGHING ROUTES**

**ROUTE 8  
FROM EAGLESFIELD DEPOT (Continued)**

**TRAVEL/PLOUGH** A74/M northbound to A74/M Junction 21 northbound off slip, BEAR LEFT

**TRAVEL/PLOUGH** A74/M Junction 21 northbound off slip to end B7076, TURN LEFT

**TRAVEL** B7076 & B6357 to A74/M Junction 21 northbound on slip at Kirkpatrick Fleming, TURN LEFT

**TRAVEL/PLOUGH** A74/M Junction 21 northbound on slip to end, JOIN CARRIAGEWAY

**TRAVEL/PLOUGH** A74/M northbound to A74/M Junction 20 off slip, BEAR LEFT

**PLOUGH** A74/M Junction 20 northbound off slip to end.


Return to depot or Repeat ploughing routes if required

|   |                     |
|---|---------------------|
| <b>WINTER MAINTENANCE PLAN</b>                            |                     |
| Contract Name : <b>M6DBFO National Border to Millbank</b> | <b>Revision : 0</b> |
| Winter Maintenance Plan No. : <b>M6-ROM-WM PLAN-4-001</b> | <b>August 2019</b>  |

## Appendix D

### Project Road

|   |                     |
|---|---------------------|
| <b>WINTER MAINTENANCE PLAN</b>                            |                     |
| Contract Name : <b>M6DBFO National Border to Millbank</b> | <b>Revision : 0</b> |
| Winter Maintenance Plan No. : <b>M6-ROM-WM PLAN-4-001</b> | <b>August 2019</b>  |



**Operation and Maintenance Contract 91.3 kilometres**

|                  |      |
|------------------|------|
| 20 grm routes    | 6no. |
| 40 grm routes    | 8no. |
| Ploughing routes | 8no. |

|   |                     |
|---|---------------------|
| <b>WINTER MAINTENANCE PLAN</b>                            |                     |
| Contract Name : <b>M6DBFO National Border to Millbank</b> | <b>Revision : 0</b> |
| Winter Maintenance Plan No. : <b>M6-ROM-WM PLAN-4-001</b> | <b>August 2019</b>  |

## **Appendix E**

### **Schedule of Winter Maintenance Contacts**

|   |                     |
|---|---------------------|
| <b>WINTER MAINTENANCE PLAN</b>                            |                     |
| Contract Name : <b>M6DBFO National Border to Millbank</b> | <b>Revision : 0</b> |
| Winter Maintenance Plan No. : <b>M6-ROM-WM PLAN-4-001</b> | <b>August 2019</b>  |

## Appendix E

### M6 ROM

#### SCHEDULE OF WINTER MAINTENANCE CONTACTS

| DESIGNATION                                   | NAME  | TELE. NO.<br>OFFICE  | TELE. NO.<br>MOBILE | FAX NO.              |
|---|---|----------------------|---------------------|----------------------|
| <b>24 Hour No.</b>                            | <b>Duty Officer</b><br>(Office Hours- Secretary<br>other – Security Officer ) | <b>01576 205 200</b> | <b>N/A</b>          | <b>01576 204 666</b> |
| <b>AUTOLINK<br/>HELPLINE<br/>(24 hour)</b>    |   | <b>0845 796 6666</b> |                     |                      |
| <b>Project Manager</b>                        |   | <b>01576 205 200</b> |                     | <b>01576 204 666</b> |
| <b>Works Manager</b>                          |   | <b>01576 205 200</b> |                     | <b>01576 204 666</b> |
| <b>Duty Engineer</b>                          |   | <b>01576 205 200</b> |                     | <b>01576 204 666</b> |
| <b>Duty Engineer</b>                          |   | <b>01576 205 200</b> |                     | <b>01576 204 666</b> |
| <b>Duty Engineer</b>                          |   | <b>01576 205 200</b> |                     | <b>01576 204 666</b> |
| <b>Duty Engineer</b>                          |   | <b>01576 205 200</b> |                     | <b>01576 204 666</b> |
| <b>Network<br/>Abnormal Loads<br/>Officer</b> |   | <b>01576 205 200</b> |                     | <b>01576 204 554</b> |

|   |                     |
|---|---------------------|
| <b>WINTER MAINTENANCE PLAN</b>                            |                     |
| Contract Name : <b>M6DBFO National Border to Millbank</b> | <b>Revision : 0</b> |
| Winter Maintenance Plan No. : <b>M6-ROM-WM PLAN-4-001</b> | <b>August 2019</b>  |

# Appendix F

## Duty Engineer Rota

|   |                     |
|---|---------------------|
| <b>WINTER MAINTENANCE PLAN</b>                            |                     |
| Contract Name : <b>M6DBFO National Border to Millbank</b> | <b>Revision : 0</b> |
| Winter Maintenance Plan No. : <b>M6-ROM-WM PLAN-4-001</b> | <b>August 2019</b>  |

## Appendix F

### DUTY ENGINEER ROTA **2019/2020**

The Duty Engineer is responsible for Emergency Response all year and Winter Maintenance between the 1st October and the 15th May.

The Duty changes at 08.00 hours on Tuesdays.

If the Duty Engineer wishes to change the allocated weeks it is his responsibility to organise.

If any changes other than a full week are made, then they should be on a 24 hour basis i.e. 08:00 hours to 08:00 hours for the required number of days.

The ROM Manager, Secretary & Duty Officer must be informed of any agreed changes to this rota.

|                 |                                      |  |
|-----------------|--------------------------------------|--|
| Week commencing | 01 October 2019 to 08 October 2019   |  |
| Week commencing | 08 October 2019 to 15 October 2019   |  |
| Week commencing | 15 October 2019 to 22 October 2019   |  |
| Week commencing | 22 October 2019 to 29 October 2019   |  |
| Week commencing | 29 October 2019 to 05 November 2019  |  |
| Week commencing | 05 November 2019 to 12 November 2019 |  |
| Week commencing | 12 November 2019 to 19 November 2019 |  |
| Week commencing | 19 November 2019 to 26 November 2019 |  |
| Week commencing | 26 November 2019 to 03 December 2019 |  |
| Week commencing | 03 December 2019 to 10 December 2019 |  |
| Week commencing | 10 December 2019 to 17 December 2019 |  |
| Week commencing | 17 December 2019 to 24 December 2019 |  |
| Week commencing | 24 December 2019 to 31 December 2019 |  |
| Week commencing | 31 December 2019 to 07 January 2020  |  |
| Week commencing | 07 January 2020 to 14 January 2020   |  |
| Week commencing | 14 January 2020 to 21 January 2020   |  |
| Week commencing | 21 January 2020 to 28 January 2020   |  |
| Week commencing | 28 January 2020 to 04 February 2020  |  |
| Week commencing | 04 February 2020 to 11 February 2020 |  |
| Week commencing | 11 February 2020 to 18 February 2020 |  |
| Week commencing | 18 February 2020 to 25 February 2020 |  |
| Week commencing | 25 February 2020 to 03 March 2020    |  |
| Week commencing | 03 March 2020 to 10 March 2020       |  |
| Week commencing | 10 March 2020 to 17 March 2020       |  |
| Week commencing | 17 March 2020 to 24 March 2020       |  |
| Week commencing | 24 March 2020 to 31 March 2020       |  |

|   |                     |
|---|---------------------|
| <b>WINTER MAINTENANCE PLAN</b>                            |                     |
| Contract Name : <b>M6DBFO National Border to Millbank</b> | <b>Revision : 0</b> |
| Winter Maintenance Plan No. : <b>M6-ROM-WM PLAN-4-001</b> | <b>August 2019</b>  |

|                 |  |  |
|-----------------|--|--|
| Week commencing | 31 March 2020 to 07 April 2020                 |  |
| Week commencing | 07 April 2020 to 14 April 2020 (Easter Sun 13) |  |
| Week commencing | 14 April 2020 to 21 April 2020                 |  |
| Week commencing | 21 April 2020 to 28 April 2020                 |  |
| Week commencing | 28 April 2020 to 05 May 2020                   |  |
| Week commencing | 05 May 2020 to 12 May 2020                     |  |
| Week commencing | 12 May 2020 to 19 May 2020                     |  |

|   |                     |
|---|---------------------|
| <b>WINTER MAINTENANCE PLAN</b>                            |                     |
| Contract Name : <b>M6DBFO National Border to Millbank</b> | <b>Revision : 0</b> |
| Winter Maintenance Plan No. : <b>M6-ROM-WM PLAN-4-001</b> | <b>August 2019</b>  |

# Appendix G

## Decision Making / Forecasts

|   |                     |
|---|---------------------|
| <b>WINTER MAINTENANCE PLAN</b>                            |                     |
| Contract Name : <b>M6DBFO National Border to Millbank</b> | <b>Revision : 0</b> |
| Winter Maintenance Plan No. : <b>M6-ROM-WM PLAN-4-001</b> | <b>August 2019</b>  |

## Appendix G

### M6 ROM

#### ACTION ON RECEIPT OF A FORECAST PREDICTING FREEZING TEMPERATURES

| ROAD SURFACE TEMPERATURE | May fall below freezing | Expected to fall below freezing – See Note (v) |                                    |  |                                  |                                  |  |
|--------------------------|-------------------------|--|------------------------------------|--|----------------------------------|----------------------------------|--|
|                          |                         | No rain<br>No hoar frost<br>No fog             | No rain<br>No hoar frost<br>No fog | Expected hoar<br>Frost<br>Expected fog | Expected rain<br>before freezing | Expected rain<br>during freezing | Possible rain<br>Possible hoar frost<br>Possible fog |
| Precipitation etc.       |                         |  |                                    |  |                                  |                                  | <b>Freezing Rain</b>                                 |

|                 |  |                   |                   |                        |                     |                        |   |   |
|-----------------|--|-------------------|-------------------|------------------------|---------------------|------------------------|---|---|
| Road Conditions | Wet  | 1                 | 1                 | 1                      | 3<br>See Note (iii) | 1 & 4<br>See Note (iv) | 4 | 7 |
|                 | Wet Patches  | 2<br>See Note (i) | 2<br>See Note (i) | 2 & 4<br>See Note (ii) | 3<br>See Note (iii) | 1 & 4<br>See Note (iv) | 5 | 7 |
|                 | Dry  | 6<br>See Note (i) | 6<br>See Note (i) | 4<br>See Note (iii)    | 3<br>See Note (iii) | 1 & 4<br>See Note (iv) | 5 | 7 |
|                 | Pre-salted within last 24 hours with no rain since | 6<br>See Note (i) | 6<br>See Note (i) | 6<br>See Note (i)      | 3<br>See Note (iii) | 1 & 4<br>See Note (iv) | 5 | 7 |

#### Action :

1. Salt early evening
2. Salt wet patches early evening
3. Salt after rain stops
4. Salt early morning
5. Supervisor inspect early morning with crews standing by in depot for instructions
6. No action
7. Salt before event and continue throughout event

#### Notes :

See following page.

|   |                     |
|---|---------------------|
| <b>WINTER MAINTENANCE PLAN</b>                            |                     |
| Contract Name : <b>M6DBFO National Border to Millbank</b> | <b>Revision : 0</b> |
| Winter Maintenance Plan No. : <b>M6-ROM-WM PLAN-4-001</b> | <b>August 2019</b>  |

## Appendix G

### 2.0 Notes to Accompany Action Table

- i) Particular attention will be given to the possibility of water running across carriageways, eg. off adjacent grassed areas after heavy rain washing away salt previously deposited. Such locations will be kept under close scrutiny and may require treating in the evening and morning, and possibly on other occasions.
- ii) When a forecast contains reference to expected hoar frost considerable deposits may occur. Hoar frost usually occurs in the early morning and is difficult to cater for because of the probability that any salt deposited on a dry road too soon before its onset may be dispersed before it can become effective. Particular vigilance is required under this forecasted condition which is ideally treated just as the hoar frost is forming. Such action is usually not practicable and salt may have to be deposited on a dry road before the condition forms. Hoar frost may be forecast to occur at other times in which case the timing of salting operations should be adjusted accordingly.
- iii) If under those conditions, rain has not ceased by early morning, crews must be called out and action should be initiated as rain ceases (Action 5).
- iv) Under these circumstances rain will freeze on contact with the road surface and full pre-salting must take place even on dry roads. Constant vigilance must be maintained throughout the danger period.
- v) Forecasts are often qualified by altitudes in which case differing action may be required from each depot.

### 3.0 Procedure For General Weekday Decision Making

- 3.1 A 24 hour forecast with an extended outlook for 5 days and 4 nights will be issued each day between 12.00 hours and 17.00 hours. Updates will be obtained after 17.00 hours.
- 3.2 A hard copy of the weekday and weekend forecast will be kept on file in the Reporting centre.
- 3.3 The Duty Engineer will make a decision at 14.00 hours each day as to what action if any is to be taken. This decision will be revised if necessary following receipt of the forecast updates after 17.00 hours.
- 3.4 Notification of any action will be carried out using the Daily Action form and the 'Ice-Man' record sheet in Appendix H.
- 3.5 Notification of the proposed initial action will be faxed to the Police departments and neighbouring Local Authorities listed in Appendix J by no later than 16.00 hours.

|   |                     |
|---|---------------------|
| <b>WINTER MAINTENANCE PLAN</b>                            |                     |
| Contract Name : <b>M6DBFO National Border to Millbank</b> | <b>Revision : 0</b> |
| Winter Maintenance Plan No. : <b>M6-ROM-WM PLAN-4-001</b> | <b>August 2019</b>  |

3.6 Full use of the Ice Prediction System will be made by the Duty Engineer over the 24 hour period.

3.7 If the Duty Engineer is unable to make a decision he/she will report to his/her line manager.

#### 4.0 Procedure For General Weekend Decision Making

4.1 A 24 hour forecast with an extended outlook for 5 days and 4 nights will be obtained by the Duty Engineer via the portable computer and modem between 12.00 hours and 17.00 hours each day. Updates will be obtained after 17.00 hours.

4.2 A hard copy of the forecasts will be kept on file in the Reporting Centre.

4.3 The Duty Engineer will make a decision at 14.00 hours each day as to what action if any is to be taken. This decision will be revised following receipt of the forecast updates after 17.00 hours.

4.4 Notification of any action will be carried out as detailed in Section 4.

4.5 Full use of the Ice Prediction System will be made by the Duty Engineer over the weekend period.

4.6 If the Duty Engineer is unable to make a decision he/she will report to his/her line manager.

#### 5.0 Guidance for Dealing with 'Freezing Rain'

5.1 Freezing rain in this country is a rare but an exceptionally dangerous condition. It occurs when rain falls through a layer of cold air near to the surface. The precipitation can begin as either rain and/or snow but becomes rain when it passes through a warm layer. The rain enters a very cold layer of air close to the surface. It does not freeze immediately but forms 'black ice' on contact with any road surfaces that are below freezing temperature.

5.2 The guidance document has been prepared to assist in ensuring that necessary actions and procedures are put into place to deal with the occurrence of freezing rain.

5.3 Specific measures that should be considered include:

Prior to arrival of the freezing rain a pre-treatment is to be made in the same manner as would be made prior to snow falling.

Constant monitoring of the situation is to be made and an additional treatment is to be carried out immediately the rain commences and continued until such time that the rain has ceased or the temperatures of the road has risen above freezing.

|   |                     |
|---|---------------------|
| <b>WINTER MAINTENANCE PLAN</b>                            |                     |
| Contract Name : <b>M6DBFO National Border to Millbank</b> | <b>Revision : 0</b> |
| Winter Maintenance Plan No. : <b>M6-ROM-WM PLAN-4-001</b> | <b>August 2019</b>  |

Freezing rain usually occurs along the line of an oncoming warm front. If possible, to ensure maximum effectiveness of the salt, the advance treatment should be made in the same direction and immediately in advance of the weather front. Use should be made of weather radar where available, to help determine the timing of treatment. Consideration should be given to stationing vehicles at the point on the route where the weather front will first hit in order that timely treatments can be undertaken.

Some salt will inevitably be lost during and following treatment and therefore careful consideration needs to be given to the requirement for continued successive treatments.

- 5.4 The very nature of freezing rain means that treatments will have virtually no effect initially and ice will form on the carriageway. Mitigation of the hazard is therefore a significant aspect of the actions taken in response to freezing rain. The main action is to inform road users of the hazard but more proactive measures might be required. For example, consideration should be given to closing the road as the rain arrives and holding traffic (rather than diverting) until such times as it is deemed safe to proceed. Such considerations will need prior discussions with the Police and Autolink..

- 5.5 Specific Measures to be Considered for Hazard Mitigation include:

Where available fixed or mobile Variable Message Signs should be used to warn road users of the hazard. The existing established procedures for requesting VMS settings should be followed. The following legend is currently the most appropriate for use in these circumstances;

SKID RISK  
SLOW DOWN

Autolink are to contact the Agency Press Officer in order that local media can be advised as necessary.

Consideration should be given to the use of rolling blocks to slow down traffic just prior to and during the event. This will need discussing with the Police.



|   |                     |
|---|---------------------|
| <b>WINTER MAINTENANCE PLAN</b>                            |                     |
| Contract Name : <b>M6DBFO National Border to Millbank</b> | <b>Revision : 0</b> |
| Winter Maintenance Plan No. : <b>M6-ROM-WM PLAN-4-001</b> | <b>August 2019</b>  |

# Appendix H

## Records / Salt Returns



|   |                     |
|---|---------------------|
| <b>WINTER MAINTENANCE PLAN</b>                            |                     |
| Contract Name : <b>M6DBFO National Border to Millbank</b> | <b>Revision : 0</b> |
| Winter Maintenance Plan No. : <b>M6-ROM-WM PLAN-4-001</b> | <b>August 2019</b>  |

## Appendix H

### M6 ROM WINTER MAINTENANCE Weekly Report ( 10 – 20 g Routes )

Week Ending.....

| ROUTE NO. | PATROL VAN | PATROL GRITTER | NO. TIMES TREATED ( 10 – 20 gm ) | SALT USED (TONNES) | NO. OF ACCIDENTS | RESPONSE TIME (AVERAGE) | COMMENTS |
|-----------|------------|----------------|----------------------------------|--------------------|------------------|-------------------------|----------|
| 1         | N/A        | N/A            |                                  |                    |                  |                         |          |
| 2         | N/A        | N/A            |                                  |                    |                  |                         |          |
| 3         | N/A        | N/A            |                                  |                    |                  |                         |          |
| 4         | N/A        | N/A            |                                  |                    |                  |                         |          |
| 5         | N/A        | N/A            |                                  |                    |                  |                         |          |
| 6         | N/A        | N/A            |                                  |                    |                  |                         |          |
| P10       |            |                |                                  |                    |                  | N/A                     |          |
| P11       |            |                |                                  |                    |                  | N/A                     |          |
| TOTAL     |            |                |                                  |                    |                  |                         |          |

---

SIR ROBERT MCALPINE

|   |                     |
|---|---------------------|
| <b>WINTER MAINTENANCE PLAN</b>                            |                     |
| Contract Name : <b>M6DBFO National Border to Millbank</b> | <b>Revision : 0</b> |
| Winter Maintenance Plan No. : <b>M6-ROM-WM PLAN-4-001</b> | <b>August 2019</b>  |

## Appendix H

### M6 ROM WINTER MAINTENANCE Weekly Report ( 40 g AND Snow Ploughing Routes )

Week Ending.....

| ROUTE NO.    | PATROL VAN | PATROL GRITTER | NO. TIMES TREATED ( 10 – 20 gm ) | SALT USED (TONNES) | NO. OF ACCIDENTS | RESPONSE TIME (AVERAGE) | COMMENTS |
|--------------|------------|----------------|----------------------------------|--------------------|------------------|-------------------------|----------|
| 1            | N/A        | N/A            |                                  |                    |                  |                         |          |
| 2            | N/A        | N/A            |                                  |                    |                  |                         |          |
| 3            | N/A        | N/A            |                                  |                    |                  |                         |          |
| 4            | N/A        | N/A            |                                  |                    |                  |                         |          |
| 5            | N/A        | N/A            |                                  |                    |                  |                         |          |
| 6            | N/A        | N/A            |                                  |                    |                  |                         |          |
| 7            | N/A        | N/A            |                                  |                    |                  |                         |          |
| 8            | N/A        | N/A            |                                  |                    |                  |                         |          |
| <b>TOTAL</b> |            |                |                                  |                    |                  |                         |          |

---

SIR ROBERT MCALPINE

|   |                     |
|---|---------------------|
| <b>WINTER MAINTENANCE PLAN</b>                            |                     |
| Contract Name : <b>M6DBFO National Border to Millbank</b> | <b>Revision : 0</b> |
| Winter Maintenance Plan No. : <b>M6-ROM-WM PLAN-4-001</b> | <b>August 2019</b>  |

**Appendix H**

**AUTOLINK / M6 ROM WINTER MAINTENANCE  
PROPOSED ACTION NOTIFICATION**

**DATE : .....**

**DUTY ENGINEER.....**

| ROUTE<br>NUMBER | DEPOT    | FORECAST<br>TEMP (R) | SNOW | ROAD CONDITION |     | RESIDUAL SALT |     |     | PATROL | PROPOSED TREATMENT | TIME<br>START<br>TREAT |
|-----------------|----------|----------------------|------|----------------|-----|---------------|-----|-----|--------|--------------------|------------------------|
|                 |          |                      |      | WET            | DRY | HIGH          | MED | LOW |        |                    |                        |
|                 | CRAWFORD |                      |      |                |     |               |     |     |        |                    |                        |
|                 | CRAWFORD |                      |      |                |     |               |     |     |        |                    |                        |
|                 | CRAWFORD |                      |      |                |     |               |     |     |        |                    |                        |
|                 | CRAWFORD |                      |      |                |     |               |     |     |        |                    |                        |
|                 | E'FIELD  |                      |      |                |     |               |     |     |        |                    |                        |
|                 | E'FIELD  |                      |      |                |     |               |     |     |        |                    |                        |
|                 | E'FIELD  |                      |      |                |     |               |     |     |        |                    |                        |
|                 | E'FIELD  |                      |      |                |     |               |     |     |        |                    |                        |

**EMAIL TO NEIGHBOURING AUTHORITIES AND RELEVANT POLICE DEPARTMENTS NO LATER THAN 16:00 HOURS EACH DAY**

---

**SIR ROBERT MCALPINE**

|   |                     |
|---|---------------------|
| <b>WINTER MAINTENANCE PLAN</b>                            |                     |
| Contract Name : <b>M6DBFO National Border to Millbank</b> | <b>Revision : 0</b> |
| Winter Maintenance Plan No. : <b>M6-ROM-WM PLAN-4-001</b> | <b>August 2019</b>  |

## Appendix H

### M6 ROM WINTER MAINTENANCE PLAN HARDWARE / SOFTWARE FAULTS

| FACILITY                     | HARDWARE | SOFTWARE | FAULT | DURATION OF<br>FAULT | COMMENTS |
|------------------------------|----------|----------|-------|----------------------|----------|
| Beattock Ice Station         |          |          |       |                      |          |
| Norwood Ice Station          |          |          |       |                      |          |
| Icecast Control / Vaisala    |          |          |       |                      |          |
| Weather Radar                |          |          |       |                      |          |
| Gritter Computer / SCAM      |          |          |       |                      |          |
| MeteoGroup Forecast          |          |          |       |                      |          |
| Winter Maintenance<br>Laptop |          |          |       |                      |          |
| Other                        |          |          |       |                      |          |

|   |                     |
|---|---------------------|
| <b>WINTER MAINTENANCE PLAN</b>                            |                     |
| Contract Name : <b>M6DBFO National Border to Millbank</b> | <b>Revision : 0</b> |
| Winter Maintenance Plan No. : <b>M6-ROM-WM PLAN-4-001</b> | <b>August 2019</b>  |

## Appendix H

### M6 ROM

#### HIRED PLANT – WEEKLY RETURNS

Depot.....

Week Ending.....

| Serial | Type of Equipment | Source of Hire | Operator | Duration |
|--------|-------------------|----------------|----------|----------|
|        |                   |                |          |          |
|        |                   |                |          |          |
|        |                   |                |          |          |
|        |                   |                |          |          |
|        |                   |                |          |          |
|        |                   |                |          |          |
|        |                   |                |          |          |
|        |                   |                |          |          |
|        |                   |                |          |          |

|   |  |  |  |                     |
|---|--|--|--|---------------------|
| <b>WINTER MAINTENANCE PLAN</b>                            |  |  |  |                     |
| Contract Name : <b>M6DBFO National Border to Millbank</b> |  |  |  | <b>Revision : 0</b> |
| Winter Maintenance Plan No. : <b>M6-ROM-WM PLAN-4-001</b> |  |  |  | <b>August 2019</b>  |

## Appendix H - WINTER MAINTENANCE DAILY SPREADER LOG

|   |   |                                    |    |                 |   |    |    |   |   |    |    |                                |    |                  |    |                        |    |    |    |    |    |         |   |    |   |  |  |
|---|---|------------------------------------|----|-----------------|---|----|----|---|---|----|----|--------------------------------|----|------------------|----|------------------------|----|----|----|----|----|---------|---|----|---|--|--|
| VEHICLE REG No. ....  |   |                                    |    |                 |   |    |    |   |   |    |    |                                |    | DATE. ....       |    |                        |    |    |    |    |    |         |   |    |   |  |  |
| PRE WET FILTER CHECKED AND CLEANED  |   |                                    |    |                 |   |    |    |   |   |    |    |                                |    | Sign Name: ..... |    |                        |    |    |    |    |    |         |   |    |   |  |  |
| Drivers Log : Please enter relevant information, circling boxes as appropriate  |   |                                    |    |                 |   |    |    |   |   |    |    |                                |    |                  |    |                        |    |    |    |    |    |         |   |    |   |  |  |
| G   | G | M                                  | I  | M               | A | R  | R  | C   | T | D  | A  | R                              | J  | D                | A  | I                      | G  | C  | S  | R  | A  | G       | S | J  | J |  |  |
| H   | V | C                                  | M  | W               | R | J  | A  | L   | J | B  | M  | D                              | G  | P                | N  | A                      | B  | C  | R  | P  | H  | P       | N | C  | M |  |  |
| Depot   |   | Route number ( 10 - 20 gm Routes ) |    |                 |   |    |    | Ploughing Routes Numbers and 40 gm Routes |   |    |    |                                |    |                  |    | Rate of Spread         |    |    |    |    |    |         |   |    |   |  |  |
| E   | C | 1                                  | 2  | 3               | 4 | 5  | 6  | Patrol                                    |   | 1P | 2P | 3P                             | 4P | 5P               | 6P | 7P                     | 8P | 10 | 15 | 20 | 40 | Pre-Wet |   |    |   |  |  |
|   |   |                                    |    |                 |   |    |    |   |   | 1  | 2  | 3                              | 4  | 5                | 6  | 7                      | 8  |    |    |    |    | Yes     |   | No |   |  |  |
| End of Route  |   |                                    |    |                 |   |    |    | Time out of Depot                         |   |    |    | (A) Start Weight (Brine)       |    |                  |    |                        |    |    |    |    |    |         |   |    |   |  |  |
| Mileage   |   |                                    |    |                 |   |    |    | am pm                                     |   |    |    | (B) Brine / Salt leaving Depot |    |                  |    |                        |    |    |    |    |    |         |   |    |   |  |  |
| Start Milage  |   |                                    |    |                 |   |    |    | Time Route Completed                      |   |    |    | (C) Salt / Brine in Depot      |    |                  |    |                        |    |    |    |    |    |         |   |    |   |  |  |
|   |   |                                    |    |                 |   |    |    | am pm                                     |   |    |    | (D) Off Load Salt / Brine Left |    |                  |    |                        |    |    |    |    |    |         |   |    |   |  |  |
| Total   |   |                                    |    |                 |   |    |    | Time in Depot                             |   |    |    | NA                             |    |                  |    | N/A                    |    |    |    |    |    |         |   |    |   |  |  |
|   |   |                                    |    |                 |   |    |    | am pm                                     |   |    |    |                                |    |                  |    |                        |    |    |    |    |    |         |   |    |   |  |  |
| Winter Maintenance Patrols: Not exceeding 3 hour intervals at each location.  |   |                                    |    |                 |   |    |    |   |   |    |    |                                |    |                  |    |                        |    |    |    |    |    |         |   |    |   |  |  |
| Evening / Night Patrol North Section: J14 South to J15 = Patrol Contingency J15 Border to J12   |   |                                    |    |                 |   |    |    |   |   |    |    |                                |    |                  |    |                        |    |    |    |    |    |         |   |    |   |  |  |
| Evening / Night Patrol South Section: J20 North to J15 = Patrol Contingency J15 to J22  |   |                                    |    |                 |   |    |    |   |   |    |    |                                |    |                  |    |                        |    |    |    |    |    |         |   |    |   |  |  |
| Evening / Night Patrols to regular check depots every 3 hours:- ( Eaglesfield Depot leave at J20 N/Bound or S/Bound )<br>( Crawford Depot leave at J14 N/Bound and rejoin at J14 N/Bound )                        |   |                                    |    |                 |   |    |    |   |   |    |    |                                |    |                  |    |                        |    |    |    |    |    |         |   |    |   |  |  |
| Motorway Parking Points:- North Patrol (J12 S/Bound Entry - Beattock VOSA Entry Slip - Wide Load Layby N/Bound)<br>South Patrol (J22 Works Access N/Bound - Cowdens Gate Access N/Bound - J15 S/Bound Entry Slip) |   |                                    |    |                 |   |    |    |   |   |    |    |                                |    |                  |    |                        |    |    |    |    |    |         |   |    |   |  |  |
| Evening / Night Patrols to telephone Duty Officer (Security) every 2 hours  |   |                                    |    |                 |   |    |    |   |   |    |    |                                |    |                  |    |                        |    |    |    |    |    |         |   |    |   |  |  |
| Junction 12   |   |                                    |    | Beattock Summit |   |    |    | Wide Load Layby N/B                       |   |    |    | Cowdens Gate Access            |    |                  |    | Junction 22 Works Unit |    |    |    |    |    |         |   |    |   |  |  |
| 1   | : | am                                 | pm | 1               | : | am | pm | 1   | : | am | pm | 1                              | :  | am               | pm | 1                      | :  | am | pm |    |    |         |   |    |   |  |  |
| 2   | : | am                                 | pm | 2               | : | am | pm | 2   | : | am | pm | 2                              | :  | am               | pm | 2                      | :  | am | pm |    |    |         |   |    |   |  |  |
| 3   | : | am                                 | pm | 3               | : | am | pm | 3   | : | am | pm | 3                              | :  | am               | pm | 3                      | :  | am | pm |    |    |         |   |    |   |  |  |
| 4   | : | am                                 | pm | 4               | : | am | pm | 4   | : | am | pm | 4                              | :  | am               | pm | 4                      | :  | am | pm |    |    |         |   |    |   |  |  |
| 5   | : | am                                 | pm | 5               | : | am | pm | 5   | : | am | pm | 5                              | :  | am               | pm | 5                      | :  | am | pm |    |    |         |   |    |   |  |  |
| 6   | : | am                                 | pm | 6               | : | am | pm | 6   | : | am | pm | 6                              | :  | am               | pm | 6                      | :  | am | pm |    |    |         |   |    |   |  |  |
| 7   | : | am                                 | pm | 7               | : | am | pm | 7   | : | am | pm | 7                              | :  | am               | pm | 7                      | :  | am | pm |    |    |         |   |    |   |  |  |
| 8   | : | am                                 | pm | 8               | : | am | pm | 8   | : | am | pm | 8                              | :  | am               | pm | 8                      | :  | am | pm |    |    |         |   |    |   |  |  |
| 9   | : | am                                 | pm | 9               | : | am | pm | 9   | : | am | pm | 9                              | :  | am               | pm | 9                      | :  | am | pm |    |    |         |   |    |   |  |  |
| 10  | : | am                                 | pm | 10              | : | am | pm | 10  | : | am | pm | 10                             | :  | am               | pm | 10                     | :  | am | pm |    |    |         |   |    |   |  |  |
| ROUTE COMMENTS : ( i.e.. Wet, icy, ploughing area, blocked drains, spreader downtime etc. )   |   |                                    |    |                 |   |    |    |   |   |    |    |                                |    |                  |    |                        |    |    |    |    |    |         |   |    |   |  |  |

SIR ROBERT MCALPINE

|   |                     |
|---|---------------------|
| <b>WINTER MAINTENANCE PLAN</b>                            |                     |
| Contract Name : <b>M6DBFO National Border to Millbank</b> | <b>Revision : 0</b> |
| Winter Maintenance Plan No. : <b>M6-ROM-WM PLAN-4-001</b> | <b>August 2019</b>  |

## Appendix H

### WEEKLY SALT USAGE

| Eaglesfield Rock Salt |      |           |         |       | COMMENTS | CRAWFORD Rock Salt |           |         |       | COMMENTS |
|-----------------------|------|-----------|---------|-------|----------|--------------------|-----------|---------|-------|----------|
| W/E                   | Used | Delivered | Ordered | Stock |          | Used               | Delivered | Ordered | Stock |          |
| Pre Start             | 0    | 0         | 0       | 0     |          | 0                  | 0         | 0       | 0     |          |
| 04-Oct                | 0    | 0         | 0       | 0     |          | 0                  | 0         | 0       | 0     |          |
| 11-Oct                | 0    | 0         | 0       | 0     |          | 0                  | 0         | 0       | 0     |          |
| 18-Oct                | 0    | 0         | 0       | 0     |          | 0                  | 0         | 0       | 0     |          |
| 25-Oct                | 0    | 0         | 0       | 0     |          | 0                  | 0         | 0       | 0     |          |
| 01-Nov                | 0    | 0         | 0       | 0     |          | 0                  | 0         | 0       | 0     |          |
| 08-Nov                | 0    | 0         | 0       | 0     |          | 0                  | 0         | 0       | 0     |          |
| etc.                  | 0    | 0         | 0       | 0     |          | 0                  | 0         | 0       | 0     |          |
| Totals                | 0    | 0         | 0       |       |          | 0                  | 0         | 0       |       | 0        |
|                       |      |           |         |       |          |                    |           |         |       | 0        |

| EAGLESFIELD SaturatorSalt |      |           |         |       | COMMENTS | CRAWFORD Saturator Salt |           |         |       | COMMENTS |
|---------------------------|------|-----------|---------|-------|----------|-------------------------|-----------|---------|-------|----------|
| W/E                       | Used | Delivered | Ordered | Stock |          | Used                    | Delivered | Ordered | Stock |          |
| Pre Start                 | 0    | 0         | 0       | 0     |          | 0                       | 0         | 0       | 0     |          |
| 04-Oct                    | 0    | 0         | 0       | 0     |          | 0                       | 0         | 0       | 0     |          |
| 11-Oct                    | 0    | 0         | 0       | 0     |          | 0                       | 0         | 0       | 0     |          |
| 18-Oct                    | 0    | 0         | 0       | 0     |          | 0                       | 0         | 0       | 0     |          |
| 25-Oct                    | 0    | 0         | 0       | 0     |          | 0                       | 0         | 0       | 0     |          |
| etc                       | 0    | 0         | 0       | 0     |          | 0                       | 0         | 0       | 0     |          |
| Totals                    | 0    | 0         | 0       |       |          | 0                       | 0         | 0       |       | 0        |
|                           |      |           |         |       |          |                         |           |         |       | 0        |

|   |                     |
|---|---------------------|
| <b>WINTER MAINTENANCE PLAN</b>                            |                     |
| Contract Name : <b>M6DBFO National Border to Millbank</b> | <b>Revision : 0</b> |
| Winter Maintenance Plan No. : <b>M6-ROM-WM PLAN-4-001</b> | <b>August 2019</b>  |

**M6-ROM-4-022: Public Relations & Complaint Response**

**APPENDIX H**

**COMPLAINTS/ENQUIRY FORM**

**DATE TO BE RETURNED TO RECEPTION**

**BY: .....**

|                          |                   |                                   |
|--------------------------|-------------------|-----------------------------------|
| <b>CALL TAKEN BY:</b>    |                   |                                   |
| Log Number M6-ROM-4-022- | Date              | Time                              |
| Name                     | Address           | Tele No.                          |
| Classification           | How Received      |                                   |
| Description              |                   |                                   |
|                          |                   |                                   |
| Passed to for action:-   | Forwarded by: -   | Date:-                            |
| Action Taken             |                   |                                   |
|                          |                   |                                   |
| Action Taken By (Sign)   | Date Closed Out:- | Number of Attachments e.g. Letter |

---

**SIR ROBERT MCALPINE**

|   |                     |
|---|---------------------|
| <b>WINTER MAINTENANCE PLAN</b>                            |                     |
| Contract Name : <b>M6DBFO National Border to Millbank</b> | <b>Revision : 0</b> |
| Winter Maintenance Plan No. : <b>M6-ROM-WM PLAN-4-001</b> | <b>August 2019</b>  |

## Appendix H

### M6 ROM

Schedule of Road Blockages (to be included on 2 hour closure schedule)

**Month.....**

| Date | Road No. | Location | Length of Blockage | Time of Blockage | Comments |
|------|----------|----------|--------------------|------------------|----------|
|      |          |          |                    |                  |          |
|      |          |          |                    |                  |          |
|      |          |          |                    |                  |          |
|      |          |          |                    |                  |          |
|      |          |          |                    |                  |          |
|      |          |          |                    |                  |          |
|      |          |          |                    |                  |          |
|      |          |          |                    |                  |          |
|      |          |          |                    |                  |          |
|      |          |          |                    |                  |          |

**M6 ROM  
FORECAST RECORD**

**MONTH – OCTOBER 2019**

| Night of |        | Duty Officer | Met Office – Beattock Graph |                    |      | Met Office – Beattock Graph |                     |      | Snow.<br>Ave Daily<br>Depth | Time<br>instructed | Comments |
|----------|--------|--------------|-----------------------------|--------------------|------|-----------------------------|---------------------|------|-----------------------------|--------------------|----------|
|          |        |              | Forecast<br>Min. Air        | Actual<br>Min, Air | Diff | Forecast<br>MinGrnd         | Actual<br>Min. Grnd | Diff |                             |                    |          |
|          | 1-Oct  |              |                             |                    |      |                             |                     |      |                             |                    |          |
|          | 2-Oct  |              |                             |                    |      |                             |                     |      |                             |                    |          |
|          | 3-Oct  |              |                             |                    |      |                             |                     |      |                             |                    |          |
|          | 4-Oct  |              |                             |                    |      |                             |                     |      |                             |                    |          |
|          | 5-Oct  |              |                             |                    |      |                             |                     |      |                             |                    |          |
|          | 6-Oct  |              |                             |                    |      |                             |                     |      |                             |                    |          |
|          | 7-Oct  |              |                             |                    |      |                             |                     |      |                             |                    |          |
|          | 8-Oct  |              |                             |                    |      |                             |                     |      |                             |                    |          |
|          | 9-Oct  |              |                             |                    |      |                             |                     |      |                             |                    |          |
|          | 10-Oct |              |                             |                    |      |                             |                     |      |                             |                    |          |
|          | 11-Oct |              |                             |                    |      |                             |                     |      |                             |                    |          |
|          | 12-Oct |              |                             |                    |      |                             |                     |      |                             |                    |          |
|          | 13-Oct |              |                             |                    |      |                             |                     |      |                             |                    |          |
|          | 14-Oct |              |                             |                    |      |                             |                     |      |                             |                    |          |
|          | 15-Oct |              |                             |                    |      |                             |                     |      |                             |                    |          |
|          | 16-Oct |              |                             |                    |      |                             |                     |      |                             |                    |          |
|          | 17-Oct |              |                             |                    |      |                             |                     |      |                             |                    |          |
|          | 18-Oct |              |                             |                    |      |                             |                     |      |                             |                    |          |
|          | 19-Oct |              |                             |                    |      |                             |                     |      |                             |                    |          |
|          | 20-Oct |              |                             |                    |      |                             |                     |      |                             |                    |          |
|          | 21-Oct |              |                             |                    |      |                             |                     |      |                             |                    |          |
|          | 22-Oct |              |                             |                    |      |                             |                     |      |                             |                    |          |
|          | 23-Oct |              |                             |                    |      |                             |                     |      |                             |                    |          |
|          | 24-Oct |              |                             |                    |      |                             |                     |      |                             |                    |          |
|          | 25-Oct |              |                             |                    |      |                             |                     |      |                             |                    |          |
|          | 26-Oct |              |                             |                    |      |                             |                     |      |                             |                    |          |
|          | 27-Oct |              |                             |                    |      |                             |                     |      |                             |                    |          |
|          | 28-Oct |              |                             |                    |      |                             |                     |      |                             |                    |          |
|          | 29-Oct |              |                             |                    |      |                             |                     |      |                             |                    |          |
|          | 30-Oct |              |                             |                    |      |                             |                     |      |                             |                    |          |
|          | 31-Oct |              |                             |                    |      |                             |                     |      |                             |                    |          |

**Duty changes at 08.00 hours on Tuesday.**



|   |                     |
|---|---------------------|
| <b>WINTER MAINTENANCE PLAN</b>                            |                     |
| Contract Name : <b>M6DBFO National Border to Millbank</b> | <b>Revision : 0</b> |
| Winter Maintenance Plan No. : <b>M6-ROM-WM PLAN-4-001</b> | <b>August 2019</b>  |

## Appendix I

### Contract Plant List and Additional Plant in the Event of Severe Weather

|   |                     |
|---|---------------------|
| <b>WINTER MAINTENANCE PLAN</b>                            |                     |
| Contract Name : <b>M6DBFO National Border to Millbank</b> | <b>Revision : 0</b> |
| Winter Maintenance Plan No. : <b>M6-ROM-WM PLAN-4-001</b> | <b>August 2019</b>  |

## Appendix I

### M6 ROM

#### WINTER MAINTENANCE GRITTING FLEET **2019/2020**

Fleet will comprise of 8no Scania Spreaders fitted with 9cu m Smoothflow Spreaders. 5no based at Eaglesfield depot and 3no based at Crawford depot.

Spreaders to be available from mid-September **2019**.

| <b>DEPOT<br/>Eaglesfield (E)<br/>Crawford (C)</b> | <b>Type of<br/>Vehicle</b> | <b>Vehicle<br/>Registration</b> | <b>TYPE OF EQUIPMENT</b> |                 |            |                        |                           |                             |                             | <b>SERIAL<br/>NUMBER</b> |
|---|----------------------------|---------------------------------|--------------------------|-----------------|------------|------------------------|---------------------------|-----------------------------|-----------------------------|--------------------------|
|   |                            |                                 | <b>Radio</b>             | <b>Blade</b>    | <b>Vee</b> | <b>Convert<br/>Vee</b> | <b>Fixed<br/>Spreader</b> | <b>Demount<br/>Spreader</b> | <b>Trailer<br/>Spreader</b> |                          |
| Spreader 1 (C)                                    | Scania 26t 9cu m           | KS13 AOW                        | Yes                      | Econ High-Speed |            | N/A                    | Yes                       | ----                        | ----                        |                          |
| Spreader 2 (C)                                    | Scania 26t 9cu m           | KS13 AOY                        | Yes                      | Econ High-Speed |            | N/A                    | Yes                       | ----                        | ----                        |                          |
| Spreader 3 (E)                                    | Scania 26t 9cu m           | KS13AOV                         | Yes                      | Econ High-Speed |            | N/A                    | Yes                       | ----                        | ----                        |                          |
| Spreader 4 (E)                                    | Scania 26t 9cu m           | KS13 AOT                        | Yes                      | Econ High-Speed |            | N/A                    | Yes                       | ----                        | ----                        |                          |
| Spreader 5 (E)                                    | Scania 26t 9cu m           | KS13 AOP                        | Yes                      | Econ High-Speed |            | N/A                    | Yes                       | ----                        | ----                        |                          |
| Spreader 6 (E)                                    | Scania 26t 9cu m           | KS13 AOU                        | Yes                      | Econ High-Speed |            | N/A                    | Yes                       | ----                        | ----                        |                          |
| Spreader 7 (E)                                    | Scania 26t 9cu m           | KS13 AOR                        | Yes                      | Econ High-Speed |            | N/A                    | Yes                       | ----                        | ----                        |                          |
| Spreader 8 (C)                                    | Scania 26t 9cu m           | KS13 AOX                        | Yes                      | Econ High-Speed |            | N/A                    | Yes                       | ----                        | ----                        |                          |
|   |                            |                                 |                          |                 |            |                        |                           |                             |                             |                          |
|   |                            |                                 |                          |                 |            |                        |                           |                             |                             |                          |

|   |                     |
|---|---------------------|
| <b>WINTER MAINTENANCE PLAN</b>                            |                     |
| Contract Name : <b>M6DBFO National Border to Millbank</b> | <b>Revision : 0</b> |
| Winter Maintenance Plan No. : <b>M6-ROM-WM PLAN-4-001</b> | <b>August 2019</b>  |

## Appendix I

### Other Mechanical Snow Clearance Plant

| <b>Name</b>       | <b>Nature of Business</b>     | <b>Location</b>                                  | <b>Contact name</b> | <b>Telephone Number</b> |
|-------------------|-------------------------------|--|---------------------|-------------------------|
| Hewden Plant Hire | JCB, Dumpers, Mini Excavators | Whitehaven                                       |                     |                         |
| A-Plant Hire      | JCB, Dumpers, Mini Excavators | Carlisle   |                     |                         |
| David Paton       | JCB 3C                        | Moffat   |                     |                         |
| Oakbank Services  | JCB 3C                        | Dumfries   |                     |                         |
| Ryder Services    | Mini Excavator<br>JCB 4CX     | Moffat   |                     |                         |
| Weston's Garage   | Loading shovel                | Crawford   |                     |                         |
| Duncan Hodge      | Tractors, shovels             | Unit 21<br>Whistleberry Ind.<br>Est.<br>Hamilton |                     |                         |
| JM Retson         | Tractors, shovels             | Abington   |                     |                         |
| J Allen           | 3no. ROBLA<br>Snow Blowers    | Pooley Bridge,<br>Penrith                        |                     |                         |

|   |                     |
|---|---------------------|
| <b>WINTER MAINTENANCE PLAN</b>                            |                     |
| Contract Name : <b>M6DBFO National Border to Millbank</b> | <b>Revision : 0</b> |
| Winter Maintenance Plan No. : <b>M6-ROM-WM PLAN-4-001</b> | <b>August 2019</b>  |

## Appendix J

### Police Departments and Neighbouring Authorities

|   |                     |
|---|---------------------|
| <b>WINTER MAINTENANCE PLAN</b>                            |                     |
| Contract Name : <b>M6DBFO National Border to Millbank</b> | <b>Revision : 0</b> |
| Winter Maintenance Plan No. : <b>M6-ROM-WM PLAN-4-001</b> | <b>August 2019</b>  |

## Appendix J

### M6 ROM

#### NEIGHBOURING AUTHORITY CONTACTS

| EMPLOYER                            | DESIGNATION                     | NAME | TELE. NO.<br>OFFICE  | TELE. NO.<br>MOBILE |
|-------------------------------------|---------------------------------|------|----------------------|---------------------|
| <b>Highways England<br/>Area 13</b> | <b>24 Hour Emergency Number</b> |      | <b>0300 470 7070</b> |                     |
|                                     | <b>Daytime Office Number</b>    |      | <b>0300 470 1523</b> |                     |

|   |                     |
|---|---------------------|
| <b>WINTER MAINTENANCE PLAN</b>                            |                     |
| Contract Name : <b>M6DBFO National Border to Millbank</b> | <b>Revision : 0</b> |
| Winter Maintenance Plan No. : <b>M6-ROM-WM PLAN-4-001</b> | <b>August 2019</b>  |

## Appendix J

### M6 ROM

#### NEIGHBOURING AUTHORITY CONTACTS

| EMPLOYER                              | DESIGNATION             | NAME | TELE. NO.<br>OFFICE  | TELE. NO.<br>MOBILE | FAX NO. |
|---------------------------------------|-------------------------|------|--|---------------------|---------|
| <b>Transerv –<br/>South West Unit</b> |                         |      | <b>0141 218 3999<br/>(24 hour Control Room)</b>                |                     |         |
|                                       | <b>Office – Daytime</b> |      | <b>0141 218 3800</b>   |                     |         |
|                                       |                         |      |  |                     |         |
| <b>Amey –<br/>South East Unit</b>     |                         |      | <b>0800 042 0188<br/>24 hour number</b>                        |                     |         |
| <b>Traffic Scotland</b>               |                         |      | <b>0800 028 1414<br/>24 hour number<br/>Customer Care Line</b> |                     |         |
|                                       |                         |      | <b>0131 2038700<br/>24 hour Control Room</b>                   |                     |         |

|   |                     |
|---|---------------------|
| <b>WINTER MAINTENANCE PLAN</b>                            |                     |
| Contract Name : <b>M6DBFO National Border to Millbank</b> | <b>Revision : 0</b> |
| Winter Maintenance Plan No. : <b>M6-ROM-WM PLAN-4-001</b> | <b>August 2019</b>  |

## Appendix J

### M6 ROM

#### NEIGHBOURING AUTHORITY CONTACTS

| EMPLOYER                                   | DESIGNATION  | NAME | TELE. NO.<br>OFFICE                  | TELE. NO.<br>MOBILE | FAX NO.              |
|--|--|------|--------------------------------------|---------------------|----------------------|
| <b>Dumfries &amp; Galloway<br/>Council</b> | <b>Head of Road,<br/>Neighbourhood and<br/>Contracted Services</b> |      | <b>01387 271104</b>                  |                     | <b>01387 271 168</b> |
|  | <b>Principal Road Service<br/>Officer</b>                          |      | <b>01576 203113<br/>01387 271171</b> |                     |                      |
|  | <b>Local Road Maintenance<br/>Manager</b>                          |      | <b>01576 203113<br/>01387 271171</b> |                     | <b>01576 203967</b>  |
|  | <b>Technician / Site Agent</b>                                     |      | <b>01576 203113</b>                  |                     | <b>01576 203967</b>  |
|  | <b>General Foreman</b>   |      | <b>01576 203113</b>                  |                     | <b>01576 203967</b>  |

|   |                     |
|---|---------------------|
| <b>WINTER MAINTENANCE PLAN</b>                            |                     |
| Contract Name : <b>M6DBFO National Border to Millbank</b> | <b>Revision : 0</b> |
| Winter Maintenance Plan No. : <b>M6-ROM-WM PLAN-4-001</b> | <b>August 2019</b>  |

## Appendix J

### M6 ROM

#### NEIGHBOURING AUTHORITY CONTACTS

| EMPLOYER                                   | DESIGNATION                 | NAME | TELE. NO.<br>OFFICE                        | TELE. NO.<br>MOBILE | FAX NO.             |
|--|-----------------------------|------|--|---------------------|---------------------|
| <b>Cumbria County Council<br/>(Capita)</b> | <b>Associate (Highways)</b> |      | <b>01539 713069<br/>01539 713040</b>       |                     | <b>01539 713035</b> |
|  |                             |      | <b>0300 303 2992<br/>Highways Hot Line</b> |                     |                     |

|   |                     |
|---|---------------------|
| <b>WINTER MAINTENANCE PLAN</b>                            |                     |
| Contract Name : <b>M6DBFO National Border to Millbank</b> | <b>Revision : 0</b> |
| Winter Maintenance Plan No. : <b>M6-ROM-WM PLAN-4-001</b> | <b>August 2019</b>  |

## Appendix J

### M6 ROM POLICE CONTACTS

| POLICE                                  | EMERGENCY<br>TELEPHONE | CONTACT                          |                          | CONTROL                    |              | ADDRESS                                       |
|---|------------------------|----------------------------------|--------------------------|----------------------------|--------------|---|
|   |                        | DESIGNATION                      | NAME                     | TELE.                      | FAX          |   |
| <b>CUMBRIA</b>                          | 999                    | General Enquiries / Control Room | Operational Control Room | 0300 1240111<br>or<br>101  | 01768 868283 | Carlton Hall Police HQ<br>Penrith<br>CA10 2AU |
|   |                        | Traffic Mgt. Officer             |                          | 101 Ext 44051              |              | Carlton Hall Police HQ                        |
|   |                        |                                  |                          |                            |              |   |
|   |                        |                                  |                          |                            |              |   |
| BOUNDARY: The Scottish Border           |                        |                                  |                          |                            |              |   |
| <b>Police Scotland</b>                  |                        |                                  |                          |                            |              |   |
| <b>Dumfries &amp; Galloway Division</b> | 999                    | General Enquiries /Control Room  | Control Room             | 101                        |              | Cornwall Mount<br>Dumfries DG1 1HP            |
|   |                        | Head of Traffic                  |                          | 101                        |              |   |
|   |                        |                                  |                          |                            |              |   |
| <b>LOCKERBIE</b>                        |                        | General enquiries                |                          | 101<br>or<br>01786 289 070 |              | Lockerbie Police Station                      |
|   |                        |                                  |                          |                            |              | Main Street                                   |
|   |                        |                                  |                          |                            |              | Lockerbie                                     |
|   |                        |                                  |                          |                            |              | DG11 2DQ                                      |

|   |                     |
|---|---------------------|
| <b>WINTER MAINTENANCE PLAN</b>                            |                     |
| Contract Name : <b>M6DBFO National Border to Millbank</b> | <b>Revision : 0</b> |
| Winter Maintenance Plan No. : <b>M6-ROM-WM PLAN-4-001</b> | <b>August 2019</b>  |

## Appendix J

### M6 ROM POLICE CONTACTS

| POLICE FORCE  | EMERGENCY TELEPHONE | CONTACT           |      | CONTROL                    |     | ADDRESS   |
|---|---------------------|-------------------|------|----------------------------|-----|---|
|   |                     | DESIGNATION       | NAME | TELE.                      | FAX |   |
| <b>BOUNDARY:</b> Council Boundary between the A74/Greenhillstairs junction and Harthope Viaduct |                     |                   |      |                            |     |   |
| <b>Police Scotland</b>  |                     |                   |      |                            |     |   |
| <b>Lanark Division</b>  | 999                 | General Enquiries |      | 101                        |     | Strathclyde Police Call Centre<br>217, Windmillhill Street<br>Motherwell<br>ML1 1RZ |
|   |                     |                   |      |                            |     |   |
|   |                     | Head of Traffic   |      | 01698 483075<br>or<br>101  |     |   |
|   |                     |                   |      |                            |     |   |
|   |                     |                   |      |                            |     |   |
| Traffic Management  |                     |                   |      | 101<br>or<br>01786 289 070 |     |   |

---

**SIR ROBERT MCALPINE**

|   |                     |
|---|---------------------|
| <b>WINTER MAINTENANCE PLAN</b>                            |                     |
| Contract Name : <b>M6DBFO National Border to Millbank</b> | <b>Revision : 0</b> |
| Winter Maintenance Plan No. : <b>M6-ROM-WM PLAN-4-001</b> | <b>August 2019</b>  |

# Appendix K

## Salt Application Spread Rates

|   |                     |
|---|---------------------|
| <b>WINTER MAINTENANCE PLAN</b>                            |                     |
| Contract Name : <b>M6DBFO National Border to Millbank</b> | <b>Revision : 0</b> |
| Winter Maintenance Plan No. : <b>M6-ROM-WM PLAN-4-001</b> | <b>August 2019</b>  |

## Appendix K

**Table 1 - Forecast Weather and Road Condition Status**

This table sets out the forecast weather and road condition status codes used in the other Appendix K Tables.

| <b>Forecast weather</b>      |  |   |                               |
|------------------------------|--|---|-------------------------------|
| A                            | Road surface temperature is higher than 1°C  | H | Hoar frost                    |
| B                            | Road surface temperature is lower than or equal to plus 1°C but higher than minus 2°C                    | I | Freezing fog                  |
| C                            | Road surface temperature is lower than or equal to minus 2°C but higher than minus 5°C                   | J | Freezing rain                 |
| D                            | Road surface temperature is lower than or equal to minus 5°C   | K | Snow accumulations up to 30mm |
| E                            | Road surface temperature is lower than or equal to plus 1°C but higher than minus 2°C following rain     | L | Snow accumulations over 30mm  |
| F                            | Road surface temperature is lower than or equal to minus 2°C but higher than minus 5°C following rain    | M | Hard packed snow/ice          |
| G                            | Road surface temperature is lower than or equal to minus 5°C following rain                              |   |                               |
| <b>Road condition status</b> |  |   |                               |
| 1                            | Road surface dry   |   |                               |
| 2                            | Frost susceptible area/known surface water run-off   |   |                               |
| 3                            | Road surface wet   |   |                               |
| 4                            | Road surface temperatures less than or equal to plus 1°C and relative humidity less than or equal to 80% |   |                               |

|   |                     |
|---|---------------------|
| <b>WINTER MAINTENANCE PLAN</b>                            |                     |
| Contract Name : <b>M6DBFO National Border to Millbank</b> | <b>Revision : 0</b> |
| Winter Maintenance Plan No. : <b>M6-ROM-WM PLAN-4-001</b> | <b>August 2019</b>  |

**Table 2 - Precautionary treatment salt spreading rates**

| Forecast weather as referred to in Table A of Appendix K | Road condition status as referred to in Table 1 of Appendix K |   |   |   |
|--|---|---|---|---|
|  | 1<br>Dry road surface<br>(grammes per square metre)           | 2<br>Frost susceptible/<br>surface water run off area<br>(grammes per square metre) | 3<br>Road surface wet<br>(grammes per square metre) | 4<br>Road surface temperatures lower than or equal to plus 1°C and relative humidity less than or equal to 80%    |
| A  | 0   | 0   | 0   | 0   |
| B  | 0   | 10 to 20  | 10 to 20  | Salt moisture content shall be increased to 5% at relevant spread rates in Road condition status 1 to 3 inclusive |
| C  | 0   | 10 to 20  | 10 to 20  |   |
| D  | 0   | 20  | 20  |   |
| E  | 0   | 20  | 20  |   |
| F  | 0   | 30  | 40  |   |
| G  | 0   | 40  | 40  |   |
| H  | 10  | 20  | 20  |   |
| I  | 10  | 10  | 20  |   |
| J  | 40  | 40  | 40  |   |
| K  | 20  | 30  | 40  |   |
| L  | 40  | 40  | 40  |   |
| M  | 40  | 40  | 40  |   |

|   |                     |
|---|---------------------|
| <b>WINTER MAINTENANCE PLAN</b>                            |                     |
| Contract Name : <b>M6DBFO National Border to Millbank</b> | <b>Revision : 0</b> |
| Winter Maintenance Plan No. : <b>M6-ROM-WM PLAN-4-001</b> | <b>August 2019</b>  |

**Table 3 - Snow or ice clearance salt spreading rates**

| Road surface condition                    | Air temperature                               | Treatment                             |                  |                  |
|---|---|---------------------------------------|------------------|------------------|
|   |   | Spreading (grammes per square metres) | Ploughing        | Blowing          |
|   |   | Salt                                  |                  |                  |
| Ice formed                                | Lower than or equal to minus 5°C and stable   | 20 to 40                              | No               | No               |
| Snow covering exceeds 30mm                | Lower than or equal to minus 5°C and stable   | 20                                    | Yes              | No               |
| Snow covering exceeds 30mm                | Lower than or equal to minus 5°C and dropping | 20 to 40                              | Yes              | Yes              |
| Snow accumulations due to prolonged falls | Lower than or equal to minus 5°C and stable   | 20 to 40                              | Yes (continuous) | Where applicable |
| Hard packed snow/ice less than 20mm thick | Higher than or equal to minus 5°C             | 20 to 40 (successive treatments)      | No               | No               |

|   |                     |
|---|---------------------|
| <b>WINTER MAINTENANCE PLAN</b>                            |                     |
| Contract Name : <b>M6DBFO National Border to Millbank</b> | <b>Revision : 0</b> |
| Winter Maintenance Plan No. : <b>M6-ROM-WM PLAN-4-001</b> | <b>August 2019</b>  |

## **Appendix L**

### **List of Other Documents to be Read in Conjunction with this Plan**

|   |                     |
|---|---------------------|
| <b>WINTER MAINTENANCE PLAN</b>                            |                     |
| Contract Name : <b>M6DBFO National Border to Millbank</b> | <b>Revision : 0</b> |
| Winter Maintenance Plan No. : <b>M6-ROM-WM PLAN-4-001</b> | <b>August 2019</b>  |

## Appendix L

### List of Other Documents to be Read in Conjunction with this Plan

#### 1.0 Contract Specification :

1. M6DBFO Contract Document Schedule 4 (O&M)
2. Contract Agreement
3. Scottish Ministers' Variation SMV OM/007 – Pre-wetted Salt
4. Scottish Ministers' Variation SMV OM/013 – Winter Maintenance Enhancements

#### 2.0 General and Contract Procedures :

1. Winter Maintenance Strategy AM6/PR/18
2. M6-ROM-4-022 Complaint Response
3. M6-ROM-4-014 Accident Records
4. M6-ROM-4-016 Abnormal Indivisible Loads.
5. M6-ROM-4-003 Liaison
6. M6 ROM Quality Management Plan QMP/01

#### 3.0 Agency Controlled Documents:

1. Area Management Memo No. 62/05. Guidance on Dealing with Freezing Rain

|   |                     |
|---|---------------------|
| <b>WINTER MAINTENANCE PLAN</b>                            |                     |
| Contract Name : <b>M6DBFO National Border to Millbank</b> | <b>Revision : 0</b> |
| Winter Maintenance Plan No. : <b>M6-ROM-WM PLAN-4-001</b> | <b>August 2019</b>  |

## Appendix M

### Interface Arrangements with Other Road Authorities

|   |                     |
|---|---------------------|
| <b>WINTER MAINTENANCE PLAN</b>                            |                     |
| Contract Name : <b>M6DBFO National Border to Millbank</b> | <b>Revision : 0</b> |
| Winter Maintenance Plan No. : <b>M6-ROM-WM PLAN-4-001</b> | <b>August 2019</b>  |

## **Appendix M      Interface Arrangements**

### **Highways England (Area 13)**

- 1.1      None

### **Dumfries & Galloway Council**

- 2.1      M6 ROM to treat the section of B7076 northwards from the B7076 / Glasgow / C143a junction at Gretna up to the A74(M) northbound entry slip road.

### **Transerv Scotland - South West Unit**

- 3.1      Transerv Scotland to treat in area of Junction 12 as follows:

Northbound carriageway – from the start of the slip road hatching to the double nodes (a distance of about 140 metres).

Southbound carriageway – Transerve to continue from their network north of Junction 12 to the end of the hatching at the southbound entry slip road (a distance of 140 metres).


|   |                     |
|---|---------------------|
| <b>WINTER MAINTENANCE PLAN</b>                            |                     |
| Contract Name : <b>M6DBFO National Border to Millbank</b> | <b>Revision : 0</b> |
| Winter Maintenance Plan No. : <b>M6-ROM-WM PLAN-4-001</b> | <b>August 2019</b>  |

## Appendix N

### Snow Plan


|   |                     |
|---|---------------------|
| <b>WINTER MAINTENANCE PLAN</b>                            |                     |
| Contract Name : <b>M6DBFO National Border to Millbank</b> | <b>Revision : 0</b> |
| Winter Maintenance Plan No. : <b>M6-ROM-WM PLAN-4-001</b> | <b>August 2019</b>  |

## Appendix N Transport Scotland Snow Plan Flowchart



|   |                     |
|---|---------------------|
| <b>WINTER MAINTENANCE PLAN</b>                            |                     |
| Contract Name : <b>M6DBFO National Border to Millbank</b> | <b>Revision : 0</b> |
| Winter Maintenance Plan No. : <b>M6-ROM-WM PLAN-4-001</b> | <b>August 2019</b>  |

## Appendix N OC/DBFO Snow Plan Flowchart



|   |                     |
|---|---------------------|
| <b>WINTER MAINTENANCE PLAN</b>                            |                     |
| Contract Name : <b>M6DBFO National Border to Millbank</b> | <b>Revision : 0</b> |
| Winter Maintenance Plan No. : <b>M6-ROM-WM PLAN-4-001</b> | <b>August 2019</b>  |

## Appendix N Snow Plan Resource Table

| Resource Recipient | Resource Supplier |              |   |  |            |                   |                    |                    |
|--------------------|-------------------|--------------|---|--|------------|-------------------|--------------------|--------------------|
|                    | M80 DBFO (HMG)    | BEAR (North) | SW (STS)  | SE (AMEY)  | FBU (AMEY) | M8/M73/M74 (AMEY) | M77 DBFO (Connect) | Transport Scotland |
| M6 DBFO            |                   |              | J10 – J13 SB<br>1 Spreader Patrol                                   | J13 – J10 NB<br>1 Spreader Patrol  |            |                   |                    |                    |
|                    |                   |              | ARSA 1 (J12 SB)<br>7.5 tonne vehicle with salt/aggregate            | ARSA 2 (Tinnybank NB & SB)<br>Heavy Recovery Vehicle at NB or SB Wide Load Layby |            |                   |                    |                    |
|                    |                   |              | ARSA 1 (J12 SB)<br>Heavy Recovery Vehicle at J12 Services           | ARSA 3 J13/A702 R/A<br>Self Help salt/aggregate pile for public use<br>LH Verge  |            |                   |                    |                    |
|                    |                   |              | ARSA 2 (Tinnybank NB & SB)<br>7.5 tonne vehicle with salt/aggregate |  |            |                   |                    |                    |
|                    |                   |              |   |  |            |                   |                    |                    |
|                    |                   |              |   |  |            |                   |                    |                    |

|   |                     |
|---|---------------------|
| <b>WINTER MAINTENANCE PLAN</b>                            |                     |
| Contract Name : <b>M6DBFO National Border to Millbank</b> | <b>Revision : 0</b> |
| Winter Maintenance Plan No. : <b>M6-ROM-WM PLAN-4-001</b> | <b>August 2019</b>  |

|                    | Resource Supplier   |              |                                     |   |            |                                  |                    |   |
|--------------------|---|--------------|-------------------------------------|---|------------|----------------------------------|--------------------|---|
| Resource Recipient | M80 DBFO (HMG)  | BEAR (North) | SW (STS)                            | SE (AMEY)   | FBU (AMEY) | M8/M73/M74 (AMEY)                | M77 DBFO (Connect) | Transport Scotland                                |
| M80 DBFO           | <b>Snow Route 4</b><br><b>M80 J5 – J7 &amp; M876 J2</b>   |              | <b>Snow Route 1 M8 J13 – M80 J4</b> | <b>Snow Route 3 M80 J7 – M80 J6a</b>                    |            | <b>Snow Route 2 M73 – M80 J5</b> |                    | <b>Castlecary Emergency Laybys (M80 J5 – J7).</b> |
|                    | 1 Frontline Spreader treating & ploughing                 |              | 1 Spreader treating & ploughing     | 1 Spreader treating & ploughing                         |            | 1 Spreader treating & ploughing  |                    | Fastrac when available                            |
|                    | 1 Reserve Spreader treating & ploughing                   |              |                                     |   |            |                                  |                    |   |
|                    | <b>Snow Route 5</b><br><b>M80 J3 – J6 &amp; M80 J2</b>    |              |                                     | <b>Snow Route 3</b><br><b>M80/M876/M9 &amp; M80 J6a</b> |            |                                  |                    |   |
|                    | 1 Frontline Spreader treating & ploughing                 |              |                                     | 1 Fastrac Patrol  |            |                                  |                    |   |
|                    | 1 Reserve Spreader treating & ploughing                   |              |                                     |   |            |                                  |                    |   |
|                    | <b>Snow Route 6</b><br><b>M73 J3 - M80 J5 &amp; Slips</b> |              |                                     | <b>Castlecary Arches NB &amp; SB</b>                    |            |                                  |                    |   |
|                    | 1 Patrol treating & ploughing                             |              |                                     | 1 Unimog  |            |                                  |                    |   |
|                    | 1 TM Vehicle ploughing                                    |              |                                     |   |            |                                  |                    |   |
|                    | Castlecary Emergency Layby                                |              |                                     |   |            |                                  |                    |   |
|                    | 2 Recovery Vehicles                                       |              |                                     |   |            |                                  |                    |   |
|                    | 4x4 Hilltip spreading and ploughing as resource allows    |              |                                     |   |            |                                  |                    |   |

|   |                     |
|---|---------------------|
| <b>WINTER MAINTENANCE PLAN</b>                            |                     |
| Contract Name : <b>M6DBFO National Border to Millbank</b> | <b>Revision : 0</b> |
| Winter Maintenance Plan No. : <b>M6-ROM-WM PLAN-4-001</b> | <b>August 2019</b>  |

| Resource Recipient | M80 DBFO (HMG) | BEAR (North) | SW (STS)   | SE (AMEY) | FBU (AMEY) | M8/M73/M74 (AMEY) | M77 DBFO (Connect)   | Transport Scotland |
|--------------------|----------------|--------------|--|-----------|------------|-------------------|--|--------------------|
| <b>M77 DBFO</b>    |                |              | ARSA 1 (J3 – J4 SB)<br>7.5 tonne vehicle with salt/aggregate                           |           |            |                   |  |                    |
|                    |                |              | ARSA 1 (J3 SB On Slip)<br>Heavy Recovery Vehicle                                       |           |            |                   | ARSA 2 (J7 – J6 NB)<br>1 Spreader treating & ploughing between J5 & Grassyards |                    |
|                    |                |              | Cat A Patrols from Glw & Ayr.<br>Extend from J5 to Grassyards and Meiklewood I/C to J5 |           |            |                   | M77 J2 – J3<br>Extend Frontline and Patrol to J2 rather than J3                |                    |

|   |                     |
|---|---------------------|
| <b>WINTER MAINTENANCE PLAN</b>                            |                     |
| Contract Name : <b>M6DBFO National Border to Millbank</b> | <b>Revision : 0</b> |
| Winter Maintenance Plan No. : <b>M6-ROM-WM PLAN-4-001</b> | <b>August 2019</b>  |

|                    | Resource Supplier |              |          |  |   |                                      |                    |                    |
|--------------------|-------------------|--------------|----------|--|---|--------------------------------------|--------------------|--------------------|
| Resource Recipient | M80 DBFO (HMG)    | BEAR (North) | SW (STS) | SE (AMEY)  | FBU (AMEY)  | M8/M73/M74 (AMEY)                    | M77 DBFO (Connect) | Transport Scotland |
| M8                 |                   |              |          | M8 J6 – J4A<br>1 Fastrac                                 | M8 J1 & J3<br>Spreaders to extend and turn at J1 and J3 | M8 J4A<br>Spreaders to extend to J4A |                    |                    |
|                    |                   |              |          | M8 J3 – J4<br>1 Fastrac                                  |   |                                      |                    |                    |
|                    |                   |              |          | M8 J1<br>Patrol A4 to divert to J1 to turn instead of J3 |   |                                      |                    |                    |
|                    |                   |              |          | M8 J3A<br>Patrol A6 to extend from J3 to J3A             |   |                                      |                    |                    |
|                    |                   |              |          | M8 J3A<br>Patrol A2 to run from J6 to J3A                |   |                                      |                    |                    |
|                    |                   |              |          | M8 J3A<br>Route 8 to extend to J3A                       |   |                                      |                    |                    |
|                    |                   |              |          | M8 J3 – J5<br>Route 9 to run from J3 to J5               |   |                                      |                    |                    |
|                    |                   |              |          | M8 J6 – J4A<br>Route 10 to run from J6 to J4A            |   |                                      |                    |                    |
|                    |                   |              |          | Reserve Spreaders to be Deployed                         |   |                                      |                    |                    |
|                    |                   |              |          | Recovery Vehicle deployed at Heartlands or Harthill      |   |                                      |                    |                    |

SIR ROBERT MCALPINE