

[REDACTED]

- NOTES:
1. PROPOSED M8 OUTLINE BASED ON MODEL 'M8 ALIGNMENT SEPT 22-09-08'.
 2. CONSTRUCTION OF DRAINAGE FIELDS SHALL BE IN ACCORDANCE WITH BS5297:2007+A1:2008
 3. SEPTIC TANK AND INSPECTION CHAMBERS TO BE INSTALLED IN ACCORDANCE WITH MANUFACTURER'S RECOMMENDATIONS
 4. CLASS B ENGINEERING BRICKWORK SHALL BE IN ACCORDANCE WITH CLAUSE 5.2.39 OF SEWERS FOR SCOTLAND, 2ND EDITION
 5. ALL INSITU CONCRETE SHALL COMPLY WITH BS 8500-1 AND BS 8500-2
 6. MANHOLE COVERS AND FRAMES SHALL COMPLY WITH BS EN 124
 7. ALL DIMENSIONS IN MILLIMETRES UNLESS NOTED OTHERWISE

CLIENT



PROJECT TITLE

M8 Baillieston to Newhouse

[REDACTED]

ENGINEER



DRAWING TITLE

Accommodation Works
[REDACTED]
Foul Water Drainage

SCALE AT A1
AS NOTED

DRAWING NO
M8MFJV/AW/303

REV
B